


# SHOES & WEAR

COLLECTION 2017-18

PURE ITALIAN DESIGN



*Don't worry... be happy!*





# DON'T WORRY... BE HAPPY

We like to think that every day can be the start of something wonderful. A new challenge, a new opportunity, an unforeseen situation that tests us and allows us to show all our talent. We believe that positive thinking is not an illusion but a concrete way to face life with a smile, self-confident of our abilities. Here is the explanation of our reasoning, which for me is a philosophy of life: Don't worry... be happy!

Franco Uzzeni  
President



**OUR SOUL**

Headquarters





## A HISTORY MADE OF CHALLENGES.

Our philosophy Don't worry... be happy! reflects our Mission, which has always been our commitment to those who wear **U-POWER**: each shoe is a guarantee of true comfort and functionality under the sign of true Italian design.

**U-POWER** was founded with the target to build the most authentic and reliable reference point for improving the quality and life style of working people.



Modern production establishments





**OUR TECHNOLOGY**

# U-POWER TECHNOLOGICAL SUPREMACY

Consistent with its mission, U-POWER addresses a great part of its investments to the development of each technological innovation which improves every day life for working people by, supporting their safety.

Discover the **VALUE**  
and **PERFORMANCE**  
of a series of  
exclusive world  
patents.



# OUR TECHNOLOGY

wingtex®

Air tunnel lining

Waterproof and breathable membrane



LYCRA®

Quick fastening system



Stress<sup>OUT</sup> SYSTEM

Tongue which cushions the instep and allows walking comfort, without added stress to the foot

Safety STRIP

Rubber Strip for improved comfort and protection

Airtoe<sup>®</sup> COMPOSITE

Airtoe<sup>®</sup> ALUMINIUM

Composi<sup>®</sup> toe

Toe cap which allows feet to breath

ERGODRY<sup>®</sup>

WHITE ERGODRY<sup>®</sup>

ACTIONdry

POLYsoft

HEATout

executive plus

PUSH UP SYSTEM

leather.gel

Anatomic footbeds

Insert

CORDURA<sup>®</sup> FABRIC

Save & Flex<sup>®</sup> plus

"No metal" pierce-resistant midsole

Natural CONFORT<sup>®</sup> 9

Natural CONFORT<sup>®</sup> 11

SUPER CONFORT<sup>®</sup> 12

EXTRA CONFORT<sup>®</sup> 13

Anatomic last Natural Confort 11

U<sup>®</sup>Power<sup>®</sup>  
Don't worry... be happy!



# OUR TECHNOLOGY

## Save & Flex<sup>®</sup> plus



The exclusive pierce-resistant “no-metal” midsole, in comparison to the classical steel midsole is lighter, more flexible and safe since it can be directly stitched to the upper, therefore protecting the entire sole area.

**U-POWER** uses for its products only **Save & Flex PLUS** quality materials, which offer pierce resistance of the sole **1100N**, in accordance to recent legislation



## Stress Out<sup>®</sup> SYSTEM



An innovative tongue system planned to help the instep and allow comfort when walking, without added stress to the foot. This exclusive technology comes from extended studies on the ergonomics of the feet.


It concerns the division of the anatomic support combined with a multiple density cushion support inserted in the tongue.

### WORLDWIDE PATENT

Stress-out System



**ESD CEI EN 61340-5-1**  
**ELECTRICAL RESISTANCE BETWEEN**  
**0,75 AND 35 MOhm**






# OUR TECHNOLOGY



The revolutionary composite toe cap which, thanks to the innovative technology **AirToe** allows your feet to breathe. **AirToe** Composite, thanks to the asymmetric holes and the unique micro-porous membrane ensures the total permeability and absolute transpiration even after many hours of intensive wear. **AirToe** Composite complies with the latest safety standards.



Composite's versatility  
**AIRTOE COMPOSITE**  
Average weight 50 gr



Aluminium's nobility and lightness for comfort without compromise  
**AIRTOE ALUMINIUM**  
Average weight 54 gr



Lightweight and strong composite material, resistant to 200 Joule  
**COMPOSITOE**  
Average weight 60 gr



**STEEL TOE CAP**  
Average weight 93 gr



# OUR TECHNOLOGY



ACTIVITY DAY **START**

ACTIVITY DAY **FINISH**

## Natural CONFORT 11®

Developed from detailed analysis of the foot based upon its maximum efforts and strengths we developed the **Natural Confort 11** last. We know now that during the different phases of the working day our feet can have variations that are very relevant.

**Natural Confort 11** ensures a stress-free fitting and natural comfort throughout the day.

## SUPER CONFORT 12®

## EXTRA CONFORT 13®



For some models we have created two additional lasts: "**Super Confort 12**" and "**Super Confort 13**" created for a wider fit.



HONEYCOMB  
STRUCTURE

wingtex®

Revolutionary air tunnel lining, for utmost breathability. Special microcells have great absorbance and deabsorbance features.



# OUR TECHNOLOGY



Anatomic insole designed by studying the morphology of the foot, is manufactured with a dual PE and EVA support system coated with a textile surface. Extremely comfortable, anti bacterial and anti-static, insole, for always cool and fresh feet.



Anatomic insole designed by studying the morphology of the foot. Made from a felt base with activated carbons combined with an open cell fabric it is: breathable, non-abrasive, non-slip, antibacterial, anti-static and washable. All these features make it extremely comfortable while keeping your feet dry.




Using our footwear experience, we have developed a footbed that ensures comfort all day long. It combines a support in EVA with open cells textile which keeps it dry and antifungal. Extremely light and non slip, it guarantees maximum performance even in extreme working environments.



Anatomic insole made of soft polyurethane and open cell fabric, breathable and antibacterial. Support of differing height and thickness optimise comfort even after many hours of wear. The distribution of concentric and ergonomic holes over the entire surface makes this insole extremely breathable, thus keeping the foot dry.



Anatomic, removable and lightweight insole in EVA with carbon fibres and ceramic particles, thanks to which the temperature of the foot remains constant even with high ground temperatures.



Anatomic insole very soft with open microcells, light and breathable. Thanks to the pairing with an extremely light material it ensures fresh and dry feet throughout the workday.



Footbed with special memory material, it raises the body 50 mm and, while supporting the foot, it maintains the vertebral column in a relaxed and natural position, improving the posture and guaranteeing great comfort.



Exclusive insole in real leather with EVA support, thanks to the special tanning procedure it is anti bacterial. After lengthy study of the foot's anatomy, this insole offers great side support to your heel, the special gel insert assure shock absorption generated during working activity. An insole which assures fresh and dry feet, even after many working hours.





## GORE-TEX® FOOTWEAR FOR THE WORKPLACE. PROTECTION AND COMFORT.

### High climate comfort


The GORE-TEX® membrane – the hidden secret at the core of GORE-TEX® Footwear offers high climate comfort in all working weather conditions.

### Water stays out while sweat escapes

The GORE-TEX® membrane has microscopic pores 20,000 times smaller than a drop of water but 700 times larger than one water vapour molecule. This unique combination provides durable waterproofness and high breathability.

GORE-TEX® Footwear keep your feet dry and comfortable.

Each pore of the GORE-TEX® membrane is 20,000 times smaller than a water droplet.



Each pore of the GORE-TEX® membrane is 700 times larger than a water vapour molecule.

## PRODUCT CLASSES.


To meet the specific requirements of operational climate, activity level, and end-use environment, Gore has developed

special footwear laminates. Three **Product Classes** make it easy to choose the appropriate footwear **for your final end use:**

### GORE-TEX® Extended Comfort Footwear

- Dry and comfortable for warm temperatures
- Durably waterproof, highly breathable and non insulated for high heat loss


**Ideal for** warm weather and combined outdoor/indoor activities.



### GORE-TEX® Performance Comfort Footwear

- Dry and comfortable for moderate temperatures
- Durably waterproof, breathable and moderately insulated for a broad range of temperatures

**Ideal for** changing weather and wide range of activities







## PROVEN QUALITY UNDER UNCOMPROMISING TESTING CONDITIONS.

### More than the sum of its parts

All footwear parts (leathers, textiles, laces, foams, threads) and the entire boot construction are geared towards maximum performance in the final end use and subjected to uncompromising quality control during all phases of the product

development and production.

GORE-TEX® Footwear by far exceeds the requirements of the standard EN ISO 20345/347 with respect to waterproofness, breathability and durability.



### Durable Waterproofness

GORE-TEX® Footwear has to withstand up to 300,000 flex movements (80 hours) in ankle-high water – without allowing one single drop of water to penetrate inside the boot. EN ISO standard 20344 requires only 4800 flexes (80 minutes) and 3 cm<sup>2</sup> water entry is allowed.

### Breathability

The materials used in GORE-TEX® Footwear achieve a breathability value up to six times higher than the values specified in EN ISO standard 20345/47.

### Durability

Inner lining and upper materials of GORE-TEX® Footwear have to withstand up to four times more abrasion movement than specified in by the EN ISO standard.





## THIS IS A REVOLUTION!


Research and innovation motivate us to develop high performance products. To realise Red Lion we collaborated with the world leading chemical innovators BASF Group and their cutting edge **Infinergy®**, the first expanded TPU (E-TPU = Expanded Thermoplastic Polyurethane), Lightness and flexibility in a single product combined with a revolutionary gel insert.

**WHY? BECAUSE YOUR WELLBEING AND SAFETY IN THE WORKPLACE IS OUR PRIORITY!**


**Red Lion** stems from our desire to find solutions; we have looked at comfort, ergonomics, economy of energy and performance to reduce the stress in your working life, no matter how far you may travel in a day.

**Infinergy®** is a real breakthrough in innovation, originally designed for the world of sport, it revolutionised the running shoe. BASF's technological expertise in particle foams combined with their experience with thermoplastic polyurethanes lead to this entirely new closed-cell elastic particle foam; where the benefits of thermoplastic polyurethane (TPU) are retained, but to these are added the typical properties of foam. This combines two normally opposing characteristics: on one side softness and comfort and on the other stability and resilience.

01



02



### Infinergy® :

- . Great flexibility
- . High resilience
- . Flexibility and lightness
- . Low density
- . High tensile strength
- . High impermeability
- . Resistance to wide temperature changes  
+40°C to - 20 °C

**Infinergy®** stores energy to return. A concentration of technology that reinvents traditional cushioning – dynamic cushioning.

- . Soft and dynamic cushioning that returns positive energy to the wearer. Energy is stored as the foot hits the ground and is returned through the sole as the foot lifts up, pushing the foot forward. A large amount of the expended energy is returned to the wearer.
- . Excellent long-term strength even when exposed to constant stress
- . Unlike traditional foams, Infinergy® still retains its elastic memory whilst withstanding temperatures of -20°C to over +40°C





# TECHNOLOGY

## Red Lion is uniquely comfortable throughout the whole day

The Infinergy® cushioning helps to maintain energy levels for longer than any traditional sole with the added benefit of lightness, freedom of movement, anti-fatigue and reduction of musculoskeletal disorders. The gel insert on the ball of the foot helps to reduce fatigue with every step.

**RedLion** is the solution to improve the conditions for workers subjected to different daily situations and stresses:

- Standing for long periods
- Walking long distances
- Long periods kneeling or squatting
- Walking up and down stairs repeatedly
- Repetitive stress

03

04

Maximum comfort and responsiveness:

- A natural flexibility along the entire surface of the foot from the heel to toe.
- A light and flexible outer sole, which adapts to the sole surface, thanks to its design and ensures maximum stability
- A combination of uppers giving an elegant look, built with very soft materials that wrap the foot in total comfort: ultra- breathable textile materials and natural full grain leather.

## Red Lion, good looking and a perfect fit combined with cushioning!

# dress all of your daily challenges!




# SUMMARY

## RED LION



THIS IS A REVOLUTION!

## FLAT OUT



ARE YOU READY?

## THE ROAR...



PURE ITALIAN DESIGN  
REAL PERSONAL PROTECTION

## SK GRIP



ABSOLUTE  
SLIP-RESISTANCE

## HAPPY



LIGHT SENSATION

## WINNER



A WINNING CHOICE

## U-GEL



MAXIMUM COMFORT  
AND MAXIMUM SAFETY

## GORE-TEX®



WATERPROOF COMBINED WITH  
LONG-LASTING BREATHABILITY

## CONCEPT PLUS



ENTRY LEVEL  
WITH FULL SAFETY OPTIONS

## U-SPIDER



THE MOST SOPHISTICATED  
FOR THE MOST DEMANDING

## CONCEPT M



THE OUTDOOR SOLUTION  
THAT STANDS UP AGAINST  
EVERYTHING

## LEI&LEI



HIGH & SOFT



## PROFESSIONAL

62



MORE & LESS

## U-MANAGER

64



CLASSIC & ELEGANT

## BOA



66



HIGH EFFICIENCY LACING SYSTEM

## PLURICONFORT

67



SUPER & EXTRA

## WHITE 68 & BLACK

68



NOT ONLY WHITE

## ROCK&ROLL

72



STRONG & AGILE

## U-SPECIAL

80



SPECIFIC  
TECHNICAL SOLUTIONS

## STEP ONE

86



ESSENTIAL & FUNCTIONAL

## STYLE&JOB

90



SIMPLY SAFE

## ENTRY

94



BEST PRICE

## MERCHANDISING

96







## THIS IS A REVOLUTION!



**The more energy you use, the more you receive!**

No limit to your work...

No obstacle can stop you...

**Redlion will make you invincible!!!**

Thanks to the new **hi-tech Infinergy® sole** you will feel recharged at every step, ready for new challenges...

**Redlion shoes, inexhaustible energy!!!**



AIR TUNNEL LINING



SAFETY BREATHABLE TOE CAP



"NO METAL"  
PIERCE-RESISTANT MIDSOLE



ANATOMIC FOOTBED



ANATOMIC LAST  
MONDOPOINT 11



### POINT

**S1P SRC RL20036**

#### UPPER

Soft suede upper with Nylon inserts

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PU + Infinergy®

#### SIZE

from 35 to 48

**NEW**



### ACTIVE

**S1P SRC RL20066**

#### UPPER

Soft suede upper with Nylon inserts

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PU + Infinergy®

#### SIZE

from 35 to 48

**NEW**



### PUSH

**S1P SRC RL20056**

#### UPPER

Soft suede upper with Nylon inserts

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PU + Infinergy®

#### SIZE

from 35 to 48

**NEW**



### GOING

**S1P SRC RL20096**

#### UPPER

Soft suede upper with ventilation

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PU + Infinergy®

#### SIZE

from 38 to 48

**NEW**





**INFINERGY E-TPU FOAM SOLE**  
MADE UP OF THOUSANDS OF TINY  
CELLS OF ENCLOSED AIR THAT  
DAMPEN SHOCK IMPACT AND  
BOUNCE THE ENERGY BACK ON  
EVERY STEP.



## SLIP RESISTANCE

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS ≡ 0,32	RED LION <b>0,82</b>
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	≡ 0,18	<b>0,30</b>
		Heel CONTACT ANGLE 7°	≡ 0,28	<b>0,60</b>
		Flat	≡ 0,13	<b>0,18</b>

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

## PU/PU NEXT GENERATION POLYMER



90° DEGREE ANGLE  
BLOCK PROFILE  
TO INCREASE  
ADHESION

MULTILEVEL  
STABILISING  
CHANNELS  
TO IMPROVE ANTI SLIP  
FEATURES

PREFORMED HEEL  
HEIGHT 6MM  
MULTIPURPOSE

90° DEGREE ANGLE  
BLOCK PROFILE  
TO INCREASE  
ADHESION

## MOVING

**S1P SRC RL10086**

### UPPER

Soft suede upper with  
ventilation

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU + Infinergy®

**SIZE**  
from 35 to 48



**NEW**



## EMOTION

**S1P SRC RL20086**

### UPPER

Soft suede upper with  
ventilation

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU + Infinergy®

**SIZE**  
from 35 to 48



**NEW**



## ADVENTURE

**S1P SRC RL20076**

### UPPER

Soft suede upper with  
ventilation

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU + Infinergy®

**SIZE**  
from 35 to 48



**NEW**



## AXEL

**S1P SRC RL20236**

### UPPER

Soft suede upper with  
ventilation

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU + Infinergy®

**SIZE**  
from 38 to 48



**NEW**





## HUMMER

S3 SRC RL10174

### UPPER

Soft nubuck water

resistant leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU + Infinergy®

### SIZE

from 35 to 48



NEW



## YODA

S3 SRC RL20174

### UPPER

Soft nubuck water

resistant leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU + Infinergy®

### SIZE

from 35 to 48



NEW



## INFINITY

S3 SRC RL10023

### UPPER

Soft nubuck water

resistant leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU + Infinergy®

### SIZE

from 35 to 48



NEW



## KICK

S3 SRC RL20023

### UPPER

Soft nubuck water

resistant leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU + Infinergy®

### SIZE

from 35 to 48



NEW



## CARTER

S3 SRC RL10103

### UPPER

Soft nubuck water

resistant leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU + Infinergy®

### SIZE

from 38 to 48



NEW



## SPYKE

S3 SRC RL20103

### UPPER

Soft nubuck water

resistant leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU + Infinergy®

### SIZE

from 38 to 48



NEW



## LIFT

S3 SRC RL10013

### UPPER

Soft nubuck water

resistant leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU + Infinergy®

### SIZE

from 35 to 48



NEW



## CARBON

S3 SRC RL20013

### UPPER

Soft nubuck water

resistant leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU + Infinergy®

### SIZE

from 35 to 48



NEW





**SHOT****S3 SRC RL10043**

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 35 to 48

**NEW****BOLT****S3 SRC RL20043**

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 35 to 48

**NEW****TIKY****S3 CI SRC RL10013**

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 38 to 48

**NEW****BRAVE****S3 CI SRC RL20103**

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 35 to 48

**NEW****DHARMA****S3 SRC RL10103**

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 38 to 48

**NEW****FACE****S3 SRC ESD RL20144**

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft ESD  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 35 to 48

**NEW****SHAPE****S3 SRC ESD RL10114**

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft ESD  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 35 to 48

**NEW****CLUB****S3 SRC ESD RL20114**

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft ESD  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 35 to 48

**NEW**



## BOX

**S3 SRC RL10134**

**UPPER**  
Soft nubuck water resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 38 to 48

**NEW**



## RING

**S3 SRC RL20134**

**UPPER**  
Soft nubuck water resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 38 to 48

**NEW**



## SHOW

**S1P SRC ESD RL20126**

**UPPER**  
Microfiber upper, ultra-light and breathable  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft ESD  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 38 to 48

**NEW**



## CODY

**S1P SRC ESD RL30316**

**UPPER**  
Soft nubuck water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft ESD  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 35 to 48



**NEW**



## VEROK

**S1P SRC RL20216**

**UPPER**  
Soft suede upper with Nylon inserts  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 35 to 42

**NEW**



## CHERRY

**S1P SRC RL20196**

**UPPER**  
Soft suede upper with Nylon inserts  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 35 to 42

**NEW**



## LOLLY

**S1P SRC RL20206**

**UPPER**  
Soft suede upper with Nylon inserts  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 35 to 42

**NEW**



## CANDY

**S3 CI SRC RL20324**

**UPPER**  
Soft nubuck water resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU + Infinergy®  
**SIZE**  
from 38 to 48

**NEW**





**JUNE****S1 SRC RL20241**

**UPPER**  
Microfiber Lucky with  
ultra-breathable mesh  
inserts

**NEW**

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
Polysoft

**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 46

**BLINK****S3 CI SRC RL20334**

**UPPER**  
Water resistant,  
breathable New Safety  
Dry

**NEW**

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 46

**LINKIN****S3 CI SRC RL20254**

**UPPER**  
Water resistant,  
breathable New Safety  
Dry

**NEW**

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 46

**GLACE****S2 SRC RL20262**

**UPPER**  
Water resistant,  
breathable New Safety  
Dry

**NEW**

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
Polysoft

**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 46

**BLANCO****S2 SRC RL20272**

**UPPER**  
Water resistant,  
breathable New Safety  
Dry

**NEW**

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
Polysoft

**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 46

**NOIR****S2 SRC RL20282**

**UPPER**  
Water resistant,  
breathable New Safety  
Dry

**NEW**

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
Polysoft

**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 46

**ZELDA****S2 SRC RL20292**

**UPPER**  
Water resistant,  
breathable New Safety  
Dry

**NEW**

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
Polysoft

**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 46

**MOON****SB-E-A-FO SRC RL20301**

**UPPER**  
Microfiber Lucky

**NEW**

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
Polysoft

**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 46







## ARE YOU READY?

Explosive enthusiasm, showing the latest in contemporary design. The Flat out range was born to move further along the actual limit of safety comfort.

Extra lightweight aluminium toe cap with ergonomically designed sole pattern and tread offering unparalleled slip resistance. This combined with the best upper materials make the Flat out range the best assurance in safety.

Comfort for all, any time...any age

Flat Out, ARE YOU READY?

WingTex

AIR TUNNEL LINING

Airtoe  
ALUMINIUM

SAFETY BREATHABLE  
TOE CAP

Save & Flex  
plus

"NO METAL"  
PIERCE-RESISTANT MIDSOLE

POLY

ANATOMIC FOOTBED

PU  
PU

ULTRA-LIGHT SOLE

Natural  
CONFORT 11

ANATOMIC LAST  
MONDOPOINT 11

### NICO

S1P SRC UF20136

#### UPPER

Soft suede upper with ultra-breathable mesh inserts

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PUTR GRIP

#### SIZE

from 35 to 48



### ALAIN

S1P SRC UF20146

#### UPPER

Soft suede upper with ultra-breathable mesh inserts

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PUTR GRIP

#### SIZE

from 35 to 48



### TOMMY

S1P SRC UF20016

#### UPPER

Soft suede upper with ventilation

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PUTR GRIP

#### SIZE

from 35 to 48



### CARLOS

S1P SRC UF20026

#### UPPER

Soft suede upper with ventilation

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PUTR GRIP

#### SIZE

from 35 to 48






## PU/PU NEXT GENERATION POLYMER

## SLIP RESISTANCE

		EUROPEAN STANDARDS		U-POWER
SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	0,32	<b>0,71</b>
		Heel CONTACT ANGLE 7°	0,28	<b>0,52</b>
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	0,18	<b>0,32</b>
		Heel CONTACT ANGLE 7°	0,13	<b>0,23</b>

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



## KIMI

S1P SRC UF20126

## UPPER

Soft suede upper with  
ventilation

## SAFETY TOE CAP

AirToe Aluminium

## PIERCE-RESISTANCE

Save & Flex PLUS

## FOOTBED

Polysoft

## SOLE

PU/PUTR GRIP

## SIZE

from 35 to 48



## LEWIS

S1P SRC UF20176

## UPPER

Soft suede upper with  
ventilation

## SAFETY TOE CAP

AirToe Aluminium

## PIERCE-RESISTANCE

Save & Flex PLUS

## FOOTBED

Polysoft

## SOLE

PU/PUTR GRIP

## SIZE

from 38 to 48



## MICHAEL

S1P SRC UF20156

## UPPER

Soft suede upper with  
ventilation

## SAFETY TOE CAP

AirToe Aluminium

## PIERCE-RESISTANCE

Save & Flex PLUS

## FOOTBED

Polysoft

## SOLE

PU/PUTR GRIP

## SIZE

from 35 to 48



## AYRTON

S1P SRC UF20166

## UPPER

Soft suede upper with  
Nylon inserts

## SAFETY TOE CAP

AirToe Aluminium

## PIERCE-RESISTANCE

Save & Flex PLUS

## FOOTBED

Polysoft

## SOLE

PU/PUTR GRIP

## SIZE

from 38 to 48





## FANGIO

**S1P SRC** UF20186

### UPPER

Soft suede upper with ultra-breathable textile inserts

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PUTR GRIP

### SIZE

from 38 to 48



## ALEX

**S1P SRC** UF20196

### UPPER

Soft suede upper with ultra-breathable textile inserts

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PUTR GRIP

### SIZE

from 38 to 48



## SENNA

**S1P SRC** UF20206

### UPPER

Soft suede upper with ultra-breathable textile inserts

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PUTR GRIP

### SIZE

from 38 to 48



## ARI

**S1P SRC** UF20046

### UPPER

Microfiber upper, ultra-light and breathable

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PUTR GRIP

### SIZE

from 35 to 48



## ROBERT

**S1P SRC** UF20096

### UPPER

Soft suede upper with ultra-breathable mesh inserts

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PUTR GRIP

### SIZE

from 35 to 48



## COLIN

**S1P SRC** UF20036

### UPPER

Soft suede upper with denim inserts

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PUTR GRIP

### SIZE

from 35 to 48



## MIKA

**S1P SRC** UF20216

### UPPER

Microfiber upper, ultra-light and breathable with Textile inserts

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PUTR GRIP

### SIZE

from 35 to 48



## MARKKU

**S1P SRC** UF20056

### UPPER

Soft suede upper with Camouflage inserts

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PUTR GRIP

### SIZE

from 35 to 48





**KEN****S3 SRC** UF10104**UPPER**

Pull-up water-resistant leather, soft and strong

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PU/PUTR GRIP

**SIZE**

from 35 to 48

**UNI 11583:2015**

Norm for the safety and protection standard to be used on inclined roofs.

**SEBASTIEN****S3 SRC** UF20064**UPPER**

Pull-up water-resistant leather, soft and strong

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PU/PUTR GRIP

**SIZE**

from 35 to 48

**HENRY****S3 SRC** UF10074**UPPER**

Pull-up water-resistant leather, soft and strong

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PU/PUTR GRIP

**SIZE**

from 35 to 48

**UNI 11583:2015**

Norm for the safety and protection standard to be used on inclined roofs.

**STIG****S3 SRC** UF20074**UPPER**

Pull-up water-resistant leather, soft and strong

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PU/PUTR GRIP

**SIZE**

from 35 to 48

**WALTER****S3 SRC** UF10064**UPPER**

Pull-up water-resistant leather, soft and strong

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PU/PUTR GRIP

**SIZE**

from 35 to 48

**UNI 11583:2015**

Norm for the safety and protection standard to be used on inclined roofs.

**BJORN****S3 SRC** UF20084**UPPER**

Pull-up water-resistant leather, soft and strong

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PU/PUTR GRIP

**SIZE**

from 35 to 48





## PURE ITALIAN DESIGN REAL PERSONAL PROTECTION

Not only for work, this is the spirit which has inspired the creation of this new collection, with a mix of colours and materials that makes the **THE ROAR** footwear collection unique in its kind. "Don't worry... be happy" with your shoes "THE ROAR"



**wingtex**  
AIR TUNNEL LINING

**Airtoe**  
ALUMINIUM  
SAFETY BREATHABLE  
TOE CAP

**SaveFlex**  
**plus**  
"NO METAL"  
PIERCE-RESISTANT MIDSOLE

**POLYsoft**  
ANATOMIC FOOTBED

**PU** LIGHT  
GRIP  
ULTRA-LIGHT SOLE

### LION

**S3 SRC** SN10014

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48

**UNI 11583:2015**  
Norm for the safety and  
protection standard to be  
used on inclined roofs.



### KING

**S3 SRC** SN20014

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



### PREDATOR

**S3 SRC** SN10044

**UPPER**  
Soft leather "ANTIQUE  
STYLE", water resistant  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



### FOREST

**S3 SRC** SN20044

**UPPER**  
Soft leather "ANTIQUE  
STYLE", water resistant  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## SLIP RESISTANCE

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	EUROPEAN STANDARDS		U-POWER
		Flat	$\geq$	
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	$\geq$	
		Heel CONTACT ANGLE 7°	$\geq$	
			0,32	0,62
			0,28	0,34
			0,18	0,18
			0,13	0,13

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

## PU/PU LIGHT GRIP SOLE



Natural  
CONFORT<sup>11</sup>

ANATOMIC LAST  
MONDOPOINT 11



## TERMINATOR

S3 SRC SN10204

## UPPER

Soft nubuck water  
resistant leather, with  
Camouflage insert

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48



UNI 11583:2015

Norm for the safety and  
protection standard to be  
used on inclined roofs.

## RAMBO

S3 SRC SN20204

## UPPER

Soft nubuck water  
resistant leather, with  
Camouflage insert

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48



## SAFARI

S3 SRC SN10034

## UPPER

Soft leather "ANTIQUE  
STYLE", water resistant

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48



UNI 11583:2015

Norm for the safety and  
protection standard to be  
used on inclined roofs.

## SAVANA

S3 SRC SN20034

## UPPER

Soft leather "ANTIQUE  
STYLE", water resistant

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48





## CARAVAN

**S1P SRC** SN10056

### UPPER

Extra strong breathable CANVAS with soft suede leather inserts

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU

### SIZE

from 35 to 48



## TROPHY

**S1P SRC** SN20056

### UPPER

Extra strong breathable CANVAS with soft suede leather inserts

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU

### SIZE

from 35 to 48



## JOY

**S1P SRC** SN20096

### UPPER

Soft suede leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU

### SIZE

from 35 to 48



## JADE

**S1P SRC** SN20086

### UPPER

Soft suede leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU

### SIZE

from 35 to 48



## TUAREG

**S1P SRC** SN20066

### UPPER

Extra strong breathable CANVAS with soft suede leather inserts

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU

### SIZE

from 38 to 48



## DOVER

**S3 SRC** SN20136

### UPPER

Water resistant, breathable New Safety Dry

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU

### SIZE

from 38 to 48



## AMAZON

**S3 SRC ESD** SN20154

### UPPER

Soft nubuck water resistant leather

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

ESD

### SOLE

PU/PU

### SIZE

from 35 to 48







## ABSOLUTE SLIP-RESISTANCE

Totally dedicated to **slip resistance**, flexibility, lightness and comfort, **CONCEPT SK GRIP** becomes a reality. Style finally has a new, definite point of reference.

Too attractive to be "mere" safety shoes?

If the answer is yes... we've achieved our aim! ABSOLUTE... there's no other word to define them; FLEXIBLE, like no other.



**wingtex**

AIR TUNNEL LINING

**Airtoe**  
COMPOSITE

SAFETY BREATHABLE  
TOE CAP

**Save & Flex**  
plus

"NO METAL"  
PIERCE-RESISTANT MIDSOLE

**POLYsoft**

ANATOMIC FOOTBED

**Natural**  
CONFORT<sup>11</sup>

ANATOMIC LAST  
MONDOPOINT 11

**NICKEL**  
**FREE**

### REFLEX

**S1P SRC UK20036**

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



### ST. TROPEZ

**S1P SRC UK20046**

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



### VORTIX GRIP

**S1P SRC UK20666**

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



### MIX GRIP

**S1P SRC UK20946**


**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 48



**PU/PU NEXT GENERATION POLYMER U-GRIP®****SLIP RESISTANCE**

SRC (SRA+SRB)	EUROPEAN STANDARDS		U-POWER	
	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	0,32	<b>0,73</b>
		Heel CONTACT ANGLE 7°	0,28	<b>0,50</b>
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	0,18	<b>0,41</b>
		Heel CONTACT ANGLE 7°	0,13	<b>0,24</b>

SLIP RESISTANCE REQUIREMENTS  
ACCORDING TO THE  
EN ISO 20345:2011 METHOD  
REQUESTED BY EN 13287:2012

**BOTOX GRIP****S1P SRC UK20966**

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 48

**DEMON GRIP****S1P SRC SG20066**

**UPPER**  
Soft suede leather with  
highly breathable textile  
mesh  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 38 to 47

**METAL FREE** 100%**FLY GRIP****S1P SRC SG20096**

**UPPER**  
Soft suede leather with  
wide side aerator for extra  
breathability  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47

**WIND GRIP****S1P SRC SG20106**

**UPPER**  
Soft suede leather with  
wide side aerator for extra  
breathability  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47

**METAL FREE** 100%



## RADIAL GRIP

**S1P SRC** UK20026

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



## AERATOR

**S1P SRC** UK20056

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## HEAVEN GRIP

**S1P SRC** SG20206

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



## HELL GRIP

**S1P SRC** SG20196

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 48



## EQUIPE GRIP

**S1P SRC** SG20076

**UPPER**  
Extremely soft full grain leather with super breathing **Air-TAG**  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 38 to 47



## MISTRAL GRIP

**S1P SRC** UK50086

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



## EVOLUTION GRIP

**S3 SRC** SG20214

**UPPER**  
Ultra light water resistant Microfibre  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



**ULTRA LIGHT SHOE**  
**460 GR. WEIGHT\***  
**\* HALF PAIR SIZE**  
**42 WEIGHT**



## STRETCH GRIP

**S3 SRC** UK20706

**UPPER**  
Full grain water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



**SNICKER GRIP****S3 SRC** SG20044

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 38 to 47

**SANDSTONE GRIP****S3 SRC** SG20054

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 38 to 47

**REBEL****S3 SRC** UK10064

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 47

**RAJAS****S3 SRC** UK20064

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 47

**KARGO GRIP****S3 SRC** SG10254

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 38 to 47

**BEAR GRIP****S3 SRC** SG20254

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 38 to 47

**WIN****RS S3 SRC** SW10014

**UPPER**  
Pull-up water resistant  
leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 48

**GAME****S3 SRC** SW20014

**UPPER**  
Pull-up water resistant  
leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 48





## GRIGA GRIP

**S3 SRC** SW10044

**UPPER**  
Soft nubuck water resistant leather with high-tech nylon insert  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



## PAT GRIP

**S3 SRC** SW20044

**UPPER**  
Soft nubuck water resistant leather with high-tech nylon insert  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



## TWEED GRIP

**S3 SRC** UK10074

**UPPER**  
Soft nubuck water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



## GESSATO GRIP

**S3 SRC** UK20074

**UPPER**  
Soft nubuck water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



## SAVAGE GRIP

**S3 SRC** UK10164

**UPPER**  
Extremely soft and abrasive resistant full grain leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
INTERCHANGEABLE INSOLES  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



**INTERCHANGEABLE INSOLES**  
FOR BEST FIT & COMFORT

## TESTIMONIAL GRIP

**S3 SRC** UK20164

**UPPER**  
Extremely soft and abrasive resistant full grain leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
INTERCHANGEABLE INSOLES  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



**INTERCHANGEABLE INSOLES**  
FOR BEST FIT & COMFORT

## SCURO GRIP

**S3 SRC** SG10164

**UPPER**  
Full grained water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 38 to 47



## NERO GRIP

**S3 SRC** SG20154

**UPPER**  
Full grained water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU/PU U-GRIP®  
**SIZE**  
from 35 to 47



**DELPHI GRIP S3 SRC ESD SG10464****UPPER**

Full grained water

resistant leather

**SAFETY TOE CAP**  
AirToe Composite**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**

ESD

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 35 to 47

**ELECTRO GRIP S3 SRC ESD SG20464****UPPER**

Full grained water

resistant leather

**SAFETY TOE CAP**  
AirToe Composite**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**

ESD

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 35 to 47

**STRAIN GRIP S3 SRC ESD SG10494****UPPER**

Full grained water

resistant leather

with abrasive resistant

Bay-Cast protection

**SAFETY TOE CAP**  
AirToe Composite**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**

ESD

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 38 to 47

**CONNECTION GRIP S3 SRC ESD SG20494****UPPER**

Full grained water

resistant leather

with abrasive resistant

Bay-Cast protection

**SAFETY TOE CAP**  
AirToe Composite**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**

ESD

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 38 to 47

**SCANDY GRIP S1P SRC UK00136****UPPER**

Soft nubuck leather

**SAFETY TOE CAP**  
AirToe Composite**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**

Polysoft

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 35 to 47

**ANDREE GRIP S1P SRC ESD UK30416****UPPER**

Soft nubuck leather

**SAFETY TOE CAP**  
AirToe Composite**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**

ESD

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 35 to 47







## LIGHT SENSATION

...Working without constraints...  
Getting to end the day and still  
feeling good... U Power makes  
**this possible!!** Wearing the **HAPPY**  
footwear range will give you this  
experience...

We use ultra-light **high tech** materials  
for the uppers, new generation  
polyurethane soles with variable,  
**ultra-light PU FLEX GRIP** tread for  
a **high-performance** grip in every  
situation and terrain...

Composite toe caps with a new  
**sleeker shape** that make the  
design of these shoes modern and  
innovative...

Happy ... are you ready for change?



**wingtex**  
AIR TUNNEL LINING

**Airtoe**  
COMPOSITE  
SAFETY BREATHABLE  
TOE CAP

**Save & Flex plus**  
"NO METAL"  
PIERCE-RESISTANT MIDSOLE

**POLYsoft**  
ANATOMIC FOOTBED

**PU FLEX GRIP**  
ULTRA-FLEX SOLE

**Natural**  
CONFORT 11  
ANATOMIC LAST  
MONDOPOINT 11

### MALIBU

**S1P SRC UH20106**

**UPPER**  
Soft suede leather with ColdFeet  
breathable sides  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48

**WEIGHT:** 480 gr.  
**METAL FREE 100%**



### EXOTIC

**S1P SRC UH20116**

**UPPER**  
Soft suede leather with ColdFeet  
breathable sides  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48

**WEIGHT:** 480 gr.  
**METAL FREE 100%**



### SHAKER

**S1P SRC UH20026**

**UPPER**  
Soft suede with Airnet breathable  
sides, Carbon inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48

**WEIGHT:** 473 gr.  
**METAL FREE 100%**



**PU ULTRA-FLEX SOLE**

**ERGONOMIC DESIGN OF THE SOLE TO INCREASE THE GRIP ON ALL WORKING SURFACES**

**PADS DESIGNED TO FIT THE SHOES TO THE MOVEMENT OF THE FOOT BOTH WHEN BENDING AND FOR LATERAL TWIST**

**BUMPER FOR SHOCK ABSORPTION**

**INDEPENDENT CUSHIONING CRAMPONS THAT ENSURE THE MAXIMUM GRIP**

**SLIP RESISTANCE**

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS 0,32	U-POWER 0,44
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel CONTACT ANGLE 7°	0,28	0,36
	Flat	Heel CONTACT ANGLE 7°	0,18	0,22
	Flat	Heel CONTACT ANGLE 7°	0,13	0,26

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

**GIN****S1P SRC UH10016**

**UPPER**  
Soft suede with Carbon inserts

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU FLEX GRIP

**SIZE**  
from 35 to 48



**503 gr.**

**WEIGHT:** 

**METAL FREE** 

**FIZZ****S1P SRC UH20016**

**UPPER**  
Soft suede with Carbon inserts

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS


**FOOTBED**  
Polysoft


**SOLE**  
PU FLEX GRIP

**SIZE**  
from 35 to 48



**483 gr.**

**WEIGHT:** 

**METAL FREE** 

**STINGER****S1P SRC UH30016**

**UPPER**  
Soft suede with Carbon inserts,  
Side vents for improved  
breathability

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU FLEX GRIP

**SIZE**  
from 35 to 48



**487 gr.**

**WEIGHT:** 

**METAL FREE** 



## ROB

**S1P SRC UH10036**

**UPPER**  
Soft suede with Carbon inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48

**WEIGHT:** 503 gr.  
**METAL FREE** 100%



## ROY

**S1P SRC UH20036**

**UPPER**  
Soft suede with Carbon inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48

**WEIGHT:** 483 gr.  
**METAL FREE** 100%



## MARGARITA

**S1P SRC UH20046**

**UPPER**  
Super breathing Air-TAG + Soft suede leather with carbon inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48

**WEIGHT:** 474 gr.  
**METAL FREE** 100%



## DAQUIRI

**S1P SRC UH20076**

**UPPER**  
Super breathing Air-TAG + Soft suede leather with carbon inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48

**WEIGHT:** 474 gr.  
**METAL FREE** 100%



## MANHATTAN

**S3 SRC UH10084**

**UPPER**  
High quality nubuck leather, water resistant with carbon inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48

**WEIGHT:** 530 gr.  
**METAL FREE** 100%



## AVIATION

**S1P SRC UH20066**

**UPPER**  
Soft suede with Carbon inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48

**WEIGHT:** 483 gr.  
**METAL FREE** 100%



## KIR

**S3 SRC UH10054**

**UPPER**  
Ultralight micro-tech, water repellent with carbon inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48

**WEIGHT:** 509 gr.  
**METAL FREE** 100%



## ROYAL

**S3 SRC UH20054**

**UPPER**  
Ultralight micro-tech, water repellent with carbon inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Polysoft  
**SOLE**  
PU FLEX GRIP  
**SIZE**  
from 35 to 48


**WEIGHT:** 490 gr.  
**METAL FREE** 100%







# WINNER

EN ISO 20345:2011 



## A WINNING CHOICE

The new U-Power collection born from the passion we take with us into every project.

**Totally "metal free"** and ultra-light, the **WINNER** range is the winning choice for those who want a unique product, **sporty and innovative**.



AIR TUNNEL LINING



SAFETY BREATHABLE  
TOE CAP



"NO METAL"  
PIERCE-RESISTANT MIDSOLE



ANATOMIC FOOTBED



ANATOMIC LAST  
MONDOPPOINT 11



### MIMETIC

S1P SRC WN20046

#### UPPER

Soft suede leather with  
breathable Mesh inserts,  
injected TPU net.

#### SAFETY TOE CAP

AirToe Composite

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PU

#### SIZE

from 35 to 48



### MATCH

S1P SRC WN20016

#### UPPER

Soft suede leather with  
breathable Mesh inserts,  
injected TPU net.

#### SAFETY TOE CAP

AirToe Composite

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PU

#### SIZE

from 35 to 48



### TURF

S1P SRC WN20036

#### UPPER

Soft suede leather with  
breathable Mesh inserts,  
injected TPU net.

#### SAFETY TOE CAP

AirToe Composite

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/PU

#### SIZE

from 35 to 48



### TIME

S1P SRC WN20026

#### UPPER

Soft suede leather with  
breathable Mesh inserts,  
injected TPU net.

#### SAFETY TOE CAP

AirToe Composite

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE


PU/PU

#### SIZE

from 35 to 48



## PU/PU DUAL SHOCK ABSORB SOLE



## SLIP RESISTANCE

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS IV	U-POWER 0,32	0,69
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel CONTACT ANGLE 7°	IV	0,28	0,49
SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS IV	0,18	0,26
SRC (SRA+SRB)	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel CONTACT ANGLE 7°	IV	0,13	0,16

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

## PENALTY

S3 SRC WN20056

## UPPER

soft pull up leather with  
Camouflage inserts water  
resistant, injected TPU  
net.

## SAFETY TOE CAP

AirToe Composite

PIERCE-RESISTANCE  
Save & Flex PLUS

## FOOTBED

Polysoft

## SOLE

PU/PU

## SIZE

from 35 to 48



## CHAMPION

S3 SRC WN10066

## UPPER

soft pull up leather with  
Textile inserts water  
resistant, injected TPU  
net.

## SAFETY TOE CAP

AirToe Composite

PIERCE-RESISTANCE  
Save & Flex PLUS

## FOOTBED

Polysoft

## SOLE

PU/PU

## SIZE

from 35 to 48



## TORNEO

S3 SRC WN20066

## UPPER

soft pull up leather with  
Textile inserts water  
resistant, injected TPU  
net.

## SAFETY TOE CAP

AirToe Composite

PIERCE-RESISTANCE  
Save & Flex PLUS

## FOOTBED

Polysoft

## SOLE

PU/PU

## SIZE

from 35 to 48



## TANGO

S3 SRC WN10074

## UPPER

soft pull up leather with  
Textile inserts water  
resistant, injected TPU  
net.

## SAFETY TOE CAP

AirToe Composite

PIERCE-RESISTANCE  
Save & Flex PLUS

## FOOTBED

Polysoft

## SOLE

PU/PU

## SIZE

from 35 to 48



## DRIBBLING

S3 SRC WN20074

## UPPER

soft pull up leather with  
Textile inserts water  
resistant, injected TPU  
net.

## SAFETY TOE CAP

AirToe Composite

PIERCE-RESISTANCE  
Save & Flex PLUS

## FOOTBED

Polysoft

## SOLE

PU/PU

## SIZE

from 35 to 48





## MAXIMUM COMFORT AND MAXIMUM SAFETY

The best materials for the best safety shoes... natural leathers, soles with **TPU inserts** for improved slip resistance. **Gel insert** in the heel for improved comfort and shock absorption... **U-GEL** best comfort and high performance!



**wingtex**  
AIR TUNNEL LINING

**Airtoe**  
ALUMINIUM  
SAFETY BREATHABLE  
TOE CAP

**Save&Flex**  
**plus**  
"NO METAL"  
PIERCE-RESISTANT MIDSOLE

**ACTIONdry**  
ANATOMIC FOOTBED

**Natural**  
**CONFORT11**  
ANATOMIC LAST  
MONDOPOINT 11

**NICKEL**  
**FREE**

### ROBUST

**S3 SRC ESD UR10124**

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
ESD  
**SOLE**  
PU/TPU  
**SIZE**  
from 38 to 47



### MASTER

**S3 SRC ESD UR20124**

**UPPER**  
Soft nubuck water  
resistant leather  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
ESD  
**SOLE**  
PU/TPU  
**SIZE**  
from 38 to 47



### CULT

**S1P SRC ESD UR30146**

**UPPER**  
Soft nubuck leather with  
breathable textile inserts  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
ESD  
**SOLE**  
PU/TPU  
**SIZE**  
from 38 to 47



### ICE

**S3 CI SRC UR70134**

**UPPER**  
Full grain leather with Hi  
Viz inserts + Thinsulate  
waterproof membrane  
**SAFETY TOE CAP**  
AirToe Aluminium  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/TPU  
**SIZE**  
from 38 to 47

**Thinsulate**  
thermal insulation



**Performance5** SOLE

The innovative  
**Performance 5 Sole**  
in varying densities of  
**PU+TPU** offers **5 basic**  
**Performances** in one product.



**PERFORMANCE 1**  
**ANTISLIP (BETTER ADHESION)**  
INVERTED PROFILE FOR PERFECT  
ADHESION TO GROUND

**PERFORMANCE 2**  
**STRESS RELEASE**  
CELL, MADE OF SOFTER  
MATERIAL

**PERFORMANCE 3**  
**HARD WEARING**  
ABRASION RESISTANT MATERIAL  
FOR LONGER LASTING USE

**PERFORMANCE 4**  
**STABILITY**  
SIDE FOOT SUPPORT FOR BETTER  
ADHESION DURING WALKING

**PERFORMANCE 5**  
**DISSIPATING FEATURE**  
GELBAG INSERT  
TO HELP DISSIPATE ENERGY  
FROM GROUND IMPACT

**SLIP RESISTANCE**

		EUROPEAN STANDARDS		U-POWER
<b>SRC (SRA+SRB)</b>	<b>SRA</b> TEST FLOOR CERAMICS	Flat	IV	<b>0,58</b>
	<b>LUBRICANT</b> WATER + DETERGENT	Heel	IV	<b>0,33</b>
		CONTACT ANGLE 7°		
<b>SRB</b> TEST FLOOR STEEL	Flat	IV		<b>0,20</b>
	<b>LUBRICANT</b> GLYCERIN	Heel	IV	<b>0,14</b>
		CONTACT ANGLE 7°		

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

**ENGINE****S3 SRC UR10104****UPPER**

Full grain leather with  
leather inserts combined  
with carbon fibre, water  
resistant

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save & Flex PLUS

**FOOTBED**

Action Dry

**SOLE**

PU/TPU

**SIZE**

from 38 to 47

**TORPEDO****S3 SRC UR20104****UPPER**

Full grain leather with  
leather inserts combined  
with carbon fibre, water  
resistant

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save & Flex PLUS

**FOOTBED**

Action Dry

**SOLE**

PU/TPU

**SIZE**

from 38 to 47

**VOLTAGE****S3 SRC UR10114****UPPER**

Full grain leather with Hi  
Viz inserts water resistant

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save & Flex PLUS

**FOOTBED**

Action Dry

**SOLE**

PU/TPU

**SIZE**

from 38 to 47

**CAPTION****S3 SRC UR20114****UPPER**

Full grain leather with Hi  
Viz inserts water resistant

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save & Flex PLUS

**FOOTBED**

Action Dry

**SOLE**

PU/TPU

**SIZE**

from 38 to 47







## WATERPROOF IN COMBINATION WITH LONG- LASTING BREATHABILITY



The **GORE-TEX®** membrane prevents water from entering the shoe and ensures that your feet remain dry and protected. **It is ultra-thin, highly waterproof and breathable.**

Gore-tex is permeable for water vapour allowing perspiration to escape unhindered, because the pores in the **GORE-TEX®** membrane are 700 times larger than a water vapour molecule, allowing your feet to **"breathe"**.

Due to the microscopic pores which are approximately 20,000 times smaller than a water droplet, the **GORE-TEX®** membrane is completely waterproof.

This technology provides the ideal **climate comfort** for your feet in every season.



SAFETY BREATHABLE  
TOE CAP



"NO METAL"  
PIERCE-RESISTANT MIDSOLE



ANATOMIC FOOTBED



ULTRA-LIGHT SOLE



ANATOMIC LAST  
MONDOPPOINT 11

### PUMP GTX® S3 WR SRC G010016

#### UPPER

Soft pull-up leather with side mesh inserts for better breathability and waterproof

#### LINING

GORE-TEX® Extended Membrane

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/TPU

#### SIZE

from 38 to 47



### MORE GTX® S3 WR SRC G020016

#### UPPER

Soft pull-up leather with side mesh inserts for better breathability and waterproof

#### LINING

GORE-TEX® Extended Membrane

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Polysoft

#### SOLE

PU/TPU

#### SIZE


from 38 to 47



**GORE-TEX® Extended  
Comfort Footwear**


- Dry and comfortable for warm temperatures.
- Durably waterproof, highly breathable and non insulated for high heat loss.

**Ideal for** warm weather and combined outdoor/indoor activities.


**GORE-TEX® Performance  
Comfort Footwear**


- Dry and comfortable for moderate temperatures.
- Durably waterproof, breathable and moderately insulated for a broad range of temperatures.

**Ideal for** changing weather and wide range of activities.


**GORE-TEX® Membrane**

- Durably waterproof
- Breathable

Rain, puddles



Vapour,  
sweat


**BYTE GTX®**
**S3 WR SRC G010024**
**UPPER**

Pull-up leather with Cordura insert, waterproof

**LINING**

GORE-TEX® Performance Membrane

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save & Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PU/TPU

**SIZE**

from 38 to 47


**LED GTX®**
**S3 WR SRC G020024**
**UPPER**

Pull-up leather with Cordura insert, waterproof

**LINING**

GORE-TEX® Performance Membrane

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save & Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PU/TPU

**SIZE**

from 38 to 47


**SLIP RESISTANCE**


		EUROPEAN STANDARDS		U-POWER
SRC (SRA+SRB)	SRA			
	TEST FLOOR CERAMICS	Flat	≥ 0,32	<b>0,58</b>
	LUBRICANT WATER + DETERGENT	Heel	≥ 0,28	<b>0,33</b>
		CONTACT ANGLE 7°		
SRB	SRA			
	TEST FLOOR CERAMICS	Flat	≥ 0,18	<b>0,20</b>
	LUBRICANT WATER + DETERGENT	Heel	≥ 0,13	<b>0,14</b>
		CONTACT ANGLE 7°		

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



## SURF GTX®

S3 WR SRC G010036

### UPPER

Extra strong breathable CANVAS with soft suede leather inserts, waterproof

### LINING

GORE-TEX® Extended Membrane

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU

### SIZE

from 35 to 48



## SOUND GTX®

S3 WR SRC G020036

### UPPER

Extra strong breathable CANVAS with soft suede leather inserts, waterproof

### LINING

GORE-TEX® Extended Membrane

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU

### SIZE

from 35 to 48



## RIDE GTX®

S3 WR SRC G010043

### UPPER

Soft nubuck waterproof leather

### LINING

GORE-TEX® Performance Membrane

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE

PU/PU

### SIZE

from 35 to 48



## GROOVE GTX®

S3 WR SRC G020043

### UPPER

Soft nubuck waterproof leather

### LINING

GORE-TEX® Performance Membrane

### SAFETY TOE CAP

AirToe Aluminium

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Polysoft

### SOLE


PU/PU

### SIZE

from 35 to 48



## SLIP RESISTANCE



		EUROPEAN STANDARDS		U-POWER
SRC (SRA+SRB)	SRA	Flat	≥ 0,32	0,62
	TEST FLOOR CERAMICS	Heel	≥ 0,28	0,34
	LUBRICANT WATER + DETERGENT	CONTACT ANGLE 7°		
	SRB	Flat	≥ 0,18	0,18
	TEST FLOOR STEEL	Heel	≥ 0,13	0,13
	LUBRICANT GLYCERIN	CONTACT ANGLE 7°		

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

**DROP GTX® S3 WR HRO HI CI SRC GO10054****UPPER**

Full grain waterproof leather

**LINING**

GORE-TEX® Performance Membrane

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PUR/NITRILE

**SIZE**

from 38 to 47

**HRO ≥ 300° C****CLIMB GTX® S3 WR HRO HI CI SRC GO10064****UPPER**

Pull-up waterproof leather

**LINING**

GORE-TEX® Performance Membrane

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PUR/NITRILE

**SIZE**

from 38 to 47

**HRO ≥ 300° C****DUDE GTX® UK RS S3 WR HI CI SRC GO10094****UPPER**

Soft nubuck waterproof leather

**LINING**

GORE-TEX® Performance Membrane

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**NEW****SMASH GTX® S3 WR HI CI SRC GO10084****UPPER**

Pull-up waterproof leather

**LINING**

GORE-TEX® Performance Membrane

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**ARROW GTX® S3 WR HRO HI SRC GO40074****UPPER**

Full grain waterproof leather. Extremely strong, suitable for all weather conditions

**LINING**

GORE-TEX® Performance Membrane

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft

**SOLE**

PUR/NITRILE

**SIZE**

from 39 to 47

**HRO ≥ 300° C****SLIP RESISTANCE**

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS ≥ 0,32	U-POWER 0,39
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel CONTACT ANGLE 7°	≥ 0,28	0,30
	Flat	Heel CONTACT ANGLE 7°	≥ 0,18	0,22
	Flat	Heel CONTACT ANGLE 7°	≥ 0,13	0,16

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



## ENTRY LEVEL WITH FULL SAFETY OPTIONS

If you demand footwear without compromise, **CONCEPT PLUS** is what you're looking for. Characterised by an attractive **design**, you'll discover they also have **"everything as standard"**. Lightweight, comfortable and flexible, they guarantee your feet absolute **well-being**, fully respecting the strictest **safety** requirements. They'll win you over.



**wingtex**  
AIR TUNNEL LINING

**Airtoe**  
COMPOSITE  
SAFETY BREATHABLE  
TOE CAP

**Save & Flex**  
plus  
"NO METAL"  
PIERCE-RESISTANT MIDSOLE

**ACTIONdry**  
ANATOMIC FOOTBED

**Natural**  
CONFORT 11  
ANATOMIC LAST  
MONDOPPOINT 11

**NICKEL**  
**FREE**

### MARINER

**S1P SRC UA20316**

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

### FIT

**S1P SRC UA50026**

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

### VINTAGE

**S1P SRC UA30016**

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 36 to 48



(A)

### METEOR

**S1P SRC UA10226**

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 36 to 48



(A)

## SLIP RESISTANCE

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS ≧ 0,32	U-POWER
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel	CONTACT ANGLE 7° ≧ 0,28	0,41

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS ≧ 0,32	U-POWER
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel	CONTACT ANGLE 7° ≧ 0,28	0,39

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

A

B

PU/PU DUAL SHOCK  
ABSORB SOLE

FRONT BLOCKS  
RAISED AND GROOVED  
TO IMPROVE  
ADHESION

SHOCK  
ABSORPTION AND  
STRESS RELEASE  
CELL "DUAL  
SHOCK ABSORB  
SOLE"

LADDER GRIP  
TO ENHANCE  
LADDER  
PERFORMANCE

SHOCK  
ABSORPTION AND  
STRESS RELEASE  
AIRBAG CELL

SIDE CHANNELS  
FOR A BETTER GRIP

PU/NITRILE  
SELF CLEAN SOLE

FRONT BLOCKS  
RAISED AND GROOVED  
TO IMPROVE ADHESION

SHOCK ABSORPTION AND  
STRESS RELEASE CELL  
"DUAL SHOCK ABSORB  
SOLE"

SINGLE  
SELF-CLEANING  
CLEATS

SHOCK  
ABSORPTION  
AND STRESS  
RELEASE  
AIRBAG CELL

FRONT BLOCKS  
RAISED AND  
GROOVED TO IMPROVE  
ADHESION

A

B

## MYTHOS

S1P SRC UA20066

## UPPER

Soft suede leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## S FOOTBED

Action Dry

## OLE

PU/PU

## SIZE

from 35 to 48



A

## STRATOS

S1P SRC UA20216

## UPPER

Soft suede leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

Action Dry

## SOLE

PU/PU

## SIZE

from 35 to 48



A

## STORM

S1P SRC UC20026

## UPPER

Soft suede leather with  
mesh breathable textile  
inserts

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

Action Dry

## SOLE

PU/PU

## SIZE

from 35 to 48



A

## TWISTER

S1P SRC UC20036

## UPPER

Soft suede leather with  
mesh breathable textile  
inserts

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

Action Dry

## SOLE

PU/PU

## SIZE

from 35 to 48



A



## ENDURO

**S3 SRC** UA10234

### UPPER

Soft suede water resistant leather

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 36 to 48



## FUSION

**S3 SRC** UA20234

### UPPER

Soft suede water resistant leather

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 36 to 48



## MACH

**S1P SRC** UA10276

### UPPER

Soft suede leather with textile inserts

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 38 to 48



## NITRO

**S1P SRC** UA20276

### UPPER

Soft suede leather with textile inserts

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 38 to 48



**JAZZ****S3 SRC UC10094**

**UPPER**  
Pull-up water resistant leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48


**METAL FREE** 100%
**PROVOKE****S3 SRC UC20064**

**UPPER**  
Pull-up water resistant leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48


**METAL FREE** 100%
**CROSS****S3 SRC UC10014**

**UPPER**  
full grain water resistant leather with abrasive resistant Bay-Cast protection

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48


**METAL FREE** 100%
**CORNER****S3 SRC UC20014**

**UPPER**  
full grain water resistant leather with abrasive resistant Bay-Cast protection

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48


**METAL FREE** 100%
**STAR****Rs S3 SRC UA10574**

**UPPER**  
Water resistant leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48

**GALAXY****S3 SRC UA10354**

**UPPER**  
Water resistant leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48


**METAL FREE** 100%
**ELITE****S3 SRC UA20564**

**UPPER**  
Water resistant leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48


**METAL FREE** 100%




## DEVASTATE

RS S3 SRC UA10324

**UPPER**  
Water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

## ELECT

S3 SRC UA20624

**UPPER**  
Water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

## GRAVEL RS S3 HRO HI CI SRC UA10584

**UPPER**  
Water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/NITRILE  
**SIZE**  
from 38 to 47



HRO ≥ 300° C

(B)

## ERUPTION S3 HRO HI CI SRC UA20394

**UPPER**  
Water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/NITRILE  
**SIZE**  
from 38 to 47



HRO ≥ 300° C

(B)

## BLACK ROCK S3 SRC UA10254

**UPPER**  
Water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 36 to 48



(A)

## GRANITE S3 SRC UA20254

**UPPER**  
Water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

## ASCEND S3 SRC UA10164

**UPPER**  
Full grain water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 36 to 48



(A)

## BEAST S3 SRC UA20114

**UPPER**  
Full grain water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 48



(A)

**SHOCK ABSORBER SELF CLEANING SOLE**

**SLIP RESISTANCE**

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS ≥	U-POWER
				0,38
SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel CONTACT ANGLE 7°	0,28	≥	0,28
		0,18	≥	0,19
SRB	Heel CONTACT ANGLE 7°	0,13	≥	0,14

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

**SHOCK ABSORBER SELF CLEANING SOLE**

**SLIP RESISTANCE**

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS ≥	U-POWER
				0,41
SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel CONTACT ANGLE 7°	0,28	≥	0,33
		0,18	≥	0,18
SRB	Heel CONTACT ANGLE 7°	0,13	≥	0,14

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

**FUCHS UK**
**S3 SRC**
**UA10614**

**UPPER**  
Full grain water resistant leather with Polyurethane scuff

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48

**METAL FREE 100%**

**BAER UK**
**S3 SRC**
**UA20614**

**UPPER**  
Full grain water resistant leather with Polyurethane scuff

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48

**METAL FREE 100%**

**JAGUAR UK**
**S3 SRC**
**RR10284**

**UPPER**  
Full grain water resistant leather with Polyurethane scuff

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Ergo Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48

**METAL FREE 100%**

**LYNX UK**
**S3 SRC**
**RR20284**

**UPPER**  
Full grain water resistant leather with Polyurethane scuff

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Ergo Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48

**METAL FREE 100%**





## THE MOST SOPHISTICATED FOR THE MOST DEMANDING

Let's go further... and let's add to lightness and breathability of **AirToe Composite** the new revolutionary **SPIDER** sole. The independent Nitrile blocks ensure extreme SLIP- and HEAT RESISTANCE and make walking an extraordinary experience.

wingtex  
AIR TUNNEL LINING

Airtoe  
COMPOSITE  
SAFETY BREATHABLE  
TOE CAP

Save & Flex  
plus  
"NO METAL"  
PIERCE-RESISTANT MIDSOLE

ACTIONdry  
ANATOMIC FOOTBED

Natural  
CONFORT11  
ANATOMIC LAST  
MONDOPOINT 11

NICKEL  
FREE

### TITAN S3 HRO HI SRC SP20024

**UPPER**  
Full grain water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/NITRILE  
**SIZE**  
from 39 to 47

METAL  
FREE 100%



HRO ≥ 300° C

SOLE **U-SPIDER**

The innovative sole in **PU/Nitrile (HRO)**: different densities in one single product



## SLIP RESISTANCE

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	IV 0,32	U-POWER <b>0,79</b>
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel CONTACT ANGLE 7°	IV 0,28	<b>0,52</b>
	Flat	IV 0,18	<b>0,25</b>	
	Heel CONTACT ANGLE 7°	IV 0,13	<b>0,23</b>	

**U-SPIDER**

THE HRO SOLE WITH  
THE HIGHEST ANTI-  
SLIP COEFFICIENT IN  
ITS CATEGORY

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

**SATURNO S3 HRO HI SRC SP10044****UPPER**

Extremely soft and  
abrasive resistant full  
grain leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save & Flex PLUS

**FOOTBED**

Action Dry

**SOLE**

PU/NITRILE

**SIZE**

from 38 to 47



**HRO ≥ 300° C**

**MARTE S3 HRO HI SRC SP20044****UPPER**

Extremely soft and  
abrasive resistant full  
grain leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save & Flex PLUS

**FOOTBED**

Action Dry

**SOLE**

PU/NITRILE

**SIZE**

from 38 to 47



**HRO ≥ 300° C**

**VENUS S3 HRO HI SRC SP10014****UPPER**

Extremely soft and  
abrasive resistant full  
grain leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save & Flex PLUS

**FOOTBED**

Action Dry

**SOLE**

PU/NITRILE

**SIZE**

from 39 to 47



**HRO ≥ 300° C**

**URANO S3 HRO HI SRC SP20014****UPPER**

Extremely soft and  
abrasive resistant full  
grain leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save & Flex PLUS

**FOOTBED**

Action Dry

**SOLE**

PU/NITRILE

**SIZE**

from 39 to 47



**HRO ≥ 300° C**





## THE OUTDOOR SOLUTION THAT STANDS UP AGAINST EVERYTHING

When you need **technical** shoes that are robust and safe, don't hesitate - enter the world of **CONCEPT M**. The sole with its **independent cleats** offers you an incredible level of adherence on uneven ground; your feet will get a grip like the caterpillars of a snowplough. With **Thinsulate™** you'll have exceptional thermal performance, while the best pull-up full-grain leathers will ensure you have the maximum water resistance and the **AirToe Composite** will let your feet breathe. You'll be completely at ease on all roads...even where there are no roads.



AIR TUNNEL LINING



SAFETY BREATHABLE TOE CAP



"NO METAL" PIERCE-RESISTANT MIDSOLE



ANATOMIC FOOTBED



ANATOMIC LAST MONDOPPOINT 11



### TAXI

**S3 SRC UM10263**

#### UPPER

Soft nubuck water resistant leather

#### SAFETY TOE CAP

AirToe Composite

#### PIERCE-RESISTANCE

Classic steel midsole

#### FOOTBED

Action Dry

#### SOLE

PU/PU

#### SIZE

from 36 to 48



### PERFORMANCE S3 CI SRC UM10054

#### UPPER

Full grain water resistant leather

#### SAFETY TOE CAP

AirToe Composite

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Action Dry

#### SOLE

PU/PU

#### SIZE

from 38 to 48



### TRACK

**S3 SRC UM10013**

#### UPPER

Full grain water resistant leather

#### SAFETY TOE CAP

AirToe Composite

#### PIERCE-RESISTANCE

Classic steel midsole

#### FOOTBED

Action Dry

#### SOLE

PU/PU

#### SIZE

from 36 to 48



### MUSTANG

**S3 SRC UM20013**

#### UPPER

Full grain water resistant leather

#### SAFETY TOE CAP

AirToe Composite

#### PIERCE-RESISTANCE

Classic steel midsole

#### FOOTBED

Action Dry

#### SOLE

PU/PU

#### SIZE

from 36 to 48



**TRIBAL****S3 SRC UM10074**

**UPPER**  
Pull-up water resistant  
leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48

**ETNIC****S3 SRC UM20074**

**UPPER**  
Pull-up water resistant  
leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48

**TRAIL****S3 HRO HI CI SRC UM10034**

**UPPER**  
Pull-up water resistant  
leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/NITRILE

**SIZE**  
from 38 to 47

**HRO ≥ 300° C****JUMP****S3 HRO HI CI SRC UM20034**

**UPPER**  
Pull-up water resistant  
leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/NITRILE

**SIZE**  
from 38 to 47

**HRO ≥ 300° C****AIDA****S3 HRO HI CI SRC UM10144**

**UPPER**  
Full grain water resistant  
leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/NITRILE

**SIZE**  
from 38 to 47

**HRO ≥ 300° C****CRUC****S3 HRO HI SRC UM10314**

**UPPER**  
Full grain water resistant  
leather with nubuck inserts,  
flame resistant Kevlar®  
stitching

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/NITRILE

**SIZE**  
from 38 to 47

**FLAME RESISTANT  
KEVLAR® STITCHING****HRO ≥ 300° C****VETTA****S3 HRO HI CI SRC UM40024**

**UPPER**  
Full grain water resistant  
leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/NITRILE

**SIZE**  
from 38 to 47

**Thinsulate™**  
thermal insulation**HRO ≥ 300° C****WELDER****S3 HRO HI SRC UM40034**

**UPPER**  
Pull-up water resistant  
leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/NITRILE

**SIZE**  
from 38 to 47

**WITHOUT LINING****HRO ≥ 300° C**





This line was created for women who in their professional life, want to feel as at ease, beautiful and elegant, as they do in their everyday life. In some models the removable **footbed PUSH UP** produced with special "memory material" in combination with the sole will give you softness and an additional lift thanks to its 50mm thickness...

**wing**  
AIR TUNNEL LINING

**Airtoe**  
COMPOSITE ALUMINIUM  
SAFETY BREATHABLE TOE CAP

**Save & Flex plus**  
"NO METAL"  
PIERCE-RESISTANT MIDSOLE

**WHITE ERGODRY**  
POLYsoft  
ANATOMIC FOOTBED  
**PUSH UP**

**Natural CONFORT**  
ANATOMIC LAST MONDOPOINT 9

**NICKEL FREE**

## BREEZE GRIP SB-E-A-FO SRC UW60011

**UPPER**  
Microfiber Lucky  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Not present  
**FOOTBED**  
White Ergo Dry  
**SOLE**  
PU/PU **U.Grip68**  
**SIZE**  
from 35 to 42



**U.Grip68**  
by U-Power

## SINERGY GRIP SB-E-A-FO SRC UW60021

**UPPER**  
Microfiber Lucky  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Not present  
**FOOTBED**  
White Ergo Dry  
**SOLE**  
PU/PU **U.Grip68**  
**SIZE**  
from 35 to 42



**U.Grip68**  
by U-Power

## MAMY GRIP SB-E-A-FO SRC LL60152

**UPPER**  
Microfiber Lucky  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Not present  
**FOOTBED**  
White Ergo Dry  
**SOLE**  
PU/PU **U.Grip68**  
**SIZE**  
from 35 to 42

**PUSH UP**

**U.Grip68**  
by U-Power



**U.Grip68**  
by U-Power

## NUVOLA GRIP S1 SRC LL30061

**UPPER**  
Microfiber Lucky  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Not present  
**FOOTBED**  
White Ergo Dry  
**SOLE**  
PU/PU **U.Grip68**  
**SIZE**  
from 35 to 42

**METAL FREE 100%**



**U.Grip68**  
by U-Power

## SLIP RESISTANCE

SRC (SRA+SRB)				EUROPEAN STANDARDS	U-POWER	(A)
	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	Heel CONTACT ANGLE 7°	≥	0,68	
				≥	0,52	
				≥	0,23	
SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	Heel CONTACT ANGLE 7°	≥	0,23		
			≥	0,16		
			≥			



SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	Heel CONTACT ANGLE 7°	EUROPEAN STANDARDS	U-POWER	(B)	
				≥	0,32		0,39
				≥	0,28		0,31
				≥	0,28		0,31
SRC (SRA+SRB)	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	Heel CONTACT ANGLE 7°	≥	0,18	0,20	
				≥	0,18	0,20	
				≥	0,13	0,16	
				≥	0,13	0,16	



SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

## PIUMA

S3 SRC LL20014

## UPPER

Soft Full grain water resistant leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

White Ergo Dry

## SOLE

PU/PU

## SIZE

from 35 to 42



(B)

## SETA

S1 SRC LL20151

## UPPER

Soft suede leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Not present

## FOOTBED

White Ergo Dry

## SOLE

PU/PU

## SIZE

from 35 to 42



(B)

## PETALO

S1 SRC LL20031

## UPPER

Soft suede leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Not present

## FOOTBED

White Ergo Dry

## SOLE

PU/PU

## SIZE

from 35 to 42



(B)

## SOFFICE

S1 SRC LL20041

## UPPER

Soft suede leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Not present

## FOOTBED

White Ergo Dry

## SOLE

PU/PU

## SIZE

from 35 to 42



(B)

## FIABA

S1 SRC LL30051

## UPPER

Soft suede leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Not present

## FOOTBED

White Ergo Dry

## SOLE

PU/PU

## SIZE

from 35 to 42



(B)

## TINA GRIP

S1 SRC LL20141

## UPPER

Breathable textile with highly breathable mesh textile

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Not present

## FOOTBED

White Ergo Dry

## SOLE

PU/PU U.Grip68

## SIZE

from 35 to 42



(A)



## PHILO S2 SRC LL20122

**UPPER**  
Soft nubuck water resistant leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
White Ergo Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 42

**PUSH UP** **METAL FREE 100%**




## SHARON S2 SRC LL20132

**UPPER**  
Soft nubuck water resistant leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
White Ergo Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 42

**PUSH UP** **METAL FREE 100%**




## TROPHY S1P SRC SN20056

**UPPER**  
Extra strong breathable CANVAS with soft suede leather inserts

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU

**SIZE**  
from 35 to 42



## JADE S1P SRC SN20086

**UPPER**  
Soft suede leather

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU

**SIZE**  
from 35 to 42



## REFLEX S1P SRC UK20036

**UPPER**  
Soft suede leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU

**SIZE**  
from 35 to 42



## VORTIX GRIP S1P SRC UK20666

**UPPER**  
Soft suede leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Polysoft

**SOLE**  
PU/PU U-GRIP®

**SIZE**  
from 35 to 47



## ARIA S1 SRC RR20181

**UPPER**  
Soft suede leather with wide side aerator for extra breathability

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
Ergo Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 42

**METAL FREE 100%**



## LABRADOR S1P SRC RR30436

**UPPER**  
Soft suede leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Ergo Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 42

**METAL FREE 100%**



**VEROK****S1P SRC RL20216****UPPER**

Soft suede upper with Nylon inserts

**SAFETY TOE CAP**  
AirToe Aluminium**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**  
Polysoft**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 42**NEW****CHERRY****S1P SRC RL20196****UPPER**

Soft suede upper with Nylon inserts

**SAFETY TOE CAP**  
AirToe Aluminium**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**  
Polysoft**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 42**NEW****LOLLY****S1P SRC RL20206****UPPER**

Soft suede upper with Nylon inserts

**SAFETY TOE CAP**  
AirToe Aluminium**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**  
Polysoft**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 35 to 42**NEW****CANDY****S3 CI SRC RL20324****UPPER**

Soft nubuck water resistant leather

**SAFETY TOE CAP**  
AirToe Aluminium**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**  
Polysoft**SOLE**

PU/PU + Infinergy®

**SIZE**  
from 38 to 48**NEW****SEBASTIEN****S3 SRC UF20064****UPPER**

Pull-up water-resistant leather, soft and strong

**SAFETY TOE CAP**  
AirToe Aluminium**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**  
Polysoft**SOLE**

PU/PUTR GRIP

**SIZE**  
from 35 to 42**KEN****S3 SRC UF10104****UPPER**

Pull-up water-resistant leather, soft and strong

**SAFETY TOE CAP**  
AirToe Aluminium**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**  
Polysoft**SOLE**

PU/PUTR GRIP

**SIZE**  
from 35 to 42**UNI 11583:2015**

Norm for the safety and protection standard to be used on inclined roofs.

**KING****S3 SRC SN20014****UPPER**

Soft nubuck water resistant leather

**SAFETY TOE CAP**  
AirToe Aluminium**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**  
Polysoft**SOLE**

PU/PU

**SIZE**  
from 35 to 42**LION****S3 SRC SN10014****UPPER**

Soft nubuck water resistant leather

**SAFETY TOE CAP**  
AirToe Aluminium**PIERCE-RESISTANCE**  
Save & Flex PLUS**FOOTBED**  
Polysoft**SOLE**

PU/PU

**SIZE**  
from 35 to 42**UNI 11583:2015**

Norm for the safety and protection standard to be used on inclined roofs.







## MORE & LESS

The shoes “**PROFESSIONAL**” by **U-GRIP** are designed for workplaces where safety toecap and midsole are not necessary, but minimum safety standards required by UNI EN ISO 20347:2012 are expected. Comfortable, lightweight, with antistatic and oil resistant soles.

**+ More comfort**  
**— Less weight**  
**= PROFESSIONAL**

by **U-GRIP**  
 Don't worry... be happy!

wingtex  
 AIR TUNNEL LINING

POLYsoft  
 SOTTOPIEDE ANATOMICO

Natural  
 CONFORT 11  
 FORMA ANATOMICA CON  
 CALZATA 11 MONDOPOINT

NICKEL  
 FREE

### STING GRIP 02 FO SRC UK10767

**UPPER**  
 Soft nubuck water resistant leather  
**SAFETY TOE CAP**  
 Golia 0 Joule  
**PIERCE-RESISTANCE**  
 Not present  
**FOOTBED**  
 Action Dry  
**SOLE**  
 PU/PU U-GRIP®  
**SIZE**  
 from 35 to 47

**METAL FREE** 100%  
 430 gr.  
**WEIGHT:**



(A)

### TONIC GRIP 02 FO SRC UK20767

**UPPER**  
 Soft nubuck water resistant leather  
**SAFETY TOE CAP**  
 Golia 0 Joule  
**PIERCE-RESISTANCE**  
 Not present  
**FOOTBED**  
 Action Dry  
**SOLE**  
 PU/PU U-GRIP®  
**SIZE**  
 from 35 to 47

**METAL FREE** 100%  
 420 gr.  
**WEIGHT:**



(A)

### AIR 01 FO SRC UK20749

**UPPER**  
 Soft suede leather  
**SAFETY TOE CAP**  
 Golia 0 Joule  
**PIERCE-RESISTANCE**  
 Not present  
**FOOTBED**  
 Action Dry  
**SOLE**  
 PU/PU  
**SIZE**  
 from 35 to 47

**METAL FREE** 100%  
 410 gr.  
**WEIGHT:**



(A)

### COMFORT GRIP 01 FO SRC UK20759

**UPPER**  
 Soft suede leather  
**SAFETY TOE CAP**  
 Golia 0 Joule  
**PIERCE-RESISTANCE**  
 Not present  
**FOOTBED**  
 Action Dry  
**SOLE**  
 PU/PU U-GRIP®  
**SIZE**  
 from 35 to 47

**METAL FREE** 100%  
 410 gr.  
**WEIGHT:**



(A)





## CLASSIC & ELEGANT

The **U-MANAGER** footwear has been designed for users who do not want to give up a **classic and elegant look...**

Also suitable for those who, for reasons of work, must dress formally (tertiary sector).



### LONDON

**S3 SRC** MG20024

**UPPER**  
Soft full-grain leather  
**SAFETY TOE CAP**  
ComposiToe  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Executive Plus  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 47




### VENICE

**S3 SRC** MG20044

**UPPER**  
Soft full-grain leather  
**SAFETY TOE CAP**  
ComposiToe  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Executive Plus  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 47



PU/PU SHOCK ABSORB SOLE



SLIP RESISTANCE

SRC (SRA+SRB)		EUROPEAN STANDARDS		U-POWER
SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	$\geq$	0,32	0,58
	Heel CONTACT ANGLE 7°	$\geq$	0,28	0,42
SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	$\geq$	0,18	0,25
	Heel CONTACT ANGLE 7°	$\geq$	0,13	0,19

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

SIDNEY

S3 SRC MG10014

**UPPER**  
Soft full-grain leather  
**SAFETY TOE CAP**  
ComposiToe  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Executive Plus  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 47



FLORENCE

S3 SRC MG20054

**UPPER**  
Soft full-grain leather  
**SAFETY TOE CAP**  
ComposiToe  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Executive Plus  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 47







## HIGH EFFICIENCY LACING SYSTEM

Boa creates more opportunities than ever before, thus succeeding to meet the standard and performance requirements for work shoes and other innovative applications.

**This new system gives noticeable performance advantages in comparison to traditional laces and to all other fast lacing systems.**

LACED WITH BOA  
LACING SYSTEM



wingtex

AIR TUNNEL LINING

Airtoe  
ALUMINIUM

SAFETY BREATHABLE  
TOE CAP

Save & Flex  
plus

"NO METAL"  
PIERCE-RESISTANT MIDSOLE

Natural  
CONFORT 11

ANATOMIC LAST  
MONDOPOINT 11

NICKEL  
FREE

### TURN

S1P SRC ESD B010016

#### UPPER

Soft nubuck-tech with highly breathable textile mesh

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

ESD

#### SOLE

PU/PU U-GRIP®

#### SIZE

from 38 to 47



### WHEEL

S1P SRC ESD B020016

#### UPPER

Soft nubuck-tech with highly breathable textile mesh

#### SAFETY TOE CAP

AirToe aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

ESD

#### SOLE

PU/PU U-GRIP®

#### SIZE

from 38 to 47



### ROUND

S3 SRC ESD B020024

#### UPPER

Pull-up water resistant leather

#### SAFETY TOE CAP

AirToe aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

ESD

#### SOLE

PU/PU U-GRIP®

#### SIZE

from 35 to 47



## SUPER &amp; EXTRA

We love to pay attention to each small detail, to comply with all requirements and testing the limits, meeting proactively with each request.

We know that there are workers who need a **wider and more comfortable footwear**. With this thought in mind we have created for them **SUPER Confort 12** and **EXTRA Confort 13**.



wingtex

AIR TUNNEL LINING

Airtoe  
ALUMINIUMSAFETY BREATHABLE  
TOE CAPSave & Flex  
plus"NO METAL"  
PIERCE-RESISTANT  
MIDSOLENatural  
CONFORT 11ANATOMIC LAST  
MONDOPPOINT 11SUPER  
CONFORT 12ANATOMIC LAST  
MONDOPPOINT 12EXTRA  
CONFORT 13ANATOMIC LAST  
MONDOPPOINT 13NICKEL  
FREE

## AUSTRAL S3 HRO HI SRC ESD PL10013

## UPPER

Full grain water resistant leather

## SAFETY TOE CAP

AirToe Aluminium

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

ESD

## SOLE

PUR/NITRILE

## LAST

Natural Confort 11

Mondopoint

## SIZE

from 38 to 47

HRO  $\geq 300^{\circ}\text{C}$ 

## AUSTRAL XL S3 HRO HI SRC ESD PL10023

## LAST

SUPER Confort 12

SUPER  
CONFORT 12

## AUSTRAL XXL S3 HRO HI SRC ESD PL10033

## LAST

EXTRA Confort 13

EXTRA  
CONFORT 13

## BOREAL S3 SRC ESD PL20013

## UPPER

Full grain water resistant leather

## SAFETY TOE CAP

AirToe Aluminium

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

ESD

## SOLE

PU/PU

## LAST

Natural Confort 11

Mondopoint

## SIZE

from 38 to 47



## BOREAL XL S3 SRC ESD PL20023

## LAST

SUPER Confort 12

SUPER  
CONFORT 12

## BOREAL XXL S3 SRC ESD PL20033

## LAST

EXTRA Confort 13

EXTRA  
CONFORT 13



## NOT ONLY WHITE

**Special jobs** require special safety shoes. Protection against **invisible threats**, like bacteria, debris, organic and chemical residues, the technical materials like **Ecolorica**, **New Safety Dry** and **Microfiber** offer the required protection to the feet. All the products can be **easily washed** thanks to the **essential design** and the materials used.

wingtex  
AIR TUNNEL LINING

Airtoe  
COMPOSITE  
SAFETY BREATHABLE  
TOE CAP

SaveFlex  
plus  
"NO METAL"  
PIERCE-RESISTANT MIDSOLE

WHITE  
ERGODRY  
ANATOMIC FOOTBED

Natural  
CONFORT 11  
ANATOMIC LAST  
MONDOPOINT 11

NICKEL  
FREE

### RESPONSE GRIP S2 SRC UW20032

**UPPER**  
Water resistant,  
breathable New Safety  
Dry

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
White Ergo Dry

**SOLE**  
PU/PU **U.Grip68**

**SIZE**  
from 35 to 48



U.Grip68  
by U-Power



### SHINE GRIP S2 SRC UW10012

**UPPER**  
Water resistant,  
breathable New Safety  
Dry

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
White Ergo Dry

**SOLE**  
PU/PU **U.Grip68**

**SIZE**  
from 35 to 48



U.Grip68  
by U-Power



### UNDERWATER GRIP S2 SRC UW20272

**UPPER**  
Water resistant Ecolorica

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
White Ergo Dry

**SOLE**  
PU/PU **U.Grip68**

**SIZE**  
from 35 to 48



U.Grip68  
by U-Power



### ANATOMY GRIP SB-E-A-FO SRC UW60272

**UPPER**  
Water resistant Ecolorica

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
White Ergo Dry

**SOLE**  
PU/PU **U.Grip68**

**SIZE**  
from 35 to 48



U.Grip68  
by U-Power



## SLIP RESISTANCE

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS IN 0,32	U-POWER A 0,68
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	IN 0,18	0,23
		Heel CONTACT ANGLE 7°	IN 0,28	0,52
		Heel CONTACT ANGLE 7°	IN 0,13	0,16

## PU/PU SUPER GRIP SOLE

SUPER GRIP SOLE  
SHARP ANGLE  
TREAD ENSURES  
GRIP

SELF-CLEANING  
DRAINAGE  
CHANNEL

ERGONOMIC  
PATTERN OF THE  
TREAD  
TO ENHANCE  
THE DRAINAGE  
OF LIQUIDS AND  
DEBRIS

SUPER GRIP SOLE  
SHARP ANGLE  
TREAD ENSURES  
GRIP



## REBOUND GRIP

S2 SRC UW20022

## UPPER

Water resistant,  
breathable New Safety  
Dry



## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Not present

## FOOTBED

White Ergo Dry

## SOLE

PU/PU U.Grip68

## SIZE

from 35 to 48



## LAB GRIP

S1 SRC UW20021

## UPPER

Microfiber Lucky

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Not present

## FOOTBED

White Ergo Dry

## SOLE

PU/PU U.Grip68

## SIZE

from 35 to 48



## NURSE GRIP

S1 SRC UW20031

## UPPER

Microfiber Lucky



## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Not present

## FOOTBED

White Ergo Dry

## SOLE

PU/PU U.Grip68

## SIZE

from 35 to 48



## SURGE GRIP SB-E-A-F0 SRC UW60041

## UPPER

Microfiber Lucky

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Not present

## FOOTBED

White Ergo Dry

## SOLE

PU/PU U.Grip68

## SIZE

from 35 to 48





## SUGAR GRIP

S2 SRC UW10292

### UPPER

Water resistant,  
breathable New Safety  
Dry

SAFETY  
DRY

METAL  
FREE 100%

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Not present

### FOOTBED

White Ergo Dry

### SOLE

PU/PU U.Grip68

### SIZE

from 35 to 48



U.Grip68  
by U-Power



## BREEZE GRIP

SB-E-A-FO SRC UW60011

### UPPER

Microfiber Lucky

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Not present

### FOOTBED

White Ergo Dry

### SOLE

PU/PU U.Grip68

### SIZE

from 35 to 42



U.Grip68  
by U-Power



## SINERGY GRIP

SB-E-A-FO SRC UW60021

### UPPER

Microfiber Lucky

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Not present

### FOOTBED

White Ergo Dry

### SOLE

PU/PU U.Grip68

### SIZE

from 35 to 42



U.Grip68  
by U-Power



## NUVOLA GRIP

S1 SRC LL30061

### UPPER

Microfiber Lucky

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Not present

### FOOTBED

White Ergo Dry

### SOLE

PU/PU U.Grip68

### SIZE

from 35 to 42

METAL  
FREE 100%



U.Grip68  
by U-Power



## MAMY GRIP

SB-E-A-FO SRC LL60152

### UPPER

Microfiber Lucky

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Not present

### FOOTBED

White Ergo Dry

### SOLE

PU/PU U.Grip68

### SIZE

from 35 to 42

PUSH UP

U.Grip68  
by U-Power



50mm



**STRUCTURE****S2 SRC UW20112****UPPER**Water resistant,  
breathable New Safety  
Dry**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Not present

**FOOTBED**

White Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**METAL  
FREE** 100%**SAFETY  
DRY****SUPER****SB-E-A-F0 SRC UW60061****UPPER**

Microfiber Lucky

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Not present

**FOOTBED**

White Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**OXFORD****S3 SRC UW20094****UPPER**Water resistant,  
breathable New Safety  
Dry**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

White Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**SAFETY  
DRY****ENOUGH****S3 SRC UW10164****UPPER**Water resistant,  
breathable New Safety  
Dry**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

White Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**SAFETY  
DRY**



## STRONG & AGILE

A new frontier for safety footwear: **ROCK&ROLL** is synonymous with **lightness**, **comfort** and **reliability**. The light and strong materials, the breathable mesh lining and insert, the unmistakable look of these models make this line especially attractive for those who wear safety shoes. **STRONG & AGILE**: the answer is **ROCK&ROLL**



AIR TUNNEL LINING



SAFETY BREATHABLE  
TOE CAP



"NO METAL"  
PIERCE-RESISTANT MIDSOLE



ANATOMIC FOOTBED

### FRESH

**S1P SRC** RR20886

**UPPER**  
Soft suede leather with ventilation  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



### COAL

**S1P SRC** RR20016


**UPPER**  
Super breathing Airnet with soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



### BORA

**S1P SRC** RR20906

**UPPER**  
Soft suede leather with ventilation  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



### VENTO

**S1P SRC** RR20186

**UPPER**  
Soft suede leather with wide side aerator for extra breathability  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## PU/PU DUAL SHOCK ABSORB SOLE

## SLIP RESISTANCE

SRC (SRA+SRB)			EUROPEAN STANDARDS	U-POWER
	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	≥ 0,32	0,69
		Heel CONTACT ANGLE 7°	≥ 0,28	0,49
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	≥ 0,18	0,26
Heel CONTACT ANGLE 7°		≥ 0,13	0,16	

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

DIFFERENT  
HEIGHT PROFILE  
TO IMPROVE  
ADHESION

MULTILEVEL  
STABILISING  
CHANNELS  
TO IMPROVE ANTI  
SLIP FEATURES

LADDER GRIP  
TO ENHANCE  
LADDER  
PERFORMANCE

SHOCK  
ABSORPTION AND  
STRESS RELEASE  
AIRBAG CELL

DIFFERENT  
HEIGHT PROFILE  
TO IMPROVE  
ADHESION

FRONT BLOCKS  
RAISED AND GROOVED  
TO IMPROVE  
ADHESION

MULTILEVEL  
STABILISING  
CHANNELS  
TO IMPROVE ANTI  
SLIP FEATURES

LADDER GRIP  
TO ENHANCE LADDER  
PERFORMANCE

SHOCK ABSORPTION  
AND STRESS RELEASE  
AIRBAG CELL

FRONT BLOCKS  
RAISED AND GROOVED  
TO IMPROVE  
ADHESION

Natural  
CONFORT11

ANATOMIC LAST  
MONDOPOINT 11

NICKEL  
FREE

## SUN

S1P SRC RR20056

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48

METAL  
FREE 100%



(A)

## BREZZA

S1P SRC RR20196

**UPPER**  
Soft suede leather with  
wide side aerator for extra  
breathability  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48

METAL  
FREE 100%



(A)

## ARIA

S1 SRC RR20181

**UPPER**  
Soft suede leather with  
wide side aerator for extra  
breathability  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Not present  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48

METAL  
FREE 100%



(A)

## SPRINT

S1 SRC ESD RR20191

**UPPER**  
Soft suede leather with  
wide side aerator for extra  
breathability  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Not present  
**FOOTBED**  
ESD  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48

METAL  
FREE 100%



(B)



## OTTAWA

**S1P SRC** RR20406

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## LIGHT ONE

**S1P SRC** RR30566

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## JOGGER

**S1P SRC** RR10261

**UPPER**  
Soft suede leather with  
super breathing Airnet  
inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## CORE

**S1P SRC** RR20216

**UPPER**  
Soft suede leather with  
super breathing Airnet  
inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## BONDE

**S3 SRC** RR10236

**UPPER**  
Water resistant soft suede  
leather with textile inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## LEO

**S3 SRC** RR20236

**UPPER**  
Water resistant soft suede  
leather with textile inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## GIPPO

**Rs S3 SRC** RR10254

**UPPER**  
Full grain water resistant  
leather with textile inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## STYLE

**S3 SRC** RR20254

**UPPER**  
Full grain water resistant  
leather with textile inserts  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



**LABRADOR****S1P SRC** RR30436

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48

**GRANVILLE****S1P SRC** RR50426

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 48

**ARKO****S1P SRC** RR10416

**UPPER**  
Soft nubuck-tech with highly breathable textile mesh  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 48

**DARDO****S1P SRC** RR20416

**UPPER**  
Soft nubuck-tech with highly breathable textile mesh  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 48

**TEAK****S3 SRC ESD** RR10304

**UPPER**  
Full grain water resistant leather, with abrasive resistant Bay-Cast protection  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
ESD  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48

**IROKO****S3 SRC ESD** RR20304

**UPPER**  
Full grain water resistant leather, with abrasive resistant Bay-Cast protection  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
ESD  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48

**OAK****S1P SRC ESD** RR30306

**UPPER**  
Full grain water resistant leather, with abrasive resistant Bay-Cast protection  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
ESD  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48





## FLORIDA

**S1P SRC** RR10356

### UPPER

Soft suede leather with highly breathable textile mesh

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 38 to 48



**METAL FREE** 100%



## CALIFORNIA

**S1P SRC** RR20356

### UPPER

Soft suede leather with highly breathable textile mesh

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 35 to 48



**METAL FREE** 100%



## AUCKLAND

**S1P SRC** RR10556

### UPPER

Soft suede leather with highly breathable textile mesh

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 38 to 48



**METAL FREE** 100%



## NEVADA

**S1P SRC** RR20556

### UPPER

Soft suede leather with highly breathable textile mesh

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 35 to 48



**METAL FREE** 100%



## JENA

**RS S3 SRC** RR10244

### UPPER

Water resistant leather

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 35 to 48



**METAL FREE** 100%



## TIGER

**S3 SRC** RR20244

### UPPER

Water resistant leather

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 35 to 48



**METAL FREE** 100%



## CLASS

**S2 SRC** RR20242

### UPPER

Water resistant leather

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Not present

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 35 to 48



**METAL FREE** 100%



## YUKON

**S3 SRC** RR20464

### UPPER

Pull-up water resistant leather

### SAFETY TOE CAP

AirToe Composite

### PIERCE-RESISTANCE

Save & Flex PLUS

### FOOTBED

Action Dry

### SOLE

PU/PU

### SIZE

from 35 to 48



**METAL FREE** 100%



## ORLANDO

S1P SRC RR10346

## UPPER

Pull-up water resistant leather with textile inserts

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

Action Dry

## SOLE

PU/PU

## SIZE

from 38 to 48



A

METAL FREE 100%

## MIAMI

S1P SRC RR20346

## UPPER

Pull-up water resistant leather with textile inserts

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

Action Dry

## SOLE

PU/PU

## SIZE

from 38 to 48



A

METAL FREE 100%

## SLIP RESISTANCE

		EUROPEAN STANDARDS		U-POWER
SRC (SRA+SRB)	SRA	Flat	0,32	0,41
	TEST FLOOR CERAMICS	Heel	0,28	0,33
	LUBRICANT WATER + DETERGENT	CONTACT ANGLE 7°		
	SRB	Flat	0,18	0,18
	TEST FLOOR STEEL	Heel	0,13	0,14
	LUBRICANT GLYCERIN	CONTACT ANGLE 7°		

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

C

## PU/PU DUAL SHOCK ABSORB SELF CLEAN SOLE

FRONT BLOCKS  
RAISED AND GROOVED  
TO IMPROVE  
ADHESIONSUPER GRIP SOLE  
SHARP ANGLE TREAD  
ENSURES GRIPMULTILEVEL  
STABILISING  
CHANNELS  
TO IMPROVE ANTI SLIP  
FEATURESPRE-SHAPED  
ASYMMETRICAL HEEL  
TO INCREASE CONTACT  
WITH THE WALKING  
SURFACESHOCK ABSORPTION  
AND STRESS RELEASE  
AIRBAG CELLFRONT BLOCKS  
RAISED AND GROOVED  
TO IMPROVE  
ADHESION

C

## TEXAS UK

Rs S3 SRC RR10443

## UPPER

Water resistant leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

Action Dry

## SOLE

PU/PU

## SIZE

from 35 to 48



C

METAL FREE 100%

## ARIZONA UK

S3 SRC RR20443

## UPPER

Water resistant leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

Action Dry

## SOLE

PU/PU

## SIZE

from 35 to 48



C

METAL FREE 100%



## TERRANOVA UK S3 SRC RR10454

**UPPER**  
Pull-up water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## HURON UK S3 SRC RR20454

**UPPER**  
Pull-up water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## KLEVER UK S3 CI SRC RR70334

**UPPER**  
Full grain water resistant leather with Polyurethane scuff  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



SYNTHETIC WOOL LINING



## SIBERIAN S3 CI SRC RR40754

**UPPER**  
Water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 48



SYNTHETIC WOOL LINING  
Opening with side zipper

## JAGUAR UK S3 SRC RR10284

**UPPER**  
Full grain water resistant leather with Polyurethane scuff  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



## LYNX UK S3 SRC RR20284

**UPPER**  
Full grain water resistant leather with Polyurethane scuff  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



**METAL FREE** 100%

## COUGAR UK S3 CI SRC RR70314

**UPPER**  
Full grain water resistant leather with Polyurethane scuff  
+ Thinsulate  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



**METAL FREE** 100%

Thinsulate thermal insulation

Opening with side zipper



## GHEPARD UK S3 CI SRC RR70324

**UPPER**  
Full grain water resistant leather with Polyurethane scuff  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



**METAL FREE** 100%



Opening with side zipper



**IRON** Rs S3 HRO CI HI SRC RR10564

**UPPER**  
Pull-up water resistant  
leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/NITRILE

**SIZE**  
from 38 to 47



**METAL FREE**  
100%

**Thinsulate**  
thermal insulation

HRO ≥ 300° C

**MAIDEN** S3 HRO CI HI SRC RR20564

**UPPER**  
Pull-up water resistant  
leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/NITRILE

**SIZE**  
from 38 to 47



**METAL FREE**  
100%

**Thinsulate**  
thermal insulation

HRO ≥ 300° C

**GREENLAND UK** S3 SRC RR10364

**UPPER**  
Pull-up water resistant  
leather with Polyurethane  
scuff

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48



**METAL FREE**  
100%

**POLYURETHANE**  
**SCUFF**

**QUEBEC UK** S3 SRC RR20364

**UPPER**  
Pull-up water resistant  
leather with Polyurethane  
scuff

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48



**METAL FREE**  
100%

**POLYURETHANE**  
**SCUFF**

**CALGARY UK** S3 SRC RR70374

**UPPER**  
Pull-up water resistant  
leather with Polyurethane  
scuff

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48



**METAL FREE**  
100%

**POLYURETHANE**  
**SCUFF**

**ALASKA UK** S3 CI SRC RR40384

**UPPER**  
Pull-up water resistant  
leather with Polyurethane  
scuff

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48



**METAL FREE**  
100%

**SYNTHETIC**  
**WOOL LINING**

**POLYURETHANE**  
**SCUFF**





## SPECIFIC TECHNICAL SOLUTIONS

The **U-SPECIAL** footwear is conceived for operators working in hazardous environments areas where shoes must comply to the highest safety standards and need to be equipped with **specific technical solutions**.



AIR TUNNEL LINING



SAFETY BREATHABLE  
TOE CAP



SAFETY BREATHABLE  
TOE CAP



"NO METAL"  
PIERCE-RESISTANT  
MIDSOLE



ULTRA-LIGHT SOLE



### BETON S2P HRO HI SRA UK10804

#### UPPER

Water resistant leather

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Heat-Out

#### SOLE

PU/NITRILE

#### SIZE

from 39 to 47



HRO  $\geq 300^{\circ}\text{C}$  (A)

### CEMENT S2P HRO HI SRA UK20804

#### UPPER

Water resistant leather

#### SAFETY TOE CAP

AirToe Aluminium

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Heat-Out

#### SOLE

PU/NITRILE

#### SIZE

from 39 to 47



HRO  $\geq 300^{\circ}\text{C}$  (A)

### ORIGINAL S3 HRO HI SRC UG40014

#### UPPER

Full grain, extremely strong, suitable for all weather conditions

#### SAFETY TOE CAP

AirToe Composite

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Action Dry

#### SOLE

PU/NITRILE

#### SIZE

from 39 to 47



WITHOUT  
LINING

USE - OFF SHORE,  
CONSTRUCTION

### ORIGINAL ICE S3 HRO HI CI SRC UG40024

#### UPPER

Full grain, extremely strong, suitable for all weather conditions

#### SAFETY TOE CAP

AirToe Composite

#### PIERCE-RESISTANCE

Save & Flex PLUS

#### FOOTBED

Action Dry

#### SOLE

PU/NITRILE

#### SIZE

from 39 to 47



SYNTHETIC  
WOOL LINING

USE - OFF SHORE,  
CONSTRUCTION


## PU/NITRILE SELF CLEAN SOLE

## SLIP RESISTANCE

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS IV CONTACT ANGLE 7°	≈ 0,32	U-POWER 0,39	(B)
SRC (SRA+SRB)	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	Heel CONTACT ANGLE 7°	≈ 0,18	≈ 0,22	
SRC (SRA+SRB)	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	Heel CONTACT ANGLE 7°	≈ 0,13	≈ 0,16	

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

INNOVATIVE  
OUTER SOLE  
MADE OF A MIX  
OF PU / NITRILE  
CONTAINING  
SMALL CERAMIC  
PARTICLES  
FOR AN IMPROVED  
RESISTANCE  
TO HIGH  
TEMPERATURES



(A)



(B)

FRONT BLOCKS  
RAISED AND GROOVED  
TO IMPROVE ADHESION

SHOCK ABSORPTION  
AND STRESS  
RELEASE CELL  
"DUAL SHOCK  
ABSORB SOLE"

SINGLE  
SELF-CLEANING  
CLEATS

SHOCK  
ABSORPTION  
AND STRESS  
RELEASE  
AIRBAG CELL

FRONT BLOCKS  
RAISED AND GROOVED  
TO IMPROVE  
ADHESION

HEATout

ANATOMIC  
FOOTBED

ACTIONdry

ERGODRY

WHITE  
ERGODRYNatural  
CONFORT11ANATOMIC LAST  
MONDOPOINT 11

## DEPP RS S3 M HRO HI SRC S010223

## UPPER

Water resistant leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Classic steel midsole

## FOOTBED

Ergo Dry

## SOLE

PU/NITRILE

## SIZE

from 38 to 47



HRO ≥ 300° C

(B)

METATARSAL  
PROTECTION

## BULLS S3 HRO HI WG SRC S010213

## UPPER

Water resistant leather

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Classic steel midsole

## FOOTBED

Ergo Dry

## SOLE

PU/NITRILE

## SIZE

from 38 to 47



HRO ≥ 300° C

(B)

**EN ISO 20349:2010**  
Small projection of melted metal  
during Welding and connected  
processes

FLAME RESISTANT  
KEVLAR® STITCHING

## ENOUGH S3 SRC UW10164

## UPPER

Water resistant,  
breathable New Safety  
Dry

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

White Ergo Dry

## SOLE

PU/PU

## SIZE

from 35 to 48

SAFETY  
DRY

## OXFORD S3 SRC UW20094

## UPPER

Water resistant,  
breathable New Safety  
Dry

## SAFETY TOE CAP

AirToe Composite

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

White Ergo Dry

## SOLE

PU/PU

## SIZE

from 35 to 48

SAFETY  
DRY





## TO WORK IN ALL WEATHER CONDITIONS

For protection against any kind of bad weather, cold, snow and rain.  
Strong waterproof leather, complete with a heat resistant nitrile rubber sole and fur lining for cold conditions  
**WORK WITHOUT LIMITS!!!**

### ARROW GTX® S3 WR HRO HI SRC GO40074

**UPPER**  
Full grain, extremely strong, suitable for all weather conditions  
**LINING**  
GORE-TEX® Performance Membrane  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED** Polysoft  
**SOLE** PU/NITRILE  
**SIZE**  
from 39 to 47



HRO ≥ 300° C



### VETTA S3 HRO HI CI SRC UM40024

**UPPER**  
Full grained water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/NITRILE  
**SIZE**  
from 39 to 47



Thinsulate  
thermal insulation

HRO ≥ 300° C



### ORIGINAL S3 HRO HI SRC UG40014

**UPPER**  
Full grain, extremely strong, suitable for all weather conditions  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/NITRILE  
**SIZE**  
from 39 to 47



WITHOUT LINING

USE - OFF SHORE, CONSTRUCTION

HRO ≥ 300° C



### ORIGINAL ICE S3 HRO HI CI SRC UG40024

**UPPER**  
Full grain, extremely strong, suitable for all weather conditions  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Save & Flex PLUS  
**FOOTBED**  
Action Dry  
**SOLE**  
PU/NITRILE  
**SIZE**  
from 39 to 47



SYNTHETIC WOOL LINING

USE - OFF SHORE, CONSTRUCTION

HRO ≥ 300° C



## SLIP RESISTANCE

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS SRA	U-POWER
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel CONTACT ANGLE 7°	SRB	U-POWER



SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS SRA	U-POWER
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel CONTACT ANGLE 7°	SRB	U-POWER



SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS SRA	U-POWER
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel CONTACT ANGLE 7°	SRB	U-POWER



SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

## TAIGA

S3 CI SRC S040013

**UPPER**  
Water resistant leather.  
Opening with side zipper

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Classic steel midsole

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48



**SYNTHETIC  
WOOL LINING**

Opening with side  
zipper

C

## NORDIC PLUS S3 CI SRC S040053

**UPPER**  
Pull-up water resistant  
leather + Thinsulate

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Classic steel midsole

**FOOTBED**  
Action Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48



**Thinsulate**  
thermal insulation

C

## SIBERIAN

S3 CI SRC RR40754

**UPPER**  
Water resistant leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Ergo Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48



**METAL  
FREE**  
100%

**SYNTHETIC  
WOOL LINING**

Opening with side  
zipper

C

## WELDER S3 HRO HI SRC UM40034

**UPPER**  
Pull-up water resistant  
leather

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Action Dry

**SOLE**  
PU/NITRILE

**SIZE**  
from 39 to 47



**METAL  
FREE**  
100%

WITHOUT LINING

HRO ≥ 300° C

A

## ALASKA UK

S3 CI SRC RR40384

**UPPER**  
Pull-up water resistant  
leather with Polyurethane  
scuff

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
Ergo Dry

**SOLE**  
PU/PU

**SIZE**  
from 38 to 48



**METAL  
FREE**  
100%

**SYNTHETIC  
WOOL LINING**

**POLYURETHANE  
SCUFF**

B



## TURN

**S1P SRC ESD** B010016

### UPPER

Soft nubuck-tech with highly breathable textile mesh

**SAFETY TOE CAP**  
AirToe Alluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
ESD

**SOLE**  
PU/PU U-GRIP®

**SIZE**  
from 38 to 47



## WHEEL

**S1P SRC ESD** B020016

### UPPER

Soft nubuck-tech with highly breathable textile mesh

**SAFETY TOE CAP**  
AirToe alluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
ESD

**SOLE**  
PU/PU U-GRIP®

**SIZE**  
from 38 to 47



## MASTER

**S3 SRC ESD** UR20124

### UPPER

Soft nubuck water resistant leather

**SAFETY TOE CAP**  
AirToe Aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
ESD

**SOLE**  
PU/TPU

**SIZE**  
from 38 to 47



## ROUND

**S3 SRC ESD** B020024

### UPPER

Pull-up water resistant leather

**SAFETY TOE CAP**  
AirToe aluminium

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
ESD

**SOLE**  
PU/PU U-GRIP®

**SIZE**  
from 35 to 47



## TEAK

**S3 SRC ESD** RR10304

### UPPER

Full grain water resistant leather, with abrasive resistant Bay-Cast protection

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
ESD

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48



## IROKO

**S3 SRC ESD** RR20304

### UPPER

Full grain water resistant leather, with abrasive resistant Bay-Cast protection

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
ESD

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48



## OAK

**S1P SRC ESD** RR30306

### UPPER

Full grain water resistant leather, with abrasive resistant Bay-Cast protection

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Save & Flex PLUS

**FOOTBED**  
ESD

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48



## SPRINT

**S1 SRC ESD** RR20191

### UPPER

Soft suede leather with wide side aerator for extra breathability

**SAFETY TOE CAP**  
AirToe Composite

**PIERCE-RESISTANCE**  
Not present

**FOOTBED**  
ESD

**SOLE**  
PU/PU

**SIZE**  
from 35 to 48



**CLUB****S3 SRC ESD** RL20114**UPPER**

Soft nubuck water resistant leather

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

Polysoft ESD

**SOLE**

PU/PU e Infinergy®

**SIZE**

from 35 to 48

**AMAZON****S3 SRC ESD** SN20154**UPPER**

Soft nubuck water resistant leather

**SAFETY TOE CAP**

AirToe Aluminium

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

ESD

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**STRAIN GRIP****S3 SRC ESD** SG10494**UPPER**

Full grain water resistant leather

with abrasive resistant Bay-Cast protection

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

ESD

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 38 to 47

**CONNECTION GRIP****S3 SRC ESD** SG20494**UPPER**

Full grain water resistant leather

with abrasive resistant

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

ESD

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 38 to 47

**DELPHI GRIP****S3 SRC ESD** SG10464**UPPER**

Full grain water resistant leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

ESD

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 35 to 47

**ELECTRO GRIP****S3 SRC ESD** SG20464**UPPER**

Full grain water resistant leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**

ESD

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 35 to 47

**ANDREE GRIP****S1P SRC ESD** UK30416**UPPER**

Soft nubuck leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Save &amp; Flex PLUS

**FOOTBED**


ESD

**SOLE**

PU/PU U-GRIP®

**SIZE**

from 35 to 47

**ESD CEI EN 61340-5-1****ELECTRICAL RESISTANCE BETWEEN**  
0,75 AND 35 MOhm





## ESSENTIAL & FUNCTIONAL

For those of you looking for an essential product but without renouncing the practical aspect, we have designed **STEP ONE**, a "NON-BASIC" line that doesn't make you forego anything... the **Forced Ventilation System** will let your feet breathe, and the **Stress Out** will accompany you (without tiring you) all day long. Let yourself be won over by their winning **design** and the extremely interesting **price**.

wingtex  
AIR TUNNEL LINING

Airtoe  
COMPOSITE  
SAFETY BREATHABLE  
TOE CAP

ERGODRY  
ANATOMIC FOOTBED

Natural  
CONFORT 11  
ANATOMIC LAST  
MONDOPOINT 11

NICKEL  
FREE

### BERG

S1P SRC S010175

**UPPER**  
Soft suede leather with  
highly breathable textile  
mesh  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Ergo Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



### ASSOLO

S1P SRC S020175

**UPPER**  
Soft suede leather with  
highly breathable textile  
mesh  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Ergo Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



### FEELING

S1P SRC S010165

**UPPER**  
Soft suede leather with  
highly breathable textile  
mesh  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Ergo Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



### SENSATION

S1P SRC S020165

**UPPER**  
Soft suede leather with  
highly breathable textile  
mesh  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Ergo Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



**CHECK****S1P SRC** S010115**UPPER**

Soft suede leather with highly breathable textile mesh

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 36 to 48

**CONTROL****S1P SRC** S020115**UPPER**

Soft suede leather with highly breathable textile mesh

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 36 to 48

**PREMIERE****S3 SRC** S010104**UPPER**

Water resistant leather with textile insert

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**SOLID****S3 SRC** S020104**UPPER**

Water resistant leather with textile insert

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**INNOVATION****Rs S3 SRC** S010633**UPPER**

Water resistant leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**REFLECTIVE TRIM****FALCON****S3 SRC** S020623**UPPER**

Water resistant leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48

**REFLECTIVE TRIM****PITUCON****S3 SRC** S010043**UPPER**

Water resistant leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 38 to 48

**REFLECTIVE TRIM****SHUTTLE****S1P SRC** S030025**UPPER**

Black leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48



## DEPP RS S3 M HRO HI SRC S010223

**UPPER**  
Water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Ergo Dry  
**SOLE**  
PU/NITRILE  
**SIZE**  
from 38 to 47

**METATARSAL PROTECTION**



**HRO ≥ 300° C**

## BULLS S3 HRO HI WG SRC S010213

**UPPER**  
Water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Ergo Dry  
**SOLE**  
PU/NITRILE  
**SIZE**  
from 38 to 47

**EN ISO 20349:2010**  
Small projection of melted metal during Welding and connected processes

**FLAME RESISTANT KEVLAR® STITCHING**



**HRO ≥ 300° C**

## TUNDRA S3 CI SRC S070013

**UPPER**  
Water resistant leather  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Ergo Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 36 to 48

**SYNTHETIC WOOL LINING**



## TAIGA S3 CI SRC S040013

**UPPER**  
Water resistant leather. Opening with side zipper  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Ergo Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 36 to 48

**SYNTHETIC WOOL LINING**

Opening with side zipper



## NORDIC PLUS S3 CI SRC S040053

**UPPER**  
Pull-up water resistant leather + Thinsulate  
**SAFETY TOE CAP**  
AirToe Composite  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Ergo Dry  
**SOLE**  
PU/PU  
**SIZE**  
from 38 to 48

**Thinsulate**  
thermal insulation



## SLIP RESISTANCE



SRC (SRA+SRB)	EUROPEAN STANDARDS		U-POWER	
	SRA	Flat	≥ 0,32	0,41
	TEST FLOOR CERAMICS	Heel	≥ 0,28	0,34
	LUBRICANT WATER + DETERGENT	CONTACT ANGLE 7°		
	SRB	Flat	≥ 0,18	0,22
	TEST FLOOR STEEL	Heel	≥ 0,13	0,17
	LUBRICANT GLYCERIN	CONTACT ANGLE 7°		

SRC (SRA+SRB)	EUROPEAN STANDARDS		U-POWER	
	SRA	Flat	≥ 0,32	0,35
	TEST FLOOR CERAMICS	Heel	≥ 0,28	0,29
	LUBRICANT WATER + DETERGENT	CONTACT ANGLE 7°		
	SRB	Flat	≥ 0,18	0,18
	TEST FLOOR STEEL	Heel	≥ 0,13	0,14
	LUBRICANT GLYCERIN	CONTACT ANGLE 7°		



SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



**LATITUDE UK** Rs **S3** SRC S010683**UPPER**

Pull-up water resistant leather with Polyurethane scuff

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 47



**POLYURETHANE  
SCUFF**

**MERIDIANE UK** **S3** SRC S020683**UPPER**

Pull-up water resistant leather with Polyurethane scuff

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 47



**POLYURETHANE  
SCUFF**

**APOLLO** **S1P** SRC S010155**UPPER**

Soft suede leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 36 to 48



(A)

**TERRA** **S1P** SRC S020195**UPPER**

Soft suede leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48



(B)

**APRIL** **S1P** SRC S020485**UPPER**

Soft suede leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48



(B)

**CURTISS** **S1** SRC S020181**UPPER**

Soft suede leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Not present

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 35 to 48



(B)

**SOYUZ** **S1P** SRC S030015**UPPER**

Soft suede leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Classic steel midsole

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 36 to 48



(B)

**SONG** **S1** SRC S030011**UPPER**

Soft suede leather

**SAFETY TOE CAP**

AirToe Composite

**PIERCE-RESISTANCE**

Not present

**FOOTBED**

Ergo Dry

**SOLE**

PU/PU

**SIZE**

from 36 to 48



(B)

**METAL  
FREE** 100%

## SIMPLY SAFE

If you are looking for a **classic** and **strong** safety shoe with an excellent **quality/price** ratio, then **STYLE & JOB** Collection is your ideal solution.



wingtex

AIR TUNNEL LINING

Natural  
CONFORT11

ANATOMIC LAST  
MONDOPOINT 11

### DESERT

S1P SRC BC10415

#### UPPER

Soft suede leather with textile inserts

#### SAFETY TOE CAP

Steel toe cap

#### PIERCE-RESISTANCE

Classic steel midsole

#### FOOTBED

Flat-Fit

#### SOLE

PU/PU

#### SIZE

from 35 to 48



(B)

### OASIS

S1P SRC BC20415

#### UPPER

Soft suede leather with textile inserts

#### SAFETY TOE CAP

Steel toe cap

#### PIERCE-RESISTANCE

Classic steel midsole

#### FOOTBED

Flat-Fit

#### SOLE

PU/PU

#### SIZE

from 35 to 48



(B)

### REAL

S1P SRC BC10315

#### UPPER

Soft suede leather with textile inserts

#### SAFETY TOE CAP

Steel toe cap

#### PIERCE-RESISTANCE

Classic steel midsole

#### FOOTBED

Flat-Fit

#### SOLE

PU/PU

#### SIZE

from 35 to 48



(B)

### TUDOR

S1P SRC BC20315

#### UPPER

Soft suede leather with textile inserts

#### SAFETY TOE CAP

Steel toe cap

#### PIERCE-RESISTANCE

Classic steel midsole

#### FOOTBED

Flat-Fit

#### SOLE

PU/PU

#### SIZE

from 35 to 48



(B)

**ALLIGATOR****S1P SRC BC30355**

**UPPER**  
Black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

**CROCODILE****S3 SRC BC10423**

**UPPER**  
Water resistant black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(B)

**REPTILE****Rs S3 SRC BC10033**

**UPPER**  
Water resistant black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(B)

**TONGUE****S3 SRC BC20023**

**UPPER**  
Water resistant black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(B)

**MAYON****S3 SRC BC10473**

**UPPER**  
Water resistant black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(B)

**MAUNA****S3 SRC BC20473**

**UPPER**  
Water resistant black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(B)

**KATMAI UK****S3 SRC BC10483**

**UPPER**  
Pull-up water resistant leather with Polyurethane scuff  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48

**POLYURETHANE SCUFF**

(B)

**SABA UK****S3 SRC BC20483**

**UPPER**  
Pull-up water resistant leather with Polyurethane scuff  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48

**POLYURETHANE SCUFF**

(B)



## TANNER

RS S1P SRC BC10345

**UPPER**  
Black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

## TEAM

S1P SRC BC20345

**UPPER**  
Black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

## ANACONDA

RS S1P SRC BC10025

**UPPER**  
Black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

## SOFFIETTO

S1P SRC BC20025

**UPPER**  
Black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

## KROTAL UK

S3 CI SRC BC70463

**UPPER**  
Black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



**SYNTHETIC  
WOOL LINING**  
**POLYURETHANE  
SCUFF**

(B)

### SLIP RESISTANCE

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT		EUROPEAN STANDARDS	U-POWER	(A)
SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	≥ 0,32	<b>0,35</b>	(A)
		Heel CONTACT ANGLE 7°	≥ 0,28	<b>0,30</b>	
SRC (SRA+SRB)	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	≥ 0,18	<b>0,20</b>	(B)
		Heel CONTACT ANGLE 7°	≥ 0,13	<b>0,15</b>	



SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

## BOSS

S1P SRC BC20305

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

## DREAM

S1P SRC BC20335

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



(A)

## ROTATIONAL

S1P SRC BC20035

## UPPER

Soft suede leather

## SAFETY TOE CAP

Steel toe cap

## PIERCE-RESISTANCE

Classic steel midsole

## FOOTBED

Flat-Fit

## SOLE

PU/PU

## SIZE

from 35 to 48



## FOX

S1 SRC BC20031

## UPPER

Soft suede leather

## SAFETY TOE CAP

Steel toe cap

## PIERCE-RESISTANCE

Not present

## FOOTBED

Flat-Fit

## SOLE

PU/PU

## SIZE

from 35 to 48



## MAGIC

S1P SRC BC30335

## UPPER

Soft suede leather

## SAFETY TOE CAP

Steel toe cap

## PIERCE-RESISTANCE

Classic steel midsole

## FOOTBED

Flat-Fit

## SOLE

PU/PU

## SIZE

from 35 to 48



## FAIRY

S1 SRC BC30331

## UPPER

Soft suede leather

## SAFETY TOE CAP

Steel toe cap

## PIERCE-RESISTANCE

Not present

## FOOTBED

Flat-Fit

## SOLE

PU/PU

## SIZE

from 35 to 48



## BETTER

S1P SRC BC20576

## UPPER

Soft suede leather with highly breathable textile mesh

## SAFETY TOE CAP

Steel toe cap

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

Flat-Fit

## SOLE

PU/PU

## SIZE

from 35 to 48



## BELL

S1P SRC BC20566

## UPPER

Soft suede leather with highly breathable textile mesh

## SAFETY TOE CAP

Steel toe cap

## PIERCE-RESISTANCE

Save &amp; Flex PLUS

## FOOTBED

Flat-Fit

## SOLE

PU/PU

## SIZE

from 35 to 48





## BEST PRICE

U-Power has designed a range of products, still with the U-Power commitment to quality and safety, but at **very competitive prices**.

High quality... BEST PRICE by U-POWER.

Natural  
CONFORT<sup>11</sup>

ANATOMIC LAST  
MONDOPOINT 11

### SAFE

RS S3 SRC UE10013

**UPPER**  
Wather resistant black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



**BEST PRICE**

(A)

### SIMPLE

S3 SRC UE20013

**UPPER**  
Wather resistant black leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



**BEST PRICE**

(A)

### SAFE UK

S3 SRC UE10123

**UPPER**  
Wather resistant black leather with Polyurethane scuff  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



**BEST PRICE**

POLYURETHANE  
SCUFF

(A)

### MOVIDA

S1P SRC UE20025

**UPPER**  
Soft suede leather  
**SAFETY TOE CAP**  
Steel toe cap  
**PIERCE-RESISTANCE**  
Classic steel midsole  
**FOOTBED**  
Flat-Fit  
**SOLE**  
PU/PU  
**SIZE**  
from 35 to 48



**BEST PRICE**

(A)



## SLIP RESISTANCE

SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS 0,32	U-POWER 0,35
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel	CONTACT ANGLE 7° 0,28	0,30
SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS 0,18	U-POWER 0,20
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel	CONTACT ANGLE 7° 0,13	0,15

A



SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS 0,32	U-POWER 0,39
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel	CONTACT ANGLE 7° 0,28	0,31
SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	EUROPEAN STANDARDS 0,18	U-POWER 0,20
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Heel	CONTACT ANGLE 7° 0,13	0,16

B



SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE  
EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

## JUNIOR RS SB E P WRU FO HRO SRC UI10013

UPPER Water resistant leather  
Rubber Sole Stitched Construction  
SIZE 49-50-51-52

HIGH SHOE

## SENIOR SB E P WRU FO HRO SRC UI20013

UPPER Water resistant leather  
Rubber Sole Stitched Construction  
SIZE 49-50-51-52

LOW SHOE

## REPLY

S2 SRC UE20192

UPPER  
Water resistant New  
Safety Dry  
SAFETY TOE CAP  
Steel toe cap  
PIERCE-RESISTANCE  
Not present  
FOOTBED  
Flat-Fit  
SOLE  
PU/PU  
SIZE  
from 35 to 48

SAFETY  
DRYBEST  
PRICE

B

## LUCKY

S1 SRC UE20191

UPPER  
Microfiber Lucky  
SAFETY TOE CAP  
Steel toe cap  
PIERCE-RESISTANCE  
Not present  
FOOTBED  
Flat-Fit  
SOLE  
PU/PU  
SIZE  
from 35 to 48

BEST  
PRICE

B

# MERCHANDISING



## LACES

- ST1N100** BLACK COLOUR  
cm 100 - 1 pair pack
- ST1N120** BLACK COLOUR  
cm 120 - 1 pair pack
- ST1N140** BLACK COLOUR  
cm 140 - 1 pair pack



## LACES

- ST1G100** GREY COLOUR  
cm 100 - 1 pair pack
- ST1G120** GREY COLOUR  
cm 120 - 1 pair pack
- ST1G140** GREY COLOUR  
cm 140 - 1 pair pack



## LACES

- ST1B100** BEIGE COLOUR  
cm 100 - 1 pair pack
- ST1B120** BEIGE COLOUR  
cm 120 - 1 pair pack
- ST1B140** BEIGE COLOUR  
cm 140 - 1 pair pack



## LACES

- ST1A100** SILVER COLOUR  
cm 100 - 1 pair pack
- ST1A120** SILVER COLOUR  
cm 120 - 1 pair pack
- ST1A140** SILVER COLOUR  
cm 140 - 1 pair pack



## LACES

- ST1F100** YELLOW COLOUR  
cm 100 - 1 pair pack
- ST1F120** YELLOW COLOUR  
cm 120 - 1 pair pack
- ST1F140** YELLOW COLOUR  
cm 140 - 1 pair pack



## LACES

- ST5N100** BLACK COLOUR  
cm 100 - 5 pairs pack
- ST5N120** BLACK COLOUR  
cm 120 - 5 pairs pack
- ST5N140** BLACK COLOUR  
cm 140 - 5 pairs pack



## LACES

- ST5G100** GREY COLOUR  
cm 100 - 5 pairs pack
- ST5G120** GREY COLOUR  
cm 120 - 5 pairs pack
- ST5G140** GREY COLOUR  
cm 140 - 5 pairs pack



## LACES

- ST5B100** BEIGE COLOUR  
cm 100 - 5 pairs pack
- ST5B120** BEIGE COLOUR  
cm 120 - 5 pairs pack
- ST5B140** BEIGE COLOUR  
cm 140 - 5 pairs pack



## LACES

- ST5A100** SILVER COLOUR  
cm 100 - 5 pairs pack
- ST5A120** SILVER COLOUR  
cm 120 - 5 pairs pack
- ST5A140** SILVER COLOUR  
cm 140 - 5 pairs pack



## LACES

- ST5F100** YELLOW COLOUR  
cm 100 - 5 pairs pack
- ST5F120** YELLOW COLOUR  
cm 120 - 5 pairs pack
- ST5F140** YELLOW COLOUR  
cm 140 - 5 pairs pack



## LACES

- STON100** BLACK COLOUR  
cm 100 - 10 pairs pack
- STON120** BLACK COLOUR  
cm 120 - 10 pairs pack
- STON140** BLACK COLOUR  
cm 140 - 10 pairs pack



## LACES

- STOG100** GREY COLOUR  
cm 100 - 10 pairs pack
- STOG120** GREY COLOUR  
cm 120 - 10 pairs pack
- STOG140** GREY COLOUR  
cm 140 - 10 pairs pack



## LACES

- STOB100** BEIGE COLOUR  
cm 100 - 10 pairs pack
- STOB120** BEIGE COLOUR  
cm 120 - 10 pairs pack
- STOB140** BEIGE COLOUR  
cm 140 - 10 pairs pack



## LACES

- STOA100** SILVER COLOUR  
cm 100 - 10 pairs pack
- STOA120** SILVER COLOUR  
cm 120 - 10 pairs pack
- STOA140** SILVER COLOUR  
cm 140 - 10 pairs pack



## LACES

- STOF100** YELLOW COLOUR  
cm 100 - 10 pairs pack
- STOF120** YELLOW COLOUR  
cm 120 - 10 pairs pack
- STOF140** YELLOW COLOUR  
cm 140 - 10 pairs pack



## LEATHER GEL

- CS00300** INSOLE  
single pack  
SIZE: from 37 to 48



## POLY SOFT

- CS00400** INSOLE  
single pack  
SIZE: from 35 to 48



## ACTION DRY

- CS00015** INSOLE  
single pack  
SIZE: from 35 to 48



## ERGO DRY

- CS00100** INSOLE  
single pack  
SIZE: from 35 to 48





## COUNTER DISPLAY

CODE: **ES00041**

Dimensions L35 x H45 x B24 cm



## COUNTER DISPLAY

CODE: **ES00048**

Dimensions L35 x H45x B14 cm



## COUNTER DISPLAY

CODE: **ES00040**

Dimensions L39,5 x H42 x B29 cm



## Large BAG

CODE: **BC00001**

Dimensions L75 x H38 x B35 cm



## FLOOR DISPLAY

CODE: **ES00036**

Dimensions L45 x H170 x B35 cm



## Roll Up THE ROAR...

CODE: **MU00106**

Dimensions B80 x H200 cm



## Small BAG

CODE: **BC00003**

Dimensions L40 x H40 x B20 cm





# EUROPEAN NORMS

## EUROPEAN STANDARDS ON SAFETY SHOES

<b>DIR 89/686/CEE</b>	Directive of the European Council regarding standardization of national laws
<b>EN ISO 20344:2011</b>	PPE Personal Protection Equipments – Footwear test methods
<b>UNI 11583:2015</b>	Norm for the safety and protection standard to be used on inclined roofs
<b>EN ISO 20349:2010</b>	Small projection of melted metal during Welding and connected processes
<b>EN ISO 20345:2011</b>	Personal Protection Equipments – Safety footwear
<b>EN ISO 20346:2007</b>	Personal Protection Equipments – Protective footwear
<b>EN ISO 20347:2012</b>	Personal Protection Equipments – Occupational footwear
<b>EN 13287:2012</b>	Requirements and tests methods for slip resistance
<b>CEI EN 61340-5-1</b>	Protection of electronic devices against electrostatic phenomena - ESD

## IDENTIFICATION MARKS TO BE FOUND ON OUR PRODUCT

<b>CEI EN 6134 -5-1</b>	Protection of electronic devices against electrostatic phenomena - ESD
	Producer's Logo and product responsible
	Commercial name
<b>EN ISO 20345:2011</b>	Standard reference
<b>UA10274 S3 HRO</b>	Product code and protection category reference
<b>01/2014</b>	Month and year of production
<b>42</b>	Size of the product

Information may be placed in different places on the product, provided that it's always reachable and visible.

## SIZE COMPARISON TABLE

<b>English Sizes</b>	2	3	4	5	6	6,5	7	8	9	10	10,5	11	12	13
<b>European Sizes</b>	35	36	37	38	39	40	41	42	43	44	45	46	47	48

## TABLE OF PROTECTION ON OUR SAFETY SHOES

<b>A</b>	Antistatic footwear	between $1 \times 10^5 \Omega$ and $1 \times 10^9 \Omega$
<b>E</b>	Heel area energy absorption	$\geq 20 \text{ J}$
<b>FO</b>	Walking sole surface resistant to hydrocarbons	always present by EN ISO 20345:2011 and by EN ISO 20346:2011 but to be specified when required by EN ISO 20347:2012
<b>WRU</b>	Water resistant upper material	> 60 mins - Absorbance < 30%
<b>P</b>	Pierce resistant midsole	> 1100 Newton
<b>CI</b>	Thermal cold insulation of the sole	by temperature < 10°C
<b>HI</b>	Thermal heat insulation of the sole	by temperature > 22°C
<b>HRO</b>	Walking sole surface heat resistance to temperature on contact	contact at 300°C for 60 secs - no melting
<b>AN</b>	Ankle protection	average value > 20kN
<b>WR</b>	Water resistant shoes	no penetration within first 15 mins. After 100 flex should non penetrate more than 3 square Cm
<b>M</b>	Shoe with metatarsal protection	height after shock > 40 mm (tg 42)
<b>CR</b>	Cut resistant upper	I factor > 2,5

## SOLE SLIP RESISTANCE

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011  
METHOD REQUESTED BY EN 13287:2012

SYMBOLS USED	EUROPEAN STANDARDS REQUIREMENTS
<b>SRA</b> Test floor: <b>ceramics</b> Lubricant: <b>water + detergent</b>	$\geq 0,32$ Flat $\geq 0,28$ Heel (contact angle 7°)
<b>SRB</b> Test floor: <b>steel</b> Lubricant: <b>glycerin</b>	$\geq 0,18$ Flat $\geq 0,13$ Heel (contact angle 7°)
<b>SRC (SRA+SRB)</b>	Both tests methods applied

## SAFETY CATEGORIES AND SYMBOLS USED

### EN ISO 20345:2011

Safety shoes,  
with 200J resistant toe cap

- SB** Safety Basic
- S1** A+SB+E
- S1P** A+SB+E+P
- S2** A+SB+E+WRU
- S3** A+SB+E+WRU+P
- S4** A+SB+E+  
(water resistance)  
BOOTS
- S5** A+SB+E+P+  
(water resistance)  
BOOTS

### EN ISO 20346:2011

Protection shoes,  
with 100J resistant toe cap

- PB** SB
- P1** A+SB+E
- P2** A+SB+E+P
- S2** A+SB+E+WRU
- P3** A+SB+E+WRU+P

### EN ISO 20347:2012

Working shoes,  
without protecting toe cap

- OB** SB (only if present)
- O1** A+E
- O1P** A+E+P
- O2** A+E+WRU
- O3** A+E+WRU+P
- O4** A+E+(water resistance)  
BOOTS
- O5** A+E+(water resistance)  
BOOTS

For any question concerning articles, legislation and technical data please do not hesitate to contact our commercial offices.

ALL U-POWER COLLECTIONS  
ARE VISIBLE ON OUR WEB SITE:  
**www.upower.it**




Scan this QR code on your smartphone and enter into the world of U-POWER.

This catalogue replaces all previous documents.

With the aim to improve our collections, all products included in this catalogue may be replaced and /or modified.  
Images are for illustration purposes only and are not legally binding.







# WEAR

COLLECTION **2017-18**  
PURE ITALIAN DESIGN



# SUMMARY

p.104 >



## TROUSERS

Innovative materials and technologies, design and style.  
For those who always seek the highest levels of performance.

p.116 >



## JACKET

The softness, comfort and durability  
of materials combined with everyday  
simplicity and functionality.

p.120 >



## GILET

Our gilets in different colours and high performing fabrics  
are timeless.  
A must have, you cannot do without !

p.123 >



**piccolo**  
**U Power**  
Just like... daddy!

p.124 >



## SOFT SHELL

An increased strength and performance.  
Safety first, but always looking casual and  
feeling comfortable.

p.126 >



## WATERPROOFS

Technical and lightweight Thermo-  
taped fabric, offering comfortable  
and yet hard wearing clothing for all  
seasons.



p.128



## COATS & JACKETS

Excellence without compromise: strong and durable materials, high technological innovation and extreme comfort.

p.134



## SWEATSHIRTS & T-SHIRTS

Comfort, design and style to stand out from the crowd all day long, especially after work. Feel good at all times in our workwear, following our philosophy of Don't worry... be happy!

p.140



## LINEA HI-LIGHT

Linea Hi-Light provides safety, security and high visibility to the wearer, always with Italian style and design.

p.142



## LINEA SKIN

Inspired by the world of sport, Linea Skin uses innovative ultra-light fibre creating an anti-fatigue effect. The result is a true "second skin" that protects and supports you through the day.

p.146



## LINEA GP

Linea GP offers protection and technological performances in any context maintaining comfort at all times.

p.148



## LINEA PLUS

The accessories that make the difference.



THREE PLY WATERPROOF SHELL JACKET  
**SLIK / LINEA U-SUPREMACY - 127**

TROUSERS  
**RACE / LINEA U-SUPREMACY - 106**

SOFT SHELL  
**RALLY / LINEA IMPACT - 124**

SHOES  
**YAK / LINEA THE ROAR...**

# TROUSERS

Innovative materials and technologies, design and style. For those who always seek the highest levels of performance.



## WILD



### SIZES \*

### COMPOSITION

96% POLYESTER • 4% ELASTANE  
• TPU MEMBRANE • 290 gr/m<sup>2</sup>

### COLOURS

code **SY095BC**  
col. BLACK CARBON

- >>> Trousers in Soft Shell fabric for maximum comfort, windproof and water resistant, reflective inserts, anti-abrasion fabric inserts for main contact areas.
- >>> Front pockets with zip closure, side pocket for tools, removable badge holder, and ergonomic knee pad inserts.
- >>> Trousers bottoms with side zip and gaiter, front closure with zip.



Gaiter with gripper elastic.

CE EN ISO 13688:2013

EN 14058



SIZES \* For more information on availability of sizes, please contact our sales office.

## PIT



### SIZES 44-60

### COMPOSITION

96% POLYESTER • 4% ELASTANE  
• 290 gr/m<sup>2</sup>

### COLOURS

code **SY008BC**  
col. BLACK CARBON

- >>> Trousers in Soft Shell fabric for maximum comfort. Water resistant, with reflective inserts and anti-abrasion fabric inserts for main contact areas.
- >>> Front pockets with zip closure, side pocket for tools, removable badge holder, and ergonomic kneepad insert pockets.
- >>> Reinforced velcro straps, YKK zip.

CE EN ISO 13688:2013

EN 14058





# TROUSERS

## RACE



**SIZES 44-64**

### COMPOSITION

65% POLYESTER • 35% COTTON  
• CANVAS 260 gr/m<sup>2</sup>

### COLOURS

code **SY001BC**  
col. BLACK CARBON

code **SY001DB**  
col. DEEP BLUE

code **SY001GM**  
col. GREY METEORITE

code **SY001SG**  
col. STONE GREY

- » Trousers with removable thigh pocket, 2 large front pockets, concealed pocket, side pocket for tools, multi-functional side pocket, 2 back pockets in Cordura® with velcro safety fastening, 2 knee pockets in Cordura® with internal elastic adjustment; reinforced hammer pocket, adjustable elasticated waist for maximum comfort, branded key chain.
- » Elasticated inserts for an ergonomic fit, reinforced, anti abrasion Cordura® inserts in areas of maximum contact, reflective details.
- » Reinforced velcro supports, triple stitched seams.
- » Scratch-resistant buttons, YKK zip.



Multi-functional Pocket



side pocket



hammer loop



Free pocket



Removable Fly pocket

CE EN ISO 13688:2013



### Sizing guidelines for trousers

EU		44	46	48	50	52	54	56	58	60	62	64
INSIDE Leg	cm	79	80	81	83	84	85	86	87	87	88	89
	inch	31	31	32	33	33	33	34	34	34	35	35

### Trouser Measurements Long Leg

Taglia			C148	C150	C152	C154	C156	C158			
INSIDE Leg	cm			84	85	86	87	88	89		
	inch			33	33.5	34	34	34.5	35		

### Trouser Measurements Short Leg

Taglia			D92	D96	D100	D104	D108			
INSIDE Leg	cm			74	75	76	77	79		
	inch			29	29.5	30	30.5	30.5		

To check your size, simply follow instructions on the size chart. The anatomical measurements listed correspond exactly to those of the actual person measured through the tailor meter.



code **SY109BC**  
col. BLACK CARBON

FOR BLACK CARBON COLOR ONLY







# TROUSERS

NEW

## GORDON



**SIZES 44-62**

### COMPOSITION

63% POLYESTER • 34% COTTON • 3% ELASTANE • 280 gr/m<sup>2</sup>

**STRETCHFABRIC**

### COLOURS

code **PE126AG**  
col. ASFALT GREY

- » TC stretch canvas trousers with 2 large front floating pockets that can be hidden inside the 2 integral front pockets. Side tool pocket with polyoxford 300D inserts, multifunctional side pocket with retractable badge holder, 2 back Free pockets with velcro safety fastening, 2 top opening knee pad pockets with stretch interior for maximum comfort.
- » Adjustable hammer loop.
- » Reinforced inserts in double polyoxford 300D fabric in high contact areas.
- » FLEXBAND adjusting as needed; an innovative, retractable and elasticated waistband system.
- » Reflective inserts for greater visibility.
- » Triple stitching, scratch-proof button, YKK zip.



CE EN ISO 13688:2013



## FLASH



**SIZES 44-62**

### COMPOSITION

63% POLYESTER • 34% COTTON • 3% ELASTANE • 280 gr/m<sup>2</sup>

### COLOURS

code **PE116AG**  
col. ASFALT GREY

- » TC stretch canvas trousers have 2 large front pockets, side pocket with polyoxford 300D tool inserts, multifunctional side pocket with retractable badge holder, 2 rear Free Pockets with Velcro safety fastening, 2 Cordura® top opening knee pockets with internal stretch fabric for maximum comfort.
- » Adjustable hammer loop.
- » Reinforced inserts in double polyoxford 300D fabric in high contact areas.
- » FLEXBAND adjusting as needed; an innovative, retractable and elasticated waistband system.
- » Reflective inserts for greater visibility.
- » Triple stitching, scratch-proof button, YKK zip.



CE EN ISO 13688:2013



### «FLEXBAND»



**STRETCHFABRIC**

## DRIFT



**SIZES 44-64**

### COMPOSITION

65% POLYESTER • 35% COTTON  
• CANVAS 300 gr/m<sup>2</sup>

TEAR STRENGTH	Minimum requirements EN 13934-1	U-POWER
Weft	400N	1200N
Warp	400N	1900N

### COLOURS

code **IM010BC**  
col. BLACK CARBON

code **IM010DB**  
col. DEEP BLUE

code **IM010GM**  
col. GREY METEORITE

code **IM010SG**  
col. STONE GREY

code **IM010DS**  
col. DESERT SAND

- » Cargo trousers, has 2 large front pockets, concealed zip pocket, side pocket for tools, multi-functional side pocket, 2 back pockets with safety velcro fastening 2 knee pockets in Cordura® with internal elastic adjustment, adjustable hammer loop, branded keychain.
- » Cordura® inserts in the areas of maximum contact, reflective inserts to full-length of leg, additional velcro fasteners.
- » Reinforced Velcro fasteners and triple stitched seams, triple seam stitching.
- » Scratch-resistant buttons, YKK zip.



CE EN ISO 13688:2013



## GRIN



**SIZES 44-62**

### COMPOSITION

Outer: 60% COTTON • 40% POLYESTER  
• TWILL 245 gr/m<sup>2</sup>  
Inner: LINING 100% COTTON 160 gr/m<sup>2</sup>

### COLOURS

code **HY107DB**  
col. DEEP BLUE

code **HY107GM**  
col. GREY METEORITE

- » Trousers lined with soft, warm pre-washed flannel, 2 large front pockets, side pocket for tools, multi-functional side pocket badge holder, 2 back pockets with velcro fastenings; Adjustable hammer loop, adjustable elasticated waist for maximum comfort.
- » Reinforced velcro fasteners, triple stitched seams, reinforced structure to the gusset; soft reinforced knees patches.
- » Scratch resistant buttons.



Soft flannel lining



CE EN ISO 13688:2013

## FREE



**SIZES 44-64**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 300 gr/m<sup>2</sup>

TEAR STRENGTH	Minimum requirements EN 13934-1	U-POWER
Weft	400N	1500N
Warp	400N	700N

### COLOURS

code **DW022BC**  
col. BLACK CARBON

code **DW022DB**  
col. DEEP BLUE

code **DW022GM**  
col. GREY METEORITE

code **DW022SG**  
col. STONE GREY

code **DW022DS**  
col. DESERT SAND

- » Cargo trousers with 2 large front pockets, side pocket for tools, multi-functional side pocket with mobile phone holder, branded badge holder, 2 back pockets with velcro fastening, 2 knee pockets; Adjustable hammer loop, adjustable waist with elastic for maximum comfort, branded keychain.
- » Reflective detail.
- » Reinforced velcro fasteners, reinforced structure to the gusset, triple stitched seam.
- » Scratch resistant buttons.



CE EN ISO 13688:2013



# TROUSERS

NEW

## BALTIC



**SIZES S-3XL**

### COMPOSITION

CANVAS STRETCH COTTON:  
97% COTTON • 3% SPANDEX  
• 295 gr/m<sup>2</sup>

## SLIM FIT

### COLOURS

code **EY128WB**  
col. WESTLAKE BLUE

code **EY128GI**  
col. GREY IRON

- »» Stretch washed effect cotton trousers.
- »» Two large front pockets, one back pocket.
- »» Big multi-use side pocket on the left leg. Front zip and anti-scratch button. Double reinforcement fabric on the knees and the back part
- »» Slim-Fit



CE EN ISO 13688:2013

## CRODO



**SIZES \***

### COMPOSITION

97% COTTON • 3% ELASTANE •  
220 gr/m<sup>2</sup>

### COLOURS

code **PS079BC**  
col. BLACK CARBON

code **PS079ZG**  
col. ZINC GREY

- »» Long trousers in stretch cotton canvas, 2 large diagonal pockets, side multi-function pocket with badge holder, open back pocket with two entrances, 2 knee pockets in anti-abrasive material, side tool pocket and hammer loop, key holder with logo.
- »» Triple stitched, tubular belt loop in the back.
- »» U-Power badge attached to the right side rear, "PS1" logo printed on the front lower left side, vertical logo "group4" printing on the tool pocket.
- »» Scratch-resistant button, YKK zipper.



CE EN ISO 13688:2013

**SIZES \*** For more information on availability of sizes, please contact our sales office.

## NIMBLE



**SIZES 44-64**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 200 gr/m<sup>2</sup>

### COLOURS

code **DW084DB**  
col. DEEP BLUE

code **DW084GM**  
col. GREY METEORITE

code **DW084SG**  
col. STONE GREY

code **DW084DS**  
col. DESERT SAND

- »» Cargo trousers with 2 large front pockets, side pocket for tools, multi-functional side pocket, branded badge holder, 2 back pockets with velcro fastening, 2 knee pockets; Adjustable hammer loop, adjustable waist with elastic for maximum comfort, branded keychain.
- »» Reflective detail.
- »» Reinforced velcro fasteners, reinforced structure to the gusset, triple stitched seam.
- »» Scratch resistant buttons.



CE EN ISO 13688:2013

## OCEAN



**SIZES S-3XL**

### COMPOSITION

CANVAS STRETCH COTTON:  
97% COTTON • 3% SPANDEX  
• 220 gr/m<sup>2</sup>

## SLIM FIT

### COLOURS

code **EY123WB**  
col. WESTLAKE BLUE

code **EY123GI**  
col. GREY IRON

- »» Work trousers in stretch cotton canvas.
- »» Two large front pockets, one back pocket.
- »» Big multi-use side pocket on the left leg and small pocket on the right leg. Front zip and anti-scratch button. Double reinforcement fabric on the knees and the back part
- »» Slim-Fit



CE EN ISO 13688:2013

## SMILE



**SIZES 44-64**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 245 gr/m<sup>2</sup>

### COLOURS

code **HY015BC**  
col. BLACK CARBON

code **HY015DB**  
col. DEEP BLUE

code **HY015GM**  
col. GREY METEORITE

code **HY015SG**  
col. STONE GREY

code **HY015DS**  
col. DESERT SAND

- »» Cargo trousers with 2 large front pockets, side pocket for tools, multi-functional side pocket badge holder, 2 back pockets with velcro fastenings; Adjustable hammer loop, adjustable elasticated waist for maximum comfort.
- »» Reinforced velcro fasteners, triple stitched seams, reinforced structure to the gusset; soft reinforced knees patches.
- »» Scratch resistant buttons.



CE EN ISO 13688:2013



# TROUSERS

## RAVE



**SIZES 44-64**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 245 gr/m<sup>2</sup>

### COLOURS

code **HY106GM**  
col. GREY METEORITE

code **HY106DS**  
col. DESERT SAND

- »» Cargo trousers with two large multifunctional side pockets, two front pockets, two back pockets with Velcro fastenings, adjustable elasticated waist for maximum comfort
- »» Reflective details on the rear
- »» Triple stitching, scratch-resistant button, reinforced Velcro fasteners, reinforced structure to the gusset



CE EN ISO 13688:2013

## URBAN



**SIZES \***

### COMPOSITION

100% COTTON • CANVAS 280 gr/m<sup>2</sup>

### COLOURS

code **EX027WB**  
col. WESTLAKE BLUE

code **EX027GI**  
col. GREY IRON

code **EX027DS**  
col. DESERT SAND

- »» Cargo trousers with 2 large pockets gusseted front pockets, 2 coin pockets with elastic closure and zip, multi-functional side pockets for tools, two back pockets, one with a safety lock with press studs; elasticated waist.
- »» Reflective detail.
- »» Triple stitched seams.
- »» Scratch resistant Button, zip YKK.
- »» Peached finish.



CE EN ISO 13688:2013

**SIZES \*** For more information on availability of sizes, please contact our sales office.

## BRAVO



**SIZES 44-64**

### COMPOSITION

65% COTTON • 35% POLYESTER  
• TWILL 290 gr/m<sup>2</sup>

### COLOURS

code **ST069BC**  
col. BLACK CARBON

code **ST069DB**  
col. DEEP BLUE

code **ST069GM**  
col. GREY METEORITE

- »» Trousers with 2 large front pockets, coin pocket, side pocket for tools, multi-functional side pocket, 2 back pockets with velcro fastenings; hammer loop; elasticated waist for maximum comfort.
- »» Triple stitched seams.



CE EN ISO 13688:2013

## ALFA



**SIZES 44-64**

### COMPOSITION

65% POLYESTER • 35% COTTON  
• TWILL 245 gr/m<sup>2</sup>

### COLOURS

code **ST068BC**  
col. BLACK CARBON

code **ST068DB**  
col. DEEP BLUE

code **ST068GM**  
col. GREY METEORITE

- »» Trousers with 2 large front pockets, side pocket for tools, multi-functional side pocket, back pocket with velcro fastening; hammer loop, 2 knee adjustable pockets, elasticated waist for maximum comfort.



CE EN ISO 13688:2013

## PLATINUM BUTTON



**SIZES 44-64**

### COMPOSITION

70% COTTON • 27% POLYESTER  
• 3% ELASTANE • 330 gr/m<sup>2</sup>

### COLOURS

code **EX069RJ**  
col. RUST JEANS

- » Stretch denim trousers with Cordura® inserts.
- » 2 large front pockets; coin pocket, side tool pocket, multi-functional side pocket with mobile phone holder with detachable badge holder, 2 back pockets with Free Pocket system; 2 knee pockets in Cordura®, ergonomic side patch tool pockets in anti-wear material; hammer loop.
- » Anti-abrasion inserts maximum contact areas and reinforced pockets.
- » Triple stitching.



CE EN ISO 13688:2013



## TRAFFIC



**SIZES 44-64**

### COMPOSITION

70% COTTON • 27% POLYESTER  
• 3% ELASTANE • 330 gr/m<sup>2</sup>

### COLOURS

code **ST071RJ**  
col. RUST JEANS

- » Denim stretch Jeans.
- » 2 large gusseted front pockets, coin pocket, side pocket for tools, multi-functional side pocket with mobile phone holder and detachable badge holder, 2 back pockets, one with zip, hammer loop.
- » Stretch insert at hip and knee, velcro waist adjustment.
- » Triple stitched seams.



CE EN ISO 13688:2013



## DELTA



**SIZES 44-64**

### COMPOSITION

100% DENIM COTTON • 330 gr/m<sup>2</sup>

### COLOURS

code **ST073GJ**  
col. GUADO JEANS

- » Jeans in denim fabric, 2 large front pockets, ruler pocket, side tool pocket, 2 back pockets, hammer loop.



CE EN ISO 13688:2013



NEW

## ICS



**SIZES 44-64**

### COMPOSITION

100% DENIM COTTON • 330 gr/m<sup>2</sup>

### COLOURS

code **ST117GJ**  
col. GUADO JEANS

- » Shorts Jeans in denim fabric, 2 large front pockets, ruler pocket, side tool pocket, 2 back pockets, hammer loop.



CE EN ISO 13688:2013





# SHORTS

## START



**SIZES 44-64**

### COMPOSITION

65% POLYESTER • 35% COTTON  
• CANVAS 260 gr/m<sup>2</sup>

### COLOURS

code **SY003BC**  
col. BLACK CARBON

code **SY003DB**  
col. DEEP BLUE

code **SY003GM**  
col. GREY METEORITE

- » Cargo shorts fitted with detachable thigh pocket, 2 large front pockets, concealed pocket, side pocket for tools, multi-functional side pocket, 2 back pockets in Cordura® with safety fastening in velcro, hammer loop, branded keychain.
- » Elasticated inserts for an ergonomic fit, reinforced, anti abrasion Cordura® inserts in areas of maximum contact, reflective details.
- » Reinforced support straps, triple seamed stitching.
- » Scratch-resistant buttons, YKK zip.



CE EN ISO 13688:2013



## AURANO



**SIZES \***

### COMPOSITION

97% COTTON • 3% ELASTANE •  
220 gr/m<sup>2</sup>

### COLOURS

code **PS080BC**  
col. BLACK CARBON

code **PS080YP**  
col. YELLOW PEPITA

code **PS080ZG**  
col. ZINC GREY

- » Cargo shorts in stretch cotton canvas, 2 large diagonal pockets, side multi-function pocket with badge holder, open back pocket with two entrances, side tool pocket and hammer loop, key holder with logo.
- » Triple stitched, tubular belt loop in the back.
- » U-Power badge attached to the rear left side, "PS1" logo printed on the front lower left side, vertical logo "crono" printing on the right side front.
- » Scratch-resistant button, YKK zipper.



CE EN ISO 13688:2013

**SIZES \*** For more information on availability of sizes, please contact our sales office.

## PARTY



**SIZES 44-64**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 245 gr/m<sup>2</sup>

### COLOURS

code **HY017BC**  
col. BLACK CARBON

code **HY017DB**  
col. DEEP BLUE

code **HY017SG**  
col. STONE GREY

code **HY017DS**  
col. DESERT SAND

- » Cargo shorts with 2 large front pockets, multi-functional side pockets, badge holder, 2 back pockets with velcro fastenings; Adjustable hammer loop, branded keychain, adjustable waist with elastic for maximum comfort.
- » Reinforced velcro fasteners and triple stitched seams.
- » Scratch resistant buttons.



CE EN ISO 13688:2013

## TOWN



**SIZES \***

### COMPOSITION

100% COTTON • CANVAS 280 gr/m<sup>2</sup>

### COLOURS

code **EX028WB**  
col. WESTLAKE BLUE

code **EX028GI**  
col. GREY IRON

code **EX028DS**  
col. DESERT SAND

- » Cargo shorts with 2 large gusseted front pockets, 2 coin pockets with elastic closure and zip, multi-functional side pockets for tools, two back pockets, one with a safety lock with press studs; elasticated waist.
- » Reflective detail.
- » Triple stitched seams.
- » Scratch resistant Button, zip YKK.
- » Peached finish.



CE EN ISO 13688:2013

**SIZES \*** For more information on availability of sizes, please contact our sales office.

## TURN



**SIZES 44-64**

### COMPOSITION

65% POLYESTER • 35% COTTON  
• CANVAS 260 gr/m<sup>2</sup>



### COLOURS

code **SY006DB**  
col. DEEP BLUE

code **SY006GM**  
col. GREY METEORITE

- » Bib and brace fitted with an external zip pocket with Besafe technology.
- » Elasticated and adjustable straps.
- » Internal sweat band in the back and a large elasticated waist band for maximum comfort.
- » Adjustable waist band.
- » Practical centrally fitted zip.
- » 2 large front pockets, concealed pocket, side pocket for tools, multi-functional side pocket, 2 back pockets in Cordura® with safety clasp fastening, 2 elasticated pockets for knee pads, a pocket for a hammer, braded cord key chain.
- » Elasticated inserts for an ergonomic fit, reinforced, anti abrasion Cordura® inserts in areas of maximum contact, reflective details.
- » Reinforced velcro supports, triple stitched seams
- » Scratch-resistant buttons.



CE EN ISO 13688:2013



## JOKE



**SIZES 44-64**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 245 gr/m<sup>2</sup>



### COLOURS

code **HY020DB**  
col. DEEP BLUE

code **HY020SG**  
col. STONE GREY

- » Bib and braces fitted with external zip pocket, adjustable straps with elasticated inserts, elasticated waist, two side adjustments with buttons.
- » 2 large front pockets, side pocket for tools, multi-functional side pocket, 2 pockets with velcro fastenings; adjustable hammer loop, adjustable elasticated waist for maximum comfort.
- » Reinforced velcro fasteners, triple stitched seams, reinforced structure to the gusset; soft reinforced knee patches.
- » Scratch resistant buttons.



CE EN ISO 13688:2013

NEW

## CRISP



**SIZES 44-64**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 245 gr/m<sup>2</sup>



### COLOURS

code **HY130DB**  
col. DEEP BLUE

code **HY130SG**  
col. STONE GREY

- » Boiler suit overall, full suit with central biaxial flapped zip and velcro. Two multifunction pockets on the chest and mobile phone pocket. Large 3D ventilation bands under the arms, adjustable cuffs with pressure buttons. Soft reinforced patches on elbows and knees.
- » 2 large front pockets, side tool pocket, multifunctional side pocket with retractable badge holder, 2 back pockets with Velcro fastening.
- » Adjustable hammer loop. Adjustable elasticated waist with Velcro
- » Triple seams, reinforced crotch.



CE EN ISO 13688:2013



JACKET  
**ICON / LINEA EXCITING - 129**

TROUSERS  
**SMILE / LINEA HAPPY - 110**

BASEBALL CAP  
**LINEA PLUS - 148**

SHOES  
**PREDATOR / LINEA THE ROAR...**

# JACKET

The softness, comfort and durability of materials combine for everyday simplicity and functionality.



## ENGINE

**SIZES S-4XL**

### COMPOSITION

65% POLYESTER • 35% COTTON  
• CANVAS 300 gr/m<sup>2</sup>



### COLOURS

code **IM011BC**  
col. BLACK CARBON

code **IM011DB**  
col. DEEP BLUE

code **IM011GM**  
col. GREY METEORITE

- »» Jacket with mobile phone pocket with Besafe and Free Sound technology, multi-functional pockets with zip and press stud safety fastenings, detachable badge holder, armholes with bellows to facilitate movement, adjustable cuff, elasticated waist and shaped hem.
- »» Reinforced fabric inserts in areas of maximum contact, reflective detail.
- »» Microfibre lined interior.
- »» Zipped access allows for corporate branding.



CE EN ISO 13688:2013



## TURBO

**SIZES S-4XL**

### COMPOSITION

65% POLYESTER • 35% COTTON  
• CANVAS 260 gr/m<sup>2</sup>



### COLOURS

code **SY005BC**  
col. BLACK CARBON

code **SY005DB**  
col. DEEP BLUE

code **SY005GM**  
col. GREY METEORITE

- »» Jacket fitted with mobile phone pocket, multi-functional pockets with zip and press stud safety fastenings, extra pockets on the sleeves, detachable badge holder, adjustable cuff, elasticated waist.
- »» Stretch underarm panels, reinforced inserts in the areas of high wear.
- »» Reinforced support straps.
- »» Front closure with zip.



CE EN ISO 13688:2013



# JACKET

## SKATE

**SIZES S-4XL**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 300 gr/m<sup>2</sup>



### COLOURS

code **DW023BC**  
col. BLACK CARBON

code **DW023DB**  
col. DEEP BLUE

code **DW023DS**  
col. DESERT SAND

- » Jacket with mobile phone pocket with Free Sound technology and Besafe technology, multifunctional pockets on chest with detachable badge holder, 2 large central pockets lined in microfiber, 2 lower pockets with velcro fastenings, large inner back pocket for documents, adjustable cuffs and hem with press studs.
- » Interior lining in microfiber, reinforced fabric inserts for areas of maximum wear, 3D mesh ventilation for underarms, reflective detail.
- » Reinforced velcro fasteners, reinforced elbow patches.
- » Front closure with zip.
- » Zipped access allows for corporate branding.



CE EN ISO 13688:2013



## SHAKE

**SIZES S-4XL**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 245 gr/m<sup>2</sup>



### COLOURS

code **HY019BC**  
col. BLACK CARBON

code **HY019DB**  
col. DEEP BLUE

code **HY019SG**  
col. STONE GREY

- » Jacket with multifunctional chest pockets with detachable badge holder and mobile phone pocket, 2 large central pockets, two lower pockets with velcro fastenings, large underarm 3D mesh ventilation, adjustable cuffs and hem, adjustable waist with press studs.
- » Reinforced velcro fasteners, triple stitched seams, soft reinforcement patches on the elbows.



CE EN ISO 13688:2013

## CHARLIE

**SIZES S-4XL**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 290 gr/m<sup>2</sup>



### COLOURS

code **ST070BC**  
col. BLACK CARBON

code **ST070DB**  
col. DEEP BLUE

code **ST070GM**  
col. GREY METEORITE

»» Jacket with two pockets on the chest, one mobile phone pocket, 2 large pockets at waist, cuffs and hem adjustable, waist with press studs.



CE EN ISO 13688:2013

## FOX

**SIZES S-4XL**

### COMPOSITION

65% POLYESTER • 35% COTTON  
• TWILL 245 gr/m<sup>2</sup>



### COLOURS

code **ST067BC**  
col. BLACK CARBON

code **ST067DB**  
col. DEEP BLUE

code **ST067GM**  
col. GREY METEORITE

»» Jacket with 2 pockets on the chest, mobile phone pocket, 2 large pockets at waist; adjustable cuffs and waist with press stud fastening.



CE EN ISO 13688:2013



TROUSERS

**PLATINUM BUTTON / LINEA EXCITING - 112** )

POLO-SHIRT

**AVENUE / LINEA ENJOY - 139** )

GILET

**STEP / LINEA EXCITING - 122** )

SHOES

**CARAVAN / LINEA THE ROAR...**



# GILET

Our gilets in different colours and high performing fabrics are timeless. A must have, you cannot do without !



NEW

## FAST



**SIZES S-4XL**

### COMPOSITION

100% POLYESTER 600D • 100 gr/m<sup>2</sup>

**STRETCH FABRIC**

### COLOURS

code **PE115GB**  
col. GREY BLUE

code **PE115GR**  
col. GREY RED

- » Padded zip up gilet: Mobile phone chest pocket with flap and Velcro fastening; pen holder; Multimedia inside pocket with earphone feed, Free Sound and Besafe technology; retractable badge holder; front pocket with zip; 2 large interior pockets; Large back pocket with Velcro fastening.
- » Adjustable hood concealed in the collar; shaped bottom; anti-tangle drawstring, adjustable inside the pocket;
- » Reflective inserts for greater visibility.



CE EN ISO 13688:2013



## TACTICAL

**SIZES S/M-L/XL**

### COMPOSITION

65% POLYESTER • 35% COTTON  
• 260 gr/m<sup>2</sup>



### COLOURS

code **AC056BC**  
col. BLACK CARBON

- » Tactical tool vest with multi-function pockets, fabric in durable net on the back for optimum ventilation, padded shoulder straps for maximum comfort, expander zip for versatility, belt-clip with velcro.



CE EN ISO 13688:2013

## CLIMB

**SIZES XS-4XL**

### COMPOSITION

96% POLYESTER • 4% ELASTANE  
• 290 gr/m<sup>2</sup>



### COLOURS

code **DW025BC**  
col. BLACK CARBON

code **DW025DB**  
col. DEEP BLUE

code **DW025RM**  
col. RED MAGMA

- » Gilet in Soft Shell fabric, for maximum comfort, water resistant.
- » Mobile phone pocket on the chest with zip closure, anti-tangle adjustable drawstring internal pocket, shaped hem.



CE EN ISO 13688:2013



## FUN

**SIZES S-4XL**

### COMPOSITION

60% COTTON • 40% POLYESTER  
• TWILL 245 gr/m<sup>2</sup>

### COLOURS

code **HY018BC**  
col. BLACK CARBON

code **HY018DB**  
col. DEEP BLUE

code **HY018SG**  
col. STONE GREY



- » Gilet with multifunctional pockets on chest with detachable badge holder and mobile phone pocket, multifunctional pockets with velcro and zip fastenings.
- » 3D mesh ventilation under arms, back with breathable mesh lining.
- » Reinforced velcro fasteners.



CE EN ISO 13688:2013



## FIRST

**SIZES S-4XL**

### COMPOSITION

65% POLYESTER • 35% COTTON  
• CANVAS 260 gr/m<sup>2</sup>

### COLOURS

code **SY004BC**  
col. BLACK CARBON

code **SY004DB**  
col. DEEP BLUE

code **SY004GM**  
col. GREY METEORITE



- » Gilet with mobile phone, multi-functional pockets with safety zip and press studs, detachable badge holder, elasticated waist.
- » Reinforced inserts in the areas of high wear.
- » Reinforced support straps.
- » Front closure with zip.



CE EN ISO 13688:2013



## STEP

**SIZES \***

### COMPOSITION

100% NYLON 320T

### COLOURS

code **EX032BC**  
col. BLACK CARBON

code **EX032RM**  
col. RED MAGMA

code **EX032GP**  
col. GREY PALLADIUM



- » Padded gilet with reinforced shoulder panels.
- » 2 front pockets with zip, Besafe and Free Sound technology, multifunctional chest pocket, mobile phone pocket; shaped hem.



CE EN ISO 13688:2013  
**EN 14058**



**SIZES \*** For more information on availability of sizes, please contact our sales office.

code **UP085RM**

col. RED MAGMA

Anni/age

3/4 - 104cm

4/5 - 110cm

5/6 - 116cm

7/8 - 128cm



### GOKART

Short sleeve polo-shirt, cotton piqué, 4 buttons.

code **UP087YP**

col. YELLOW PEPITA

Anni/age

3/4 - 104cm

4/5 - 110cm

5/6 - 116cm

7/8 - 128cm



### BUGGY

Cargo shorts in stretch cotton canvas.

You're the best, dad!

code **UP086LG**

col. LIGHT GRANITE

Anni/age

3/4 - 104cm

4/5 - 110cm

5/6 - 116cm

7/8 - 128cm



### QUAD

Two-tone zip up sweatshirt, 2 pockets with zip closure.

code **UP077GC**

col. GREY CAMOUFLAGE

Anni/age

3/4 - 104cm

4/5 - 110cm

5/6 - 116cm

7/8 - 128cm



### TRUCK

Quilted padded jacket with 2 pockets on chest with velcro closure.

code **UP075BC**  
col. BLACK CARBON

Anni/age

3/4 - 104cm

4/5 - 110cm

5/6 - 116cm

7/8 - 128cm



### BULLDOZER

Soft Shell stretch jacket, breathable, windproof and water resistant.

code **UP076RJ**

col. RUST JEANS

Anni/age

3/4 - 104cm

4/5 - 110cm

5/6 - 116cm

7/8 - 128cm



### MALLET

Denim stretch jeans.

code **UP078RM**

col. RED MAGMA

Anni/age

3/4 - 104cm

4/5 - 110cm

5/6 - 116cm

7/8 - 128cm



### DRILL

Fleece jacket with full length zip.



SOFT SHELL  
QUICK / LINEA PERFORMANCE - 125

# SOFT SHELL

An increased strength and performance.  
Safety first, but always looking casual and comfortable to wear.

## RALLY

**SIZES XS-4XL**

### COMPOSITION

96% POLYESTER • 4% ELASTANE  
• TPU MEMBRANE • 310 gr/m<sup>2</sup>

- » **Soft Shell jacket**, fully breathable windproof and water resistant fabric.
- » **Mobile phone pocket** on chest with zip closure, Besafe and Free Sound technology, shaped sleeves for optimum fit, windproof elasticated cuff, antitangle drawstring adjustable outer pocket; sunglasses holder, shaped hem.
- » **Reinforced inserts** in areas of maximum contact.
- » **Reflective zip**.



### COLOURS

code **IM110BC**  
col. BLACK CARBON



CE EN ISO 13688:2013

EN 14058



NEW

## QUICK



SIZES XS-4XL

### COMPOSITION

96% POLYESTER • 4% SPANDEX •  
TPU MEMBRANE • 310 gr/m<sup>2</sup>

**STRETCH FABRIC**

### COLOURS

code **PE114BC**  
col. BLACK CARBON

code **PE114AG**  
col. ASFALT GREY

- » Soft Shell unlined, pocket on the chest with zip, mobile phone pocket with our Free Sound technology; two front pockets with zips; 2 large interior pockets; reinforced polyoxford fabric on the lower back; shaped sleeves for optimal fit; adjustable and detachable hood with reflective visor; adjustable Velcro outer cuffs with inner elasticated cuffs including windproof thumb hole; shaped bottom; anti-tangle drawstring adjustable inside the pocket.
- » Reflective inserts for maximum visibility..



CE EN ISO 13688:2013

EN 14058



## METROPOLIS



SIZES XS-4XL

### COMPOSITION

96% POLYESTER • 4% ELASTANE  
• TPU MEMBRANE • 310 gr/m<sup>2</sup>

### COLOURS

code **DW024BC**  
col. BLACK CARBON

code **DW024DB**  
col. DEEP BLUE

code **DW024GM**  
col. GREY METEORITE

code **DW024RM**  
col. RED MAGMA

- » Soft Shell stretch jacket, breathable windproof and water resistant.
- » Mobile phone chest pocket with zip, additional pocket on sleeve with welded zip, detachable hood with zip, shaped sleeves for optimum fit, adjustable anti-tangle drawstring from inside pocket, adjustable, elasticated and wind resistant cuffs with velcro and hole for thumb; shaped hem.



CE EN ISO 13688:2013

EN 14058



## STOP



SIZES XS-4XL

### COMPOSITION

96% POLYESTER • 4% ELASTANE  
• TPU MEMBRANE • 310 gr/m<sup>2</sup>

### COLOURS

code **SY009BC**  
col. BLACK CARBON

code **SY009GM**  
col. GREY METEORITE

- » Jacket in Soft Shell stretch fabric for maximum comfort, windproof and water repellant with reflective details.
- » Pockets with reflective zip, concealed zip pocket and multifunctional pocket on chest with detachable badge holder, shaped sleeves, elasticated wind resistant cuffs, elasticated waist and shaped hem.
- » Front closure with zip.



CE EN ISO 13688:2013

EN 14058





3-LAYER SHELL  
**COLMA / LINEA PS1 - 127**

POLO-SHIRT  
**CIOCCO / LINEA PS1 - 138**

CARGO SHORTS  
**AURANO / LINEA PS1 - 113**

TECHNICAL GLOVE  
**BIKER / LINEA GP - 146**

MID- SOCKS  
**AIR / LINEA SKIN - 145**

SHOES  
**NIKY / LINEA THE ROAR...**



# WATERPROOFS

Technical and lightweight Thermo-taped fabric, offering comfortable and yet hard wearing clothing for all seasons.

## SLIK



**SIZES XS-4XL**

### COMPOSITION

100% POLYESTER RIPSTOP FABRIC  
WITH TPU MEMBRANE

Waterproof 7000 mm  
Breathable 5000 mvp

### COLOURS

code **SY007MB**  
col. MIDNIGHT BLUE

code **SY007GM**  
col. GREY METEORITE

code **SY007GP**  
col. GREY PALLADIUM

- » Three-ply waterproof shell jacket with internal breathable thermo tape seams, with waterproof zip with drainage channel and shaped waist.
- » 2 large front pockets with waterproof flap, 2 waterproof zip pockets, large back pocket with zip for documents, concealed adjustable hood, adjustable cuffs, adjustable drawstring inside pocket.
- » Reinforced velcro fasteners.



CE EN ISO 13688:2013  
EN 343 Class 3,3



## COLMA



**SIZES XS-4XL**

### COMPOSITION

100% POLYESTER RIPSTOP WITH TPU  
MEMBRANE + NEOPRENE

Waterproof 7000 mm  
Breathable 5000 mvp

### COLOURS

code **PS081GM**  
col. GREY METEORITE

code **PS081YP**  
col. YELLOW PEPITA

- » 3-layer shell with waterproof Ripstop structure attached to a neoprene band. This Jacket is a brand new concept that combines the features of a technical waterproof, breathable and windproof shell fabric to soft, stretchy and durable Neoprene.
- » 2 large front pockets, chest pocket and pocket on the sleeve, all with water-repellent zips, waterproof front zipper covered by a press stud lapel, chin protector in soft fabric; adjustable fixed hood with reflective profile, windproof stretch cuffs.
- » Logo "PS1" printed on the right sleeve, vertical logo U-Power printed on the front left side.



CE EN ISO 13688:2013



## ECHO



**SIZES S-4XL**

### COMPOSITION

100% POLYESTER PVC COATED T190

### COLOURS

code **ST072MB**  
col. MIDNIGHT BLUE

code **ST072FG**  
col. FOREST GREEN

Complete waterproof suit with taped seams.

### JACKET

- » With 2 large waist pockets covered with flaps, front fastening with zip, adjustable cuffs with press studs, waist with adjustable drawstring.

### TROUSERS

- » With elasticated waist, adjustable hem with press studs, opening at the front pockets.



CE EN ISO 13688:2013





JACKET  
**GEAR / LINEA IMPACT - 130** ›

TROUSERS  
**DRIFT / LINEA IMPACT - 108** ›

BEANIE HAT  
**LINEA PLUS - 148** ›

# COATS & JACKETS

Excellence without compromise: strong and durable materials, high technological innovation and extreme comfort.



## ICON



**SIZES S-4XL**

### COMPOSITION

Jacket: 100% NYLON PONGEE 320T + PU COATING

Gouter gilet : 96% POLYESTER  
• 4% ELASTANE

### COLOURS

code **EX033DB**  
col. DEEP BLUE

### JACKET

- » 2 front pockets with zip fastening, two additional pockets on the sleeves, detachable badge holder on chest, tablet holder, multimedia pocket with output for earphone Free Sound technology and Besafe technology, adjustable cuffs with press studs, shaped hem.
- » Detachable reflective detail on sleeve.
- » Double ended zip.

### OUTER GILET IN SOFT SHELL MATERIAL

- » 2 large front pockets, detachable badge on chest, adjustable hood.



CE EN ISO 13688:2013

EN 14058



## WRC

**SIZES \***

### COMPOSITION

Outer: 100% NYLON TASLON 320D  
2-LAYER THERMO TAPED + PU COATING

Inner: 100% POLYESTER • 280 gr/m<sup>2</sup>



### COLOURS

code **IM014BC**  
col. BLACK CARBON

code **IM014DB**  
col. DEEP BLUE

code **IM014RM**  
col. RED MAGMA

Waterproof 7000 mm  
Breathable 5000 mvp

### OUTER

- » Waterproof breathable shell with thermo taping and mesh inner liner.
- » 2 large waterproof front pockets with flap and press stud fastening, 2 zipped waterproof multifunctional pockets on chest with detachable badge holder, adjustable concealed hood, adjustable cuffs, double locking collar.
- » Reflective strip.
- » Double ended YKK zip.

### INNER

- » Warm fleece inner jacket attached with central zip.




CE EN ISO 13688:2013

EN 343 Class 3,2

EN 14058



**STORM SHELL** technology is designed to keep the body safe and dry even in adverse weather conditions: maintaining comfort and protection at all times.



**SIZES \*** For more information on availability of sizes, please contact our sales office.



# COATS & JACKETS

## GEAR



**SIZES XS-4XL**

### COMPOSITION

Outershell: 100% POLYESTER  
RIPSTOP + PU COATING  
Inner: 100% POLYESTER  
MICROFLEECE

Waterproof 7000 mm  
Breathable 5000 mvp

### COLOURS

code **IM013DB**  
col. DEEP BLUE

code **IM013GM**  
col. GREY METEORITE

code **IM013MT**  
col. MUD TITANIUM

code **IM013GP**  
col. GREY PALLADIUM

- » **Waterproof Jacket in breathable fabric**, padded with taped seams and a microfleece lining.
- » **2 large waterproof front pockets with flap**, 2 additional pockets on upper sleeves with waterproof zip, two lower sleeve side pockets with zip and flap, media pocket with Free Sound and Besafe technology, tablet pocket; double opening rear ventilation; adjustable hood, central drainer, adjustable cuffs, storage net, detachable inner collar, adjustable anti-tangle drawstring internal pocket, shaped hem.
- » **Reinforced inserts in areas of maximum contact**, reflective strip.
- » **Front closure with waterproof zip.**



**EN 343 Class 3,2**

**CE EN ISO 13688:2013 EN 14058**

## ONEWAY



**SIZES S-4XL**

### COMPOSITION

Outer: 65% POLYESTER  
• 35% COTTON • CANVAS 320 gr/m²  
Inner: 100% POLYESTER TEDDY BEAR  
FLEECE

### COLOURS

code **EX035DB**  
col. DEEP BLUE

code **EX035GM**  
col. GREY METEORITE

- » **Jacket with fleece lining**, with 2 pockets on the chest with detachable badge holder, extra pocket on sleeve with zip, *Napoleon pocket*, tablet pocket, multimedia pocket with output for earphone Free Sound technology and Besafe technology, adjustable hood, adjustable cuffs with press studs, shaped hem adjustable with press studs.
- » **2 large front pockets**, adjustable hood.
- » **Internal fleece lining.**
- » **Stone Washed finish.**
- » **Double ended zip.**



**CE EN ISO 13688:2013**

**EN 14058**



## SNOW



**SIZES S-4XL**

### COMPOSITION

Outer: 100% POLYESTER 600D  
Inner: 100% POLYESTER MICROFLEECE

### COLOURS

code **DW026GM**  
col. GREY METEORITE

code **DW026MT**  
col. MUD TITANIUM

code **DW026BN**  
col. BLUE NEON

- » **Jacket with 2 large breast pockets** with flap and velcro fastening, *Napoleon pocket*, tablet holder, multimedia pocket with output for earphone Free Sound technology and Besafe technology, extra pocket on sleeve with reflective zip, adjustable hood, adjustable cuffs with reflective detail; shaped hem, adjustable anti-tangle drawstring from inside pocket.
- » **Microfleece lined**; ventilated under arms; reflective detail.
- » **Double ended zip.**
- » **Zippered access** allows for corporate branding.



**CE EN ISO 13688:2013**

**EN 14058**



## BUDDY



**SIZES S-4XL**

### COMPOSITION

Outer: 100% POLYESTER 300D  
Inner: 100% POLYESTER  
MICROFLEECE

### COLOURS

code **HY021BC**  
col. BLACK CARBON

code **HY021DB**  
col. DEEP BLUE

code **HY021GG**  
col. GREY GRAPHITE


- » **Waterproof Bomber jacket** with microfleece lining.
- » **Large front flap pockets with velcro and zip fastenings**, thermo taped sleeve pocket, large inside pocket –tablet holder, media pocket with output for headphone with Free Sound technology and Besafe technology, back flap for branding, elasticated cuffs and hem in durable rib; fur lined inner collar.
- » **Reinforced shoulders**, reflective detail.



large front pockets



name badge holder



multi-media pocket



plain flap for branding

CE EN ISO 13688:2013 EN 14058



## MATE

**SIZES S-4XL**

### COMPOSITION

Outer: 100% POLYESTER 300D  
Inner: 100% POLYESTER  
MICROFLEECE / NYLON

### COLOURS

code **HY108BC**  
col. BLACK CARBON

code **HY108GG**  
col. GREY GRAPHITE

- » **Robust bomber jacket with detachable sleeves**, water repellent with microfleece and nylon lining.
- » **Large front flap pockets with velcro and zip fastenings**, thermo taped sleeve pocket, large inside pocket –tablet holder, media pocket with output for headphone with Free Sound technology and Besafe technology, back flap for branding, elasticated cuffs and hem in durable rib; inner collar in soft microfleece.
- » **Concealed nylon hood**
- » **Reinforced shoulders**, rear reflective detail.



Detachable sleeves



Concealed nylon hood



CE EN ISO 13688:2013 EN 14058





# COATS & JACKETS

## WHISKY

**SIZES S-4XL**

### COMPOSITION

100% POLYESTER TASLON 226T



### COLOURS

code **ST091BC**  
col. BLACK CARBON

code **ST091DB**  
col. DEEP BLUE

code **ST091GM**  
col. GREY METEORITE

- » **Bomber** jacket with 2 side pockets, one chest pocket, cuffs and hem in elasticated rib fabric, a pocket with flap and Velcro fastening on the sleeve, retractable badge holder, and reflective insert on the back.
- » **Quilted Lining in contrasting colour**, 2 internal pockets, and zipped access allows for corporate branding.



Band reflex band on the back.



Option ST091MB with inner wasabi.



CE EN ISO 13688:2013 EN 14058



## TANGO

**SIZES S-4XL**

### COMPOSITION

100% POLYESTER TASLON 320T



### COLOURS

code **ST090BC**  
col. BLACK CARBON

code **ST090MB**  
col. MIDNIGHT BLUE

code **ST090GM**  
col. GREY METEORITE

- » **Jacket** with 2 large front pockets with flap and velcro closure, 2 hand warmer pockets on the chest, concealed hood in adjustable collar, 2 rear pockets suitable as tool holders, reflective band on the back, shaped hem.
- » **Interior quilt lined**, inner left pocket suitable for tablet, inner zip to allow the application of the logo.
- » **Front zip** with flap and Velcro fastening.



Band reflex band on the back.



Option ST091MB with inner wasabi.



CE EN ISO 13688:2013 EN 14058



## PROGRESS



**SIZES XS-4XL**

### COMPOSITION

100% NYLON 320T + NYLON PONGEE INSERTS

### COLOURS

code **EX064BC**  
col. BLACK CARBON

code **EX064GL**  
col. GREY LEAD

code **EX064RM**  
col. RED MAGMA

- » Quilted padded dual-material jacket.
- » 2 pockets on chest with velcro closure, two front pockets with zip fastenings, additional pocket on sleeve with velcro safety fastening, large back pocket for documents with zip fastening, large interior pocket with velcro fastening, internal media pocket with headphone outlet Free Sound technology and Besafe technology, adjustable hood, ribbed collar, ribbed cuffs and hem, elasticated cuffs and waist, shaped hem.
- » Internal elastic straps for maximum comfort.
- » Reinforced velcro fasteners; reinforced patches on the elbows.



CE EN ISO 13688:2013

EN 14058



## SKYLINE

**SIZES XS-4XL**

### COMPOSITION

100% NYLON 320T

### COLOURS

code **EX034BP**  
col. BLUE POWER

code **EX034DC**  
col. DARK CAMOUFLAGE

code **EX034BU**  
col. BLUE ULTRAMARINE

code **EX034GC**  
col. GREY CAMOUFLAGE

- » Quilted padded jacket with 2 pockets on chest with velcro closure, two front pockets with zip fastenings, two additional pockets on sleeve with security strap and zip, large back pocket for documents with zip fastening, large interior pocket with velcro fastening, internal media pocket with headphone outlet Free Sound technology and Besafe technology, adjustable hood, ribbed collar, cuffs and hem elasticated; shaped hem.
- » Internal elastic straps for maximum comfort.
- » Reinforced velcro fasteners.



CE EN ISO 13688:2013

EN 14058



## GOLF

**SIZES S-4XL**

### COMPOSITION

100% NYLON -20D

### COLOURS

code **ST089BP**  
col. BLUE POWER

code **ST089CH**  
col. CHOCOLATE

code **ST089BN**  
col. BLUE NEON

- » Lightweight quilted jacket with 2 side zipped pockets, large inner pocket, elastic cuffs and hem, interior in contrasting colour.
- » Separate carry bag for quilted jacket.



CE EN ISO 13688:2013





SWEATSHIRT  
**FUR / LINEA ENJOY - 134**

DENIM  
**TRAFFIC / LINEA SMART - 112**

SHOES  
**TAXI / LINEA CONCEPT M**

# SWEATSHIRTS & T-SHIRTS

Comfort, design and style to stand out from the crowd all day long, especially after work. Feel good at all times in our workwear, following our philosophy of - Don't worry... be happy!

## FUR



**SIZES XS-4XL**

### COMPOSITION

Outer: 80% COTTON  
• 20% POLYESTER • 380 gr/m<sup>2</sup>  
Inner: SYNTHETIC FUR IN 100%  
POLYESTER

### COLOURS

code **EY038CB**  
col. CREME BRULEE  
sizes S-4XL

code **EY038GM**  
col. GREY METEORITE

» Full zip hooded sweatshirt with pockets, fully lined with synthetic fur.



CE EN ISO 13688:2013

## WARRIOR



**SIZES S-4XL**

### COMPOSITION

80% COTTON • 20% POLYESTER  
• 280 gr/m<sup>2</sup>

### COLOURS

code **EY094GM**  
col. GREY METEORITE

» Hooded sweatshirt with full zip and buttons, hood lined with synthetic fur, 2 zipped side pockets, collar and cuffs in stretch fabric, inner lining in contrasting colour.



CE EN ISO 13688:2013

NEW

## TASTY



**SIZES S-4XL**

### COMPOSITION

SCUBA STRETCH JERSEY  
67% POLYESTER • 28% RAYON • 5%  
SPANDEX • 330 gr/m<sup>2</sup>

**STRETCH FABRIC**

### COLOURS

code **PE119GM**  
col. GREY METEORITE

- » Full-zip fleece in scuba stretch jersey fabric.
- » Hood with reflective tapped edge. Two front pockets. Multimedia pocket on the right side of the chest with earphone feed and Free Sound technology. Central zip with double slider.
- » Ribbed cuffs and waistband, underarm ventilation holes. U-Power „lion head“ logo embroidered tone-on-tone on the left arm.



CE EN ISO 13688:2013

## FORCE



**SIZES \***

### COMPOSITION

80% COTTON • 20% POLYESTER  
• 280 gr/m<sup>2</sup>

### COLOURS

code **EY092DB**  
col. DEEP BLUE

code **EY092LG**  
col. LIGHT GRANITE

- » Hooded sweatshirt with full zip in contrast colour and adjustable hood, two side zipped pockets, cuffs and hem in stretch fabric, U-Power logo on the sleeve.



CE EN ISO 13688:2013

**SIZES \*** For more information on availability of sizes, please contact our sales office.

## BOLETO



**SIZES S-4XL**

### COMPOSITION

80% COTTON • 20% POLYESTER •  
280 gr/m<sup>2</sup>

### COLOURS

code **PS082YP**  
col. YELLOW PEPITA

code **PS082LG**  
col. LIGHT GRANITE

- » Two-tone zip up sweatshirt, 2 pockets with zip closure, cuffs in stretch rib.
- » U-Power badge attached to the chest right side, logo "PS1" printed on the chest left side, logo "group4" on left sleeve.



CE EN ISO 13688:2013

## SQUARE



**SIZES S-4XL**

### COMPOSITION

80% COTTON • 20% POLYESTER  
• 280 gr/m<sup>2</sup>

### COLOURS

code **EY039BN**  
col. BLUE NEON

- » Hooded sweatshirt with full length zip, pouch pockets, adjustable hood; ribbed cuffs, hem and side stretch ribbed profile; U-Power logo embroidery on left sleeve embroidery and "lion's head" left side.



CE EN ISO 13688:2013



# SWEATSHIRTS

NEW

## SNUG



**SIZES S-3XL**

### COMPOSITION

FRENCH TERRY NOT PLUSH-LINED:

- 65% COTTON • 35% POLYESTER
- 310 gr/m<sup>2</sup>

ANTI-WEAR REINFORCEMENTS:

- POLYOXFORD 600D

### COLOURS

code **EY129DB**  
col. DEEP BLUE

code **EY129GM**  
col. GREY METEORITE

code **EY129GS**  
col. GREY SILVER

» Full zip up winter weight sweatshirt. High collar lined with soft micropile fleece. Ribbed wrists and bottom. Two zipped side pockets with microfiber lining. Chest pocket with zip.

» Anti-wear reinforcements on forearms, elbows and shoulders. Silver reflective inserts on the shoulders

» Red ribbon / reflective inserts on the back of the collar.



CE EN ISO 13688:2013

NEW

## GYM



**SIZES S-3XL**

### COMPOSITION

FRENCH TERRY NOT PLUSH-LINED:

- 65% COTTON • 35% POLYESTER
- 280 gr/m<sup>2</sup>

ANTI-WEAR REINFORCEMENTS:

- POLYOXFORD 600D

### COLOURS

code **EY122DB**  
col. DEEP BLUE

code **EY122GM**  
col. GREY METEORITE

code **EY122GS**  
col. GREY SILVER

» Full zip up sweatshirt, French Terry not plush-lined. High collar. Central zip closure. Ribbed cuffs and hem. Two zippered side pockets. Chest pocket with zip.

» Anti-wear reinforcements on forearms, elbows and shoulders. Silver reflective inserts on the shoulders

» Red ribbon / reflective inserts on the back of the collar.



CE EN ISO 13688:2013

NEW

## PERFECT



**SIZES S-3XL**

### COMPOSITION

FRENCH TERRY NOT PLUSH-LINED:

- 65% COTTON • 35% POLYESTER
- 280 gr/m<sup>2</sup>

ANTI-WEAR REINFORCEMENTS:

- POLYOXFORD 600D

### COLOURS

code **EY121DB**  
col. DEEP BLUE

code **EY121GM**  
col. GREY METEORITE

code **EY121GS**  
col. GREY SILVER

» Half-zip sweatshirt French Terry not plush-lined. High collar with zip. Ribbed cuffs and hem. Two side pockets with zip.

» Anti-wear reinforcements on forearms, elbows and shoulders. Silver reflective inserts on the shoulders

» Red ribbon / reflective inserts on the back of the collar.



CE EN ISO 13688:2013

NEW

## COMPACT



**SIZES S-3XL**

### COMPOSITION

FRENCH TERRY NOT PLUSH-LINED:

- 65% COTTON • 35% POLYESTER
- 280 gr/m<sup>2</sup>

ANTI-WEAR REINFORCEMENTS:

- POLYOXFORD 600D

### COLOURS

code **EY120DB**  
col. DEEP BLUE

code **EY120GM**  
col. GREY METEORITE

code **EY120GS**  
col. GREY SILVER

» French Terry fleece crewneck not plush-lined. Ribbed neckline, cuffs and hem. Pocket on left forearm with concealed zip.

» Anti-wear reinforcements on forearms, elbows and shoulders. Silver reflective inserts on the shoulders

» Red ribbon / reflective inserts on the back of the collar.



CE EN ISO 13688:2013

## CARESS



### SIZES \*

### COMPOSITION

80% COTTON • 20% POLYESTER  
• 280 gr/m<sup>2</sup>

### COLOURS

code **EY037DB**  
col. DEEP BLUE

code **EY037GM**  
col. GREY METEORITE

code **EY037RM**  
col. RED MAGMA

» Hooded sweatshirt with full length zip, pouch pockets; adjustable hood; ribbed cuffs, hem and side stretch ribbed profile; U-Power logo embroidered on sleeve.



CE EN ISO 13688:2013

SIZES \* For more information on availability of sizes, please contact our sales office.

## HUG



### SIZES \*

### COMPOSITION

80% COTTON • 20% POLYESTER  
• 280 gr/m<sup>2</sup>

### COLOURS

code **EY036IB**  
col. INDIGO BLUE

code **EY036RM**  
col. RED MAGMA

code **EY036LG**  
col. LIGHT GRANITE

» 1/2 zipped sweatshirt, cuffs, hem and side stretch ribbed; U-Power logo embroidered on the sleeve.



CE EN ISO 13688:2013

SIZES \* For more information on availability of sizes, please contact our sales office.

## WARM



### SIZES S-4XL

### COMPOSITION

100% POLYESTER FLEECE • 280 gr/m<sup>2</sup>

### COLOURS

code **EY040BC**  
col. BLACK CARBON

code **EY040DB**  
col. DEEP BLUE

code **EY040GM**  
col. GREY METEORITE

code **EY040RM**  
col. RED MAGMA

» Fleece jacket with full length zip, 2 pockets, mobile phone pocket in the chest with zip fastening, U-Power logo heat sealed on the back with branded selvedge.



CE EN ISO 13688:2013

EN 14058



## ARTIC



### SIZES S-4XL

### COMPOSITION

100% POLYESTER MICROFLEECE  
• 180 gr/m<sup>2</sup>

### COLOURS

code **EY041BC**  
col. BLACK CARBON

code **EY041DB**  
col. DEEP BLUE

code **EY041GM**  
col. GREY METEORITE

code **EY041BN**  
col. BLUE NEON

» Half zip sweater in micro fleece, cuffs with thumb hole and U-Power logo heat sealed on the back with branded edging.



CE EN ISO 13688:2013



# POLOS & T-SHIRTS

NEW

## GAP



**SIZES S-3XL**

### COMPOSITION

- 65% COTTON • 35% POLYESTER
- 230 gr/m<sup>2</sup>

### COLOURS

code **EY125DB**  
col. DEEP BLUE

code **EY125GM**  
col. GREY METEORITE

code **EY125GS**  
col. GREY SILVER

- » Short sleeve, slim fit, 3 button, polycotton pique shirt with collar. Stretch ribbed neck and sleeve hem. Contrasting red taped inner neck.
- » Mobile phone pocket on the left side. Red / reflective piping on the back of the neck and the right sleeve.



CE EN ISO 13688:2013

## CIOCCO



**SIZES M-4XL**

### COMPOSITION

- 100% COTTON • 220 gr/m<sup>2</sup>

### COLOURS

code **PS083LG**  
col. LIGHT GRANITE

code **PS083RM**  
col. RED MAGMA

- » Short sleeve polo-shirt, cotton piqué, 4 buttons; ribbed neck and cuff edge.
- » U-Power badge attached to the right side, "PS1" logo printed on the left side, U-Power logo printed vertically on the back, logo "group4" on right sleeve.



CE EN ISO 13688:2013

## STREET



**SIZES S-4XL**

### COMPOSITION

- 100% COTTON • 210 gr/m<sup>2</sup>

### COLOURS

code **EY043DB**  
col. DEEP BLUE

code **EY043OG**  
col. OLIVE GREEN

code **EY043LG**  
col. LIGHT GRANITE

- » Short sleeved cotton piqué Polo, 3 buttons; ribbed neck and sleeve detail; U-Power logo embroidered on the left sleeve. Certified UV Block Fabric.



CE EN ISO 13688:2013

## SEA



**SIZES \***

### COMPOSITION

- 100% COTTON JERSEY • 145 gr/m<sup>2</sup>

### COLOURS

code **EY044BC**  
col. BLACK CARBON

code **EY044DB**  
col. DEEP BLUE

code **EY044BT**  
col. BLUE COBALT

code **EY044LG**  
col. LIGHT GRANITE

- » Short sleeved cotton jersey T-shirt; ribbed collar and pocket on the right sleeve; U-power logo embroidered in low profile, "lion's head" printed on the back.



**SIZES \*** For more information on availability of sizes, please contact our sales office. CE EN ISO 13688:2013

NEW

## EASY



**SIZES S-4XL**

### COMPOSITION

100% COTTON PIQUE • 220 gr/m<sup>2</sup>  
100% STRETCH JERSEY • 160 gr/m<sup>2</sup>

**STRETCH FABRIC**

### COLOURS

code **PE118AG**  
col. ASFALT GREY

»» Long sleeve half zip top, practical and comfortable thanks to bi-elastic jersey



High neck with zip fastening.



Breast pocket.



CE EN ISO 13688:2013

## BAM



**SIZES S-4XL**

### COMPOSITION

100% COTTON PIQUE  
• 220 gr/m<sup>2</sup>  
100% STRETCH JERSEY  
• 160 gr/m<sup>2</sup>

### COLOURS

code **EY045LG**  
col. LIGHT GRANITE

»» Short sleeve polo-shirt, comfortable and practical thanks to double-stretch jersey positioned to give optimum comfort fashionable zipped collar.



High neck with zip fastening.



Breast pocket.



CE EN ISO 13688:2013

## AVENUE



**SIZES S-4XL**

### COMPOSITION

100% COTTON • 240 gr/m<sup>2</sup>

### COLOURS

code **EY042DG**  
col. DARK GRANITE

»» Pique cotton polo shirt with long sleeves.



CE EN ISO 13688:2013





WATERPROOF PARKA  
GLOW / LINEA HI-LIGHT - 141 >

# LINEA HI-LIGHT

Linea Hi-Light provides safety, security and high visibility to the wearer, again in keeping with Italian style and design.



## GLOW

**SIZES S-4XL**

### COMPOSITION

100% POLYESTER

Waterproof 7000 mm  
Breathable 5000 mvp



### COLOURS

code **HL065YF**  
col. YELLOW FLUO

code **HL065OF**  
col. ORANGE FLUO

- » **Waterproof and breathable parka** with thermo-taped seams and high visibility 3M™ reflective bands on the chest and sleeves.
- » **2 large front pockets**, waterproof pocket flap edged with reflective strips and velcro fastening, 2 pockets with water repellent zips, pockets on chest with detachable badge holders, detachable adjustable hood, adjustable cuffs, adjustable anti-tangle drawstring, double fastening reflective collar.
- » **Reflective bands** on centre back and forearm.
- » **Double ended YKK zip**.
- » **INNER detachable lining** in fleece lining with high visibility reflective 3M™ bands on the body and sleeves.
- » **2 front pockets**, cell phone pocket on the chest with zip fastening, U-Power logo transfer on the back, branded edging, anchoring tabs on the neck and cuffs.

CE EN ISO 13688:2013  
**EN 343 Class 3:2**  
**EN 20471 Class 3**  
**EN 14058**



## BI-VISIBLE

**SIZES XS-4XL**

### COMPOSITION

100% POLYESTER



### COLOURS

code **HL066YF**  
col. YELLOW FLUO

code **HL066RF**  
col. RED FLUO

- » **High visibility reversible jacket** with 3M™ reflective strips.
- » **2 front pockets with zip**, mobile phone pocket on chest with Besafe technology.
- » **Reflective 3M™** on reverse with pocket and press studs.



CE EN ISO 13688:2013  
**EN 20471 Class 3**



## RAY

**SIZES \***

### COMPOSITION

80% POLYESTER • 20% COTTON  
• 300 gr/m²



### COLOURS

code **HL074YF**  
col. YELLOW FLUO

code **HL074OF**  
col. ORANGE FLUO

- » **Cargo trousers with detachable pocket**, 2 large front pockets, side pocket, 2 back pockets with velcro fastening, 2 Cordura® kneepad pockets; adjustable hammer holder.
- » **3M™ reflective strips**.
- » **Cordura® anti abrasive fabric inserts** on maximum contact areas; triple stitching; elasticated waist.
- » **Scratch-resistant button**, YKK zipper.



CE EN ISO 13688:2013  
**EN 20471 Class 2**



**SIZES \*** For more information on availability of sizes, please contact our sales office.



UNDERWEAR TECHNICAL T-SHIRT  
**AVALANCHE / LINEA SKIN - 142**

THERMAL LEGGINGS  
**BLIZZARD / LINEA SKIN - 142**

WATERPROOF JACKET  
**WRC / LINEA IMPACT - 129**

# LINEA SKIN

Inspired by the world of sport, Linea Skin uses innovative ultra-light fibre creating an anti-fatigue effect. The result is a true "second skin" that protects and supports you through the day.

## AVALANCHE



**SIZES S/M-L/XL**

### COMPOSITION


54% POLYAMIDE  
 • 37% POLYPROPYLENE  
 • 9% ELASTANE  
 • 220 gr/m<sup>2</sup>



### COLOURS

code **SK050BC**  
 col. BLACK CARBON

» Base layer long sleeve crew neck top, technically derived sportswear with graduated compression technology PowerFit that gives the garment anti fatigue properties, excellent comfort and breathability. Suitable for those who work outdoors and in low temperatures.



CE EN ISO 13688:2013

## BLIZZARD



**SIZES S/M-L/XL**

### COMPOSITION


54% POLYAMIDE  
 • 37% POLYPROPYLENE  
 • 9% ELASTANE  
 • 220 gr/m<sup>2</sup>



### COLOURS

code **SK049BC**  
 col. BLACK CARBON

» Base layer leggings, technically derived sportswear with graduated compression technology PowerFit that gives the garment anti-fatigue properties, excellent comfort and breathability. Suitable for those who work outdoors and in low temperatures.



CE EN ISO 13688:2013

## LAMBERT



**SIZES S-4XL**

### COMPOSITION


100% POLYPROPYLENE • 130 gr/m<sup>2</sup>



### COLOURS

code **SK124DB**  
 col. DEEP BLUE

» Thermal base layer with collar and zip, flat seams and breathable material for added comfort and warm dry skin.



CE EN ISO 13688:2013

## MAKALU



**SIZES S-4XL**

### COMPOSITION


100% POLYPROPYLENE • 130 gr/m<sup>2</sup>



### COLOURS

code **SK099DB**  
col. DEEP BLUE

» Thermal base layer with collar and zip, flat seams and breathable material for added comfort and warm skin.



REGISTERED DESIGN CE EN ISO 13688:2013

## ZEBRU



**SIZES S-4XL**

### COMPOSITION


100% POLYPROPYLENE • 130 gr/m<sup>2</sup>



### COLOURS

code **SK100DB**  
col. DEEP BLUE

» Base layer leggings, with front opening, flat seams for added comfort, highly breathable fabric for a dry and warm skin.



REGISTERED DESIGN CE EN ISO 13688:2013

## ALPIN



**SIZES S-4XL**

### COMPOSITION


100% POLYESTER • 130 gr/m<sup>2</sup>



### COLOURS

code **SK052BC**  
col. BLACK CARBON

» Thermal base layer top, comfortable breathable material with temperature control, made with flat seams and without labels for added comfort.



REGISTERED DESIGN CE EN ISO 13688:2013

## EDELWEISS



**SIZES S-4XL**

### COMPOSITION


100% POLYESTER • 130 gr/m<sup>2</sup>



### COLOURS

code **SK051BC**  
col. BLACK CARBON

» Thermal long johns, with front opening; comfortable breathable material and temperature control with flat seams and without labels for added comfort.



REGISTERED DESIGN CE EN ISO 13688:2013



NEW

## POLAR



**SIZES S/M(36-41) - L/XL(42-47)**

### COMPOSITION

38% MERINO WOOL • 38% ACRYLIC •  
22% NYLON • 22% ELASTANE (LYCRA)

### COLOURS

code **SK111GS**  
col. GREY SILVER

- » Long Merino® wool socks with front padding, elastic support over the heel with side ventilation channels.
- » Fine Merino® wool provides excellent insulation thanks to its unique thermo-regulating properties; it is an antibacterial and hypoallergenic natural fiber that provides a pleasant, light and soft contact with the skin.
- » Wear resistant reinforced heel and toe.



**WOOL  
MERINOS**

## SKY



**SIZES S(36-39)-M(40-43)-L(44-47)**

### COMPOSITION

52% THERMOLITE® • 22% NYLON  
• 17% POLYPROPYLENE  
• 8% ELASTANE • 1% ANTISTATIC

### COLOURS

code **SK046BC**  
col. BLACK CARBON

- » Long socks in Thermolite®, with stretch bands multidimensional graduated compression technology PowerFit for optimum temperature control and anti-fatigue properties that promote good circulation; support for the ankles; ventilation channels in polypropylene for optimum breathability; flat seams in the toe for added comfort.
- » Insert with antistatic properties.
- » Wear resistant reinforced heel and toe.



**THERMOLITE**



NEW

## FROZEN



**SIZES S/M(36-41) - L/XL(42-47)**

### COMPOSITION

38% MERINO WOOL • 38% ACRYLIC •  
22% NYLON • 22% ELASTANE (LYCRA)

### COLOURS

code **SK112GS**  
col. GREY SILVER

- » Short Merino® wool socks with front padding, elastic support over the heel with side ventilation channels.
- » Fine Merino® wool provides excellent insulation thanks to its unique thermo-regulating properties; it is an antibacterial and hypoallergenic natural fiber that provides a pleasant, light and soft contact with the skin.
- » Wear resistant reinforced heel and toe.



**WOOL  
MERINOS**

## SIBERIAN



**SIZES S(36-39)-M(40-43)-L(44-47)**

### COMPOSITION

100% MICRO POLYAMIDE

### COLOURS

code **SK101GM**  
col. GREY METEORITE

- » Long Socks with thermo-regulating properties. The Micro Polyamide fabric combined with a special fabric processing ensures extra ventilation, allowing the feet to remain dry and warm during the colder and wet seasons
- » Stretch support for the ankles, flat seams for added comfort.
- » Wear resistant reinforced heel and toe.



**PA microFiber**

## ICE



SIZES S(36-39)-M(40-43)-L(44-47)

## COMPOSITION

25% WOOL • 25% ACRYLIC  
• 25% COTTON • 15% NYLON  
• 8% POLYESTER • 2% ELASTANE

## COLOURS

code **SK102BC**  
col. BLACK CARBON

- » Long socks with thermal properties. The fabric combines wool and acrylic allowing the feet to remain dry and warm during the colder and wet seasons.
- » Stretch support for the ankles, flat seams for added comfort.
- » Wear resistant reinforced heel and toe.



## AIR



SIZES S(36-39)-M(40-43)-L(44-47)

## COMPOSITION

52% THERMOLITE® • 23% NYLON  
• 17% POLYPROPYLENE  
• 8% ELASTANE

## COLOURS

code **SK047BC**  
col. BLACK CARBON

- » Mid-socks in Thermolite®, with stretch bands multidimensional graduated compression technology PowerFit for optimum temperature control and anti-fatigue properties that promote good circulation; support for the ankles; ventilation channels in polypropylene for optimum breathability; flat seams in the toe for added comfort.
- » Wear resistant reinforced heel and toe.



## WIND



SIZES S(36-39)-M(40-43)-L(44-47)

## COMPOSITION

39% COOLMAX® • 39% COTTON  
• 14% NYLON • 7% ELASTANE  
• 1% ANTISTATIC

## COLOURS

code **SK048GP**  
col. GREY PALLADIUM

- » Short socks in Coolmax®, with stretch bands multidimensional graduated compression technology PowerFit for optimum temperature control and anti-fatigue properties that promote good circulation; support for the ankles; ventilation channels in polypropylene for optimum breathability; flat seams in the toe for added comfort.
- » Insert with antistatic properties.
- » Wear resistant reinforced heel and toe.



## SUNNY



SIZES S(36-39)-M(40-43)-L(44-47)

## COMPOSITION

70% COOLMAX® • 10% NYLON  
• 14% ELASTANE • 6% POLYESTER

## COLOURS

code **SK103BC**  
col. BLACK CARBON

- » Short socks with an innovative design. The Coolmax® fabric combined with a special fabric process providing extra ventilation, allowing the feet to remain dry and cool even during the warmer seasons.
- » Stretch support for the ankles, flat seams for added comfort.
- » Wear resistant reinforced heel and toe.





LINEA GP

Linea GP offers protection and technological performances in any context maintaining comfort at all times.

## YETI



**SIZES** M=8, L=9, XL=10, 2XL=11

### COMPOSITION

Palm: 60% POLYURETHANE  
• 40% POLYESTER  
Back: 78% NYLON  
• 22% POLYURETHANE

### COLOURS

code **GP104RM**  
col. RED MAGMA

code **GP104BC**  
col. BLACK CARBON



- » Technical glove designed for colder weather.
- » Back of glove in waterproof and breathable fabric with silicone finish, rubber coated palm, with anti slip reinforcement between thumb and index finger, wrist in neoprene for added protection and comfort, Velcro fastening.

CE EN 420  
EN 388  
EN 511



2433 240

## BIKER



**SIZES** M=8, L=9, XL=10, 2XL=11

### COMPOSITION

Palm: 60% NYLON • 40% POLYURETANE  
Back: 95% NYLON • 5% POLYURETHANE

### COLOURS

code **GP105GF**  
col. GREEN FLUO

code **GP105OF**  
col. ORANGE FLUO



- » Technical glove with excellent fit for dexterity and flexibility
- » Back in fluorescent coloured elasticated fabric for higher flexibility and breathability, with resistant synthetic leather palm, reinforced insert between thumb and index fingers, Velcro fastening.
- » Inserts between fingers and silicone finishing on fingertips for maximum sensibility and safe grip.

CE EN 420  
EN 388



2121

## BOOST



**SIZES** M=8, L=9, XL=10, 2XL=11

### COMPOSITION

Palm: 60% NYLON • 40% PU  
Back: TEXTILE 98% NYLON  
• 2% PU + NEOPRENE  
REINFORCEMENTS

### COLOURS

code **AC053BN**  
col. BLUE NEON

- » Technical glove with excellent fit for dexterity and flexibility.
- » **Stretch on back**, highly flexible and breathable synthetic leather palm, neoprene wrist for added protection and comfort, thumb and index finger reinforced for increased abrasion resistance, conductive material on index finger, compatible with touch screens for use with smartphones and tablets, velcro fastening.
- » **Silicone finish on fingertips** for maximum sensitivity and a firm grip.



CE EN 420

EN 388



3 2 2 1

## MOTOR



**SIZES** M=8, L=9, XL=10, 2XL=11

### COMPOSITION

Palm: 60% NYLON • 40% PU  
Back: TEXTILE 87% NYLON  
• 13% ELASTANE + TPR  
REINFORCEMENTS

### COLOURS

code **AC054BC**  
col. BLACK CARBON

- » Technical glove with excellent fit for dexterity and flexibility.
- » **Micro injected insert on back of glove** for higher flexibility and breathability, synthetic leather reinforced palm, neoprene wrist for added protection and comfort when in contact with skin, conductive material on index finger, compatible with touch screens for use with smartphones and tablets, velcro fastening.
- » **Silicone finish on fingertips** for maximum sensitivity and grip.
- » **Reinforced palm**.



CE EN 420

EN 388



3 2 2 1

## NAKED



**SIZES** M=8, L=9, XL=10, 2XL=11

### COMPOSITION

Palm: 60% NYLON • 40% PU  
Back: TEXTILE 95% NYLON  
• 5% PU + NEOPRENE AND TPR  
REINFORCEMENTS

### COLOURS

code **AC055GM**  
col. GREY METEORITE

- » Half finger glove, technical protection.
- » **Micro injected insert on back of glove** for higher flexibility and breathability with gel padding on the palm to dampen vibration, half fingers for high precision work, neoprene and Lycra® wrist for added protection and comfort when in contact with skin, velcro fastening.
- » **Neoprene inserts** and TPR for maximum flexibility and protection.
- » **Reinforced synthetic leather palm**.



CE EN 420

EN 388



4 3 4 1



BELT WITH ADJUSTABLE BRANDED BUCKLE  
CINTURA / LINEA PLUS - 149

TROUSERS  
FREE / LINEA DON'T WORRY - 109

LINEA **PLUS**

The accessories that make the difference.

## ONE



### ONE SIZE

»» Winter cap with Thinsulate® lining

### COMPOSITION

100% ACRYLIC

### COLOURS

code **AC127BC**  
col. BLACK CARBON

Thinsulate  
thermal insulation



## BEANIE



### ONE SIZE

»» Beanie hat in warm fleece, branded.

### COMPOSITION

100% POLYESTER

### COLOURS

code **AC059RM**  
col. RED MAGMA



## CAP



### ONE SIZE

»» Branded baseball cap with size adjustment.

### COMPOSITION

100% COTTON TWILL

### COLOURS

code **AC058BC**  
col. BLACK CARBON



## NECK WARMER



**ONE SIZE**

### COMPOSITION

100% POLYESTER

### COLOURS

code **AC060BC**  
col. BLACK CARBON

» Fleece neck warmer with draw cord adjustment and embroidered U-Power logo.



## BELT

**SIZES L 130 CM - H 4 CM**

### COMPOSITION

70% POLYESTER • 30% COTTON

### COLOURS

code **AC057BC**  
col. BLACK CARBON

code **AC057RM**  
col. RED MAGMA

code **AC057DS**  
col. DESERT SAND



» Belt with adjustable branded buckle.



## KNEE PAD



**ONE SIZE**

### COMPOSITION

100% EVA

### COLOURS

code **GC061BC**  
col. BLACK CARBON

» Ergonomic Knee pads perfectly integrated for Articles: Race, Turn, Start, Sprint (Linea U-Supremacy), Drift (Linea Impact), Free (Linea Don't Worry), Platinum Button (Linea Exciting), Alfa (Linea Smart), Ray (Linea Hi-Light).






# MERCHANDISING

## SHOP IN SHOP

To best show the **U-POWER** Wear Collection we have developed specialised display areas for use within trade counters and retail shops. With this in mind we have designed a modular display solution capable of increasing the visibility of the product and to promote sales. The Shop in Shop is available in different solutions.

**UNDERWEAR DISPLAY**  
(74 cm x 30 cm x 174 cm)



*Underwear display*

cod. ES00020

**MANNEQUIN**  
Glass base  
(170 cm)



*MANNEQUIN*

cod. ES00016



**GLOVES DISPLAY**  
(55 cm x 28 cm)



*Gloves display*

cod. ES00019



*U-FRAME display*

cod. ES00026

**DISPLAY U-FRAME**  
Free standing wall display  
(90 cm x 60 cm x 200 cm)



*U-TWIST display*

cod. ES00040

**DISPLAY U-TWIST**  
Two sided and rotating  
(40 cm x 29 cm x 42 cm)





## Informative Notes - Clothing

### Instructions for use

The PPE has been designed using the essential safety and health prescribed by Directive 89/686/EEC transposed by Legislative Decree no. 475/92, as amended, and in such a way as to be in compliance with UNI EN ISO 13688:2013 on the general requirements for protective clothing.

The PPE is designed so that, in the foreseeable conditions of use, can provide adequate protection to the user and can be classified according to Directive 89/686/EEC in the second category and according to the standard of your products, the resulting performance the evidence to which the prototypes were subjected. Such benefits are indicated by the pictogram and its indexes to it side by side, determinants on the basis of instructions given in product standards to which the PPE is compliant.

### Warnings

- The user shall determine, based on the assessment of the possible risks, the need to match the PPE to other devices for protection of the remaining parts of the body.
- The performance of the garment is guaranteed when choosing the right size, is properly worn and fastened.
- If the PPE is damaged or a visual defect should appear, stop using your PPE and replace it with a suitable one.
- This Informative Note must be kept for the duration of the PPE in use.
- No modification of the PPE is allowed.

### Operating limits - the PPE does not protect from:


- risk of entanglement in moving parts;
- risk of chemical attack (acids, solvents, etc);
- risk of physical injury (cutting, drilling, etc);
- thermal hazards;
- risks of crossing and flame extinction;
- risks of poor visibility;
- any risk that the device has not been certified.

### Marking

The label (that measures 5,5 x 10,8 cm) bearing the CE marking can be fixed inside the garment. The characters and pictograms are red on black and resistant to the washing cycles indicated. The font sizes are larger than 2 mm and the dimensions of the written EC are greater than 5 mm. The specific size of the garment will be placed on a separate label.

Indications:

1. Brand of manufacture;
2. Pictogram and tables measures, indicating the standard to which the directive is compliant;
3. CE marking and the category of PPE;
4. Address of the manufacturer.



### Protection against rain UNI EN 343/2008: performance levels

This standard specifies the requirements on materials and seams of protective clothing by factors such as rain, snow, fog, and soil moisture. The garments are designed and constructed using waterproof and breathable fabrics paying particular attention to sealing all seams to ensure a high level of comfort.

x = class refers to the impermeability of the garment (class 1 to 3)

y = class refers to the breathability of the garment (class 1 to 3)

PERFORMANCE	CLASS	DETAILS
Resistance to water penetration (Wp)	1	Wp ≥ 8.000 Pa (as is) Wp ≥ 8.000 Pa (at the seams as is)
	2	Wp ≥ 8.000 Pa (after pre-treatment) Wp ≥ 8.000 Pa (at the seams as is)
	3	Wp ≥ 13.000 Pa (after pre-treatment) Wp ≥ 13.000 Pa (at the seams as is)
Water vapour resistance (R <sub>et</sub> )	1	R <sub>et</sub> > 40 m <sup>2</sup> Pa/W
	2	20 m <sup>2</sup> Pa/W < R <sub>et</sub> ≤ 40 m <sup>2</sup> Pa/W
	3	R <sub>et</sub> ≤ 20 m <sup>2</sup> Pa/W



### High-visibility warning clothing for professional use UNI EN 20471: requirements and test methods

UNI EN 20471: this standard specifies the requirements for high visibility clothing so that all people who work in low-light conditions, both during the day and during the night, are always visible. The fluorescent fabric ensures great visibility in daylight, while the reflective strips provide high visibility at night. The clothing is divided into 3 classes, where class 3 is the most luminescent. Putting together two garments of class 2 (eg. Trousers + jacket) is equivalent to class 3.

The items in the collection are made using **U-POWER 3M™** reflective 8910 according to class 2 for reflective materials.

x = classification of area covered of the retro-reflective background material (see table 1, class 1 to 3)

y = classification of retro-reflective material (class 1 to 2)

Minimum areas of visible material	Clothing CLASS 3	Clothing CLASS 2	Clothing CLASS 1
Background material (yellow/orange) [m <sup>2</sup> ]	0,80	0,50	0,14
Retro-reflective material (bands) [m <sup>2</sup> ]	0,20	0,13	0,10



## Informative Notes - Protective Gloves

### EN 420 General requirements and test methods - Protective gloves

- Comfort and efficiency: dexterity, dimensions, sizes and minimum lengths.
- Marking and packaging of gloves (CE, pictograms, size, serial number, brand name or manufacturer).
- Information and instructions for use.
- Requirements for safety gloves (pH and chromium VI content in leather gloves).
- Risk categories of gloves (I-lower risk, II-intermediate risk, III-complex risks).
- Definition of "only minor risks".

Protection for:

machining surface only, manipulation diluted detergent solutions with low action, handling of small components slightly hot (max 50°C), outdoor activity winter with average temperatures (max 0°C).



### EN 388 Protective gloves against mechanical risks

Protection from physical and mechanical hazards caused by abrasion, sharp objects, tear and perforation.

LEVELS OF PERFORMANCE		1	2	3	4	5
A	Abrasion resistance (numbers of cycles)	100	500	2000	8000	-
B	Blade cut resistance (factor)	1,2	2,5	5,0	10,0	20,0
C	Tear resistance (Newton)	10	25	50	75	-
D	Resistance to perforation (Newton)	20	60	100	150	-

Note: In case of entanglement would be appropriate that the tear resistance of the glove was as low as possible so as to free the operator easily.  
"0" = the glove did not pass the test / "X" = the glove has not been proven.



### Clothing for the protection in cold environments UNI EN 14057:2004

The standard specifies requirements and tests methods for the performance of each individual item of clothing for the protection of the body from cooling in cold environments. This standard does not involve specific requirements for headpieces, shoes, or gloves for local protection from cooling.

This standard establishes the requirements for the individual protection clothing to be used at temperatures of -5° C and above.

### Thermal resistance class (3 levels)

Rct (m2K/W)	CLASS
$0,06 \leq Rct < 0,12$	1
$0,12 \leq Rct < 0,18$	2
$0,18 \leq Rct < 0,25$	3



ABC

### EN 511 Protective gloves against cold

This standard applies to any gloves to protect the hands against convective and contact cold. Protection against cold is expressed by a pictogram followed by a series of 3 performance levels, relating to specific protective qualities.

A	<b>Convective cold.</b> Based on the thermal insulation properties of the glove which are obtained by measuring the transfer of cold via convection.	0 - 4 where 4 is best
B	<b>Contact cold.</b> Based on the thermal resistance of the glove material when exposed to contact with a cold object.	0 - 4 where 4 is best
C	<b>Capability of resisting water (5 min.).</b> 0 = water penetration after 5 minutes of exposure 1 = no water penetration.	0 or 1*



# OUR TECHNOLOGY



**KEEP DRY** membrane is a new concept which, thanks to a highly innovative technology ensures protection from wind, is waterproof and breathable even in the most extreme conditions.



**STORM SHELL** technology is designed to keep the body safe and dry even in the most adverse weather conditions: comfort and protection at all times.



**COMBAT** is a system of reinforcement in the hem of the trousers using a special anti-abrasive material. Protecting the cloth in environments where elements such as water, cement etc., putting an extra strain on the traditional working fabrics.



It is a fabric made of flexible and light materials, able to shield and block the electromagnetic waves produced by mobile phones. **BESAFE** offers better body protection against risks to human health from electromagnetic pollution.



**POWERFIT** is a high-performing fabric introduced into material of the product offering graduated compression, ensuring better circulation and improving the cool-down as a result of scientific research. **POWERFIT** is made with seamless technology, for maximum comfort.



Allowing the wearer to use the touch screens on smartphones and tablets without compromising safety and security in the workplace, through a special conductive fibre inserted within the index finger. **TAP&TOUCH** gloves are compatible with all touch screen devices.



Prolonged exposure to sunlight, may be harmful. Clothing with **U-POWER UV BLOCK** protection gives a UPF (ultraviolet protection factor) of 40 +. We tested our garments according to the international standard UNI EN 13758-1:2007.



**FREE POCKET** is designed, offering maximum capacity within regular sized pockets. Thus ensuring natural movement of the body in all working environments and positions.



The textile manufacturing process **STONE** is used to give to a new garment a unique colour and characteristic. The stone wash helps to improve the softness and flexibility of the fibres.



**FREE SOUND** is created for practicality in everyday life. **U-POWER** clothes have a system of soft silicone that allows your earphones to pass through the jacket from the inside pocket, ensuring tangle free cables and reducing potential damage.



The **PA MICROFIBER** structure retains unique properties of breathability, quick drying and soft hand touch resulting in a superior comfort. Furthermore its high covering-power and tenacity make the garment particularly lightweight and durable.



# OUR COLOURS



**BC**  
BLACK CARBON



**BT**  
BLUE COBALT



**BN**  
BLUE NEON



**BP**  
BLUE POWER



**BU**  
BLUE ULTRAMARINE



**CB**  
CREME BRULEE



**CH**  
CHOCOLATE



**DG**  
DARK GRANITE



**DB**  
DEEP BLUE



**DC**  
DARK CAMOUFLAGE



**DS**  
DESERT SAND



**FC**  
FLUO CAMOUFLAGE



**FG**  
FOREST GREEN



**GC**  
GREY CAMOUFLAGE



**GF**  
GREEN FLUO



**GG**  
GREY GRAPHITE



**GI**  
GREY IRON



**GL**  
GREY LEAD



**GM**  
GREY METEORITE



**GP**  
GREY PALLADIUM



**GJ**  
GUADO JEANS



**IB**  
INDIGO BLUE



**LG**  
LIGHT GRANITE



**MB**  
MIDNIGHT BLUE



**MT**  
MUD TITANIUM



**OG**  
OLIVE GREEN



**OF**  
ORANGE FLUO



**RF**  
RED FLUO



**RM**  
RED MAGMA



**RJ**  
RUST JEANS



**SG**  
STONE GREY



**WB**  
WESTLAKE BLUE



**YF**  
YELLOW FLUO




**YP**  
YELLOW PEPITA



**ZG**  
ZINC GREY





## MEASUREMENTS AND FITTINGS

**U-POWER** Clothing is robust, durable and comfortable.

Jackets available in 8 different sizes and trousers available in 11 sizes offering every option depending on your needs.

The **U-POWER** size chart will help you to select the right size for the best fit.

## Sizing guidelines for sweaters and jackets

		XS	S	M	L	XL	2XL	3XL	4XL
<b>A</b> Height	cm	160-164	164-174	174-180	176-182	182-188	186-192	190-198	192-200
	inch	62-64	64-68	68-71	69-72	72-74	73-76	75-78	76-79
<b>B</b> Chest	cm	78-86	86-94	94-102	102-110	110-118	118-129	129-141	141-153
	inch	31-34	34-37	37-40	40-43	43-46	46-51	51-56	56-60

## Sizing guidelines for trousers

SCA*		C44	C46	C48	C50	C52	C54	C56	C58	C60	C62	C64
UK		30	32	33	34	36	38	40	42	44	46	48
FR		38	40	42	44	46	48	50	52	54	56	58
USA		S		M	L		XL	2XL		3XL		4XL
EU		44	46	48	50	52	54	56	58	60	62	64
<div>A</div> <div>Height</div> <div>MEASUREMENT</div>	cm	162-166	166-170	170-174	174-178	178-182	182-186	186-190	190-194	194-198	198-202	202-206
	inch	64-65	65-67	67-69	69-70	70-72	72-73	73-75	75-76	76-78	78-80	80-81
<div>C</div> <div>Waist</div> <div>MEASUREMENT</div>	cm	74-78	78-82	82-86	86-90	90-94	94-98	98-102	102-106	106-111	111-117	117-123
	inch	29-31	31-32	32-34	34-35	35-37	37-39	39-40	40-42	42-44	44-46	46-50
<div>D</div> <div>Hips</div> <div>MEASUREMENT</div>	cm	92	96	100	104	108	112	116	120	124	128	132
	inch	36	38	39	41	43	44	46	47	49	50	52
<div>E</div> <div>INSIDE</div> <div>Leg</div>	cm	79	80	81	83	84	85	86	87	87	88	89
	inch	31	31	32	33	33	33	34	34	34	35	35

To check your size, simply follow instructions on the size chart. The anatomical measurements listed correspond exactly to those of the actual person measured through the tailor meter.

\*SCANDINAVIA



# INDEX SHOES

<b>ACTIVE</b>	S1P SRC	RL20066	16
<b>ADVENTURE</b>	S1P SRC	RL20076	17
<b>AERATOR</b>	S1P SRC	UK20056	32
<b>AIDA</b>	S3 HRO HI CI SRC	UM10144	57
<b>AIR</b>	01 FO SRC	UK20749	62
<b>ALAIN</b>	S1P SRC	UF20146	22
<b>ALASKA UK</b>	S3 CI SRC	RR40384	79
<b>ALEX</b>	S1P SRC	UF20196	24
<b>ALLIGATOR</b>	S1P SRC	BC30355	91
<b>AMAZON</b>	S3 SRC ESD	SN20154	27
<b>ANACONDA</b>	RS S1P SRC	BC10025	92
<b>ANATOMY GRIP</b>	SB-E-A-FO SRC	UW60272	68
<b>ANDREE GRIP</b>	S1P SRC ESD	UK30416	35
<b>APOLLO</b>	S1P SRC	SO10155	89
<b>APRIL</b>	S1P SRC	SO20485	89
<b>ARI</b>	S1P SRC	UF20046	24
<b>ARIA</b>	S1 SRC	RR20181	73
<b>ARIZONA</b>	UK S3 SRC	RR20443	77
<b>ARKO</b>	S1P SRC	RR10416	75
<b>ARROW GTX®</b>	S3 WR HRO HI SRC	GO40074	47
<b>ASCEND</b>	S3 SRC	UA10164	52
<b>ASSOLO</b>	S1P SRC	SO20175	86
<b>AUCKLAND</b>	S1P SRC	RR10556	76
<b>AUSTRAL</b>	S3 HRO HI SRC ESD	PL10013	67
<b>AUSTRAL XL</b>	S3 HRO HI SRC ESD	PL10023	67
<b>AUSTRAL XXL</b>	S3 HRO HI SRC ESD	PL10033	67
<b>AVIATION</b>	S1P SRC	UH20066	38
<b>AYRTON</b>	S1P SRC	UF20166	23
<b>BAER UK</b>	S3 SRC	UA20614	53
<b>BEAR GRIP</b>	S3 SRC	SG20254	33
<b>BEAST</b>	S3 SRC	UA20114	52
<b>BELL</b>	S1P SRC	BC20566	93
<b>BERG</b>	S1P SRC	SO10175	86
<b>BETON</b>	S2P HRO HI SRA	UK10804	80
<b>BETTER</b>	S1P SRC	BC20576	93
<b>BJORN</b>	S3 SRC	UF20084	25
<b>BLACK ROCK</b>	S3 SRC	UA10254	52
<b>BLANCO</b>	S2 SRC	RL290272	21
<b>BLINK</b>	S3 SRC	RL20334	21
<b>BOLT</b>	S3 SRC	RL20043	19
<b>BONDE</b>	S3 SRC	RR10236	74
<b>BORA</b>	S1P SRC	RR20906	72
<b>BOREAL</b>	S3 SRC ESD	PL20013	67
<b>BOREAL XL</b>	S3 SRC ESD	PL20023	67
<b>BOREAL XXL</b>	S3 SRC ESD	PL20033	67
<b>BOSS</b>	S1P SRC	BC20305	92

<b>BOTOX GRIP</b>	S1P SRC	UK20966	31
<b>BOX</b>	S3 SRC	RL10134	20
<b>BRAVE</b>	S3 SRC	RL20103	19
<b>BREEZE GRIP</b>	SB-E-A-FO SRC	UW60011	58
<b>BREZZA</b>	S1P SRC	RR20196	73
<b>BULLS</b>	S3 HRO HI SRC	SO10213	81
<b>BYTE GTX®</b>	S3 WR SRC ESD	GO10024	45
<b>CALGARY UK</b>	S3 SRC	RR70374	79
<b>CALIFORNIA</b>	S1P SRC	RR20356	76
<b>CANDY</b>	S3 SRC	RL20324	20
<b>CAPTION</b>	S3 SRC	UR20114	43
<b>CARAVAN</b>	S1P SRC	SN10056	27
<b>CARBON</b>	S3 SRC	RL20013	18
<b>CARLOS</b>	S1P SRC	UF20026	22
<b>CARTER</b>	S3 SRC	RL10103	18
<b>CEMENT</b>	S2P HRO HI SRA	UK20804	80
<b>CHAMPION</b>	S3 SRC	WN10066	41
<b>CHECK</b>	S1P SRC	SO10115	87
<b>CHERRY</b>	S1P SRC	RL20196	20
<b>CLASS</b>	S2 SRC	RR20242	76
<b>CLIMB GTX®</b>	S3 WR HRO HI CI SRC	GO10064	47
<b>CLUB</b>	S3 SRC ESD	RL20114	19
<b>COAL</b>	S1P SRC	RR20016	72
<b>CODY</b>	S3 SRC ESD	RL30316	20
<b>COLIN</b>	S1P SRC	UF20036	24
<b>COMFORT GRIP</b>	01 FO SRC	UK20759	62
<b>CONNECTION GRIP</b>	S3 SRC ESD	SG20494	35
<b>CONTROL</b>	S1P SRC	SO20115	87
<b>CORE</b>	S1P SRC	RR20216	74
<b>CORNER</b>	S3 SRC	UC20014	51
<b>COUGAR UK</b>	S3 CI SRC	RR70314	78
<b>CROCODILE</b>	S3 SRC	BC10423	91
<b>CROSS</b>	S3 SRC	UC10014	51
<b>CRUC</b>	S3 HRO HI SRC	UM10314	57
<b>CULT</b>	S1P SRC ESD	UR30146	42
<b>CURTISS</b>	S1 SRC	SO20181	89
<b>DAIQUIRI</b>	S1P SRC	UH20076	38
<b>DARDO</b>	S1P SRC	RR20416	75
<b>DELPHI GRIP</b>	S3 SRC ESD	SG10464	35
<b>DEMON GRIP</b>	S1P SRC	SG20066	31
<b>DEPP</b>	RS S3 M HRO HI SRC	SO10223	81
<b>DESERT</b>	S1P SRC	BC10415	90
<b>DEVASTATE</b>	RS S3 SRC	UA10324	52
<b>DHARMA</b>	S3 SRC	RL10103	19
<b>DOVER</b>	S3 SRC	SN20136	27
<b>DREAM</b>	S1P SRC	BC20335	92



<b>DRIBBLING</b>	S3 SRC	WN20074	41
<b>DROP GTX®</b>	S3 WR HRO HI CI SRC	GO10054	47
<b>DUDE GTX®</b>	S3 WR HRO HI CI SRC	GO10094	47
<b>ELECT</b>	S3 SRC	UA20624	52
<b>ELECTRO GRIP</b>	S3 SRC ESD	SG20464	35
<b>ELITE</b>	S3 SRC	UA20564	51
<b>EMOTION</b>	S1P SRC	RL20086	17
<b>ENDURO</b>	S3 SRC	UA10234	50
<b>ENGINE</b>	S3 SRC	UR10104	43
<b>ENOUGH</b>	S3 SRC	UW10164	71
<b>EQUIPE GRIP</b>	S1P SRC	SG20076	32
<b>ERUPTION</b>	S3 HRO HI SRC	UA20394	52
<b>ETNIC</b>	S3 SRC	UM20074	57
<b>EVOLUTION GRIP</b>	S3 SRC	SG20214	32
<b>EXOTIC</b>	S1P SRC	UH20116	36
<b>FACE</b>	S3 SRC ESD	RL20144	19
<b>FAIRY</b>	S1 SRC	BC30331	93
<b>FALCON</b>	S3 SRC	SO20623	87
<b>FANGIO</b>	S1P SRC	UF20186	24
<b>FEELING</b>	S1P SRC	SO10165	86
<b>FIABA</b>	S1 SRC	LL30051	59
<b>FIT</b>	S1P SRC	UA50026	48
<b>FIZZ</b>	S1P SRC	UH20016	37
<b>FLORENCE</b>	S3 SRC	MG20054	65
<b>FLORIDA</b>	S1P SRC	RR10356	76
<b>FLY GRIP</b>	S1P SRC	SG20096	31
<b>FOREST</b>	S3 SRC	SN20044	26
<b>FOX</b>	S1 SRC	BC20031	93
<b>FRESH</b>	S1P SRC	RR20886	72
<b>FUCHS UK</b>	S3 SRC	UA10614	53
<b>FUSION</b>	S3 SRC	UA20234	50
<b>GALAXY</b>	S3 SRC	UA10354	51
<b>GAME</b>	S3 SRC	SW20014	33
<b>GESSATO GRIP</b>	S3 SRC	UK20074	34
<b>GHEPARD UK</b>	S3 CI SRC	RR70324	78
<b>GIN</b>	S1P SRC	UH10016	37
<b>GIPPO</b>	RS S3 SRC	RR10254	74
<b>GLACE</b>	S2 SRC	RL20262	21
<b>GOING</b>	S1P SRC	RL20096	16
<b>GRANITE</b>	S3 SRC	UA20254	52
<b>GRANVILLE</b>	S1P SRC	RR50426	75
<b>GRAVEL</b>	RS S3 HRO HI SRC	UA10584	52
<b>GREENLAND UK</b>	S3 SRC	RR10364	79
<b>GRIGA GRIP</b>	S3 SRC	SW10044	34
<b>GROOVE GTX®</b>	S3 WR SRC ESD	GO20043	46
<b>HEAVEN GRIP</b>	S1P SRC	SG20206	32

<b>HELL GRIP</b>	S1P SRC	SG20196	32
<b>HENRY</b>	S3 SRC	UF10074	25
<b>HUMMER</b>	S3 SRC	RL10174	18
<b>HURON UK</b>	S3 SRC	RR20454	78
<b>ICE</b>	S3 CI SRC	UR70134	42
<b>INFINITY</b>	S3 SRC	RL10023	18
<b>INNOVATION</b>	RS S3 SRC	SO10633	87
<b>IROKO</b>	S3 SRC ESD	RR20304	75
<b>IRON</b>	S3 HRO CI HI SRC	RR10564	79
<b>JADE</b>	S1P SRC	SN20086	27
<b>JAGUAR UK</b>	S3 SRC	RR10284	78
<b>JAZZ</b>	S3 SRC	UC10094	51
<b>JENA</b>	RS S3 SRC	RR10244	76
<b>JOGGER</b>	S1P SRC	RR10261	74
<b>JOY</b>	S1P SRC	SN20096	27
<b>JUMP</b>	S3 HRO HI SRC	UM20034	57
<b>JUNE</b>	S1 SRC	RL20241	21
<b>JUNIOR</b>	RS SB E P WRU FO HRO SRC	UI10013	95
<b>KARGO GRIP</b>	S3 SRC	SG10254	33
<b>KATMAI UK</b>	S3 SRC	BC10483	91
<b>KEN</b>	S3 SRC	UF10104	25
<b>KICK</b>	S3 SRC	RL20023	18
<b>KIMI</b>	S1P SRC	UF20026	23
<b>KING</b>	S3 SRC	SN20014	26
<b>KIR</b>	S3 SRC	UH10054	38
<b>KLEVER UK</b>	S3 CI SRC	RR70334	78
<b>KROTAL UK</b>	S3 CI SRC	BC70463	92
<b>LAB GRIP</b>	S1 SRC	UW20021	69
<b>LABRADOR</b>	S1P SRC	RR30436	75
<b>LATITUDE UK</b>	RS S3 SRC	SO10683	89
<b>LED GTX®</b>	S3 WR SRC ESD	GO20024	45
<b>LEO</b>	S3 SRC	RR20236	74
<b>LEWIS</b>	S1P SRC	UF20176	23
<b>LIFT</b>	S3 SRC	RL10013	18
<b>LIGHT ONE</b>	S1P SRC	RR30566	74
<b>LINKIN</b>	S3 SRC	RL20254	21
<b>LION</b>	S3 SRC	SN10014	26
<b>LOLLY</b>	S1P SRC	RL20206	20
<b>LONDON</b>	S3 SRC	MG20024	64
<b>LUCKY</b>	S1 SRC	UE20191	95
<b>LYNX UK</b>	S3 SRC	RR20284	78
<b>MACH</b>	S1P SRC	UA10276	50
<b>MAGIC</b>	S1P SRC	BC30335	93
<b>MAIDEN</b>	S3 HRO CI HI SRC	RR20564	79
<b>MALIBU</b>	S1P SRC	UH20106	36
<b>MAMY GRIP</b>	SB-E-A-FO SRC	LL60152	58



# INDEX SHOES

MANHATTAN	S3 SRC	UH10084	38
MARGARITA	S1P SRC	UH20046	38
MARINER	S1P SRC	UA20316	48
MARKKU	S1P SRC	UF20056	24
MARTE	S3 HRO HI SRC	SP20044	55
MASTER	S3 SRC ESD	UR20124	42
MATCH	S1P SRC	WN20016	40
MAUNA	S3 SRC	BC20473	91
MAYON	S3 SRC	BC10473	91
MERIDIANE UK	S3 SRC	SO20683	89
METEOR	S1P SRC	UA10226	48
MIAMI	S1P SRC	RR20346	77
MICHAEL	S1P SRC	UF20156	23
MIKA	S1P SRC	UF20216	24
MIMETIC	S1P SRC	WN20046	40
MISTRAL GRIP	S1P SRC	UK50086	32
MIX GRIP	S1P SRC	UK20946	30
MOON	SB-E-A-FO SRC	RL20301	21
MORE GTX®	S3 WR SRC ESD	GO20016	44
MOVIDA	S1P SRC	UE20025	94
MOVING	S1P SRC	RL10086	17
MUSTANG	S3 SRC	UM20013	56
MYTHOS	S1P SRC	UA20066	49
NERO GRIP	S3 SRC	SG20154	34
NEVADA	S1P SRC	RR20556	76
NICO	S1P SRC	UF20136	22
NITRO	S1P SRC	UA20276	50
NOIR	S2 SRC	RL20282	21
NORDIC PLUS	S3 CI SRC	SO40053	88
NURSE GRIP	S1 SRC	UW20031	69
NUVOLA GRIP	S1 SRC	LL30061	58
OAK	S1P SRC ESD	RR30306	75
OASIS	S1P SRC	BC20415	90
ORIGINAL	S3 HRO HI SRC	UG40014	80
ORIGINAL ICE	S3 HRO HI CI SRC	UG40024	80
ORLANDO	S1P SRC	RR10346	77
OTTAWA	S1P SRC	RR20406	74
OXFORD	S3 SRC	UW20094	71
PAT GRIP	S3 SRC	SW20044	34
PENALTY	S3 SRC	WN20056	41
PERFORMANCE	S3 CI SRC	UM10054	56
PETALO	S1 SRC	LL20031	59
PHILO	S2 SRC	LL20122	60
PITUCON	S3 SRC	SO10043	87
PIUMA	S3 SRC	LL20014	59
PLANET	01 FO SRC	TE20257	63

POINT	S1P SRC	RL20036	16
PREDATOR	S3 SRC	SN10044	26
PREMIERE	S3 SRC	SO10104	87
PROVOKE	S3 SRC	UC20064	51
PUMP GTX®	S3 WR SRC ESD	GO10016	44
PUSH	S1P SRC	RL20056	16
QUEBEC UK	S3 SRC	RR20364	79
RADIAL GRIP	S1P SRC	UK20026	32
RAJAS	S3 SRC	UK20064	33
RAMBO	S3 SRC	SN20204	26
REAL	S1P SRC	BC10315	90
REBEL	S3 SRC	UK10064	33
REBOUND GRIP	S2 SRC	UW20022	69
REFLEX	S1P SRC	UK20036	30
REPLY	S2 SRC	UE20192	95
REPTILE	RS S3 SRC	BC10033	91
RESPONSE GRIP	S2 SRC	UW20032	68
RIDE GTX®	S3 WR SRC ESD	GO10043	46
RING	S3 SRC	RL20134	20
ROB	S1P SRC	UH10036	38
ROBERT	S1P SRC	UF20096	24
ROBUST	S3 SRC ESD	UR10124	42
ROTATIONAL	S1P SRC	BC20035	93
ROUND	S3 SRC ESD	BO20024	66
ROY	S1P SRC	UH20036	38
ROYAL	S3 SRC	UH20054	38
SABA UK	S3 SRC	BC20483	91
SAFARI	S3 SRC	SN10034	27
SAFE	RS S3 SRC	UE10013	94
SAFE UK	S3 SRC	UE10123	94
SANDSTONE GRIP	S3 SRC	SG20054	33
SATURNO	S3 HRO HI SRC	SP10044	55
SAVAGE GRIP	S3 SRC	UK10164	34
SAVANA	S3 SRC	SN20034	26
SCANDY GRIP	S1P SRC	UK00136	35
SCURO GRIP	S3 SRC	SG10164	34
SEBASTIEN	S3 SRC	UF20064	25
SENIOR	SB E P WRU FO HRO SRC	UI20013	95
SENNA	S1P SRC	UF20206	24
SENSATION	S1P SRC	SO20165	86
SETA	S1 SRC	LL20151	59
SHAKER	S1P SRC	UH20026	36
SHAPE	S3 SRC ESD	RL10114	19
SHARON	S2 SRC	LL20132	60
SHINE GRIP	S2 SRC	UW10012	68
SHOT	S3 SRC	RL10043	19



SHOW	S1P SRC ESD	RL20126	20
SHUTTLE	S1P SRC	SO30025	87
SIBERIAN	S3 CI SRC	RR40754	78
SIDNEY	S3 SRC	MG10014	65
SIMPLE	S3 SRC	UE20013	94
SINERGY GRIP	SB-E-A-FO SRC	UW60021	58
SMASH GTX®	S3 WR HRO HI CI SRC	GO10084	47
SNICKER GRIP	S3 SRC	SG20044	33
SOFFICE	S1 SRC	LL20041	59
SOFFIETTO	S1P SRC	BC20025	92
SOFT	02 FO SRC	TE20197	63
SOLID	S3 SRC	SO20104	87
SONG	S1 SRC	SO30011	89
SOUND GTX®	S3 WR SRC ESD	GO20036	46
SOYUZ	S1P SRC	SO30015	89
SPACE	01 FO SRC	TE20267	63
SPIN GRIP	01 FO SRC	SG20069	61
SPRINT	S1 SRC ESD	RR20191	73
SPYKE	S3 SRC	RL20103	18
ST. TROPEZ	S1P SRC	UK20046	30
STAR	RS S3 SRC	UA10574	51
STIG	S3 SRC	UF20074	25
STING GRIP	02 FO SRC	UK10767	62
STINGER	S1P SRC	UH30016	37
STORM	S1P SRC	UC20026	49
STRAIN GRIP	S3 SRC ESD	SG10494	35
STRATOS	S1P SRC	UA20216	49
STRETCH GRIP	S3 SRC	UK20706	32
STRUCTURE	S2 SRC	UW20112	71
STYLE	S3 SRC	RR20254	74
SUGAR GRIP	S2 SRC	UW10292	70
SUN	S1P SRC	RR20056	73
SUPER	SB-E-A-FO SRC	UW60061	71
SURF GTX®	S3 WR SRC ESD	GO10036	46
SURGE GRIP	SB-E-A-FO SRC	UW60041	69
TAIGA	S3 CI SRC	SO40013	88
TANGO	S3 SRC	WN10074	41
TANNER	RS S1P SRC	BC10345	92
TAXI	S3 SRC	UM10263	56
TEAK	S3 SRC ESD	RR10304	75
TEAM	S1P SRC	BC20345	92
TERMINATOR	S3 SRC	SN10204	26
TERRA	S1P SRC	SO20195	89
TERRANOVA UK	S3 SRC	RR10454	78
TESTIMONIAL GRIP	S3 SRC	UK20164	34
TEXAS UK	RS S3 SRC	RR10443	77

TIGER	S3 SRC	RR20244	76
TIKY	S3 SRC	RL10013	19
TIME	S1P SRC	WN20026	40
TINA GRIP	S1 SRC	LL20141	59
TITAN	S3 HRO HI SRC	SP20024	54
TOMMY	S1P SRC	UF20016	22
TONGUE	S3 SRC	BC20023	91
TONIC GRIP	02 FO SRC	UK20767	62
TORNEO	S3 SRC	WN20066	41
TORPEDO	S3 SRC	UR20104	43
TRACK	S3 SRC	UM10013	56
TRAIL	S3 HRO HI CI SRC	UM10034	57
TRIBAL	S3 SRC	UM10074	57
TROPHY	S1P SRC	SN20056	27
TUAREG	S1P SRC	SN20066	27
TUDOR	S1P SRC	BC20315	90
TUNDRA	S3 CI SRC	SO70013	88
TURF	S1P SRC	WN20036	40
TURN	S1P SRC ESD	BO10016	66
TWEED GRIP	S3 SRC	UK10074	34
TWISTER	S1P SRC	UC20036	49
UNDERWATER GRIP	S2 SRC	UW20272	68
URANO	S3 HRO HI SRC	SP20014	55
VENICE	S3 SRC	MG20044	64
VENTO	S1P SRC	RR20186	72
VENUS	S3 HRO HI SRC	SP10014	55
VEROK	S1P SRC	RL20216	20
VETTA	S3 HRO HI CI SRC	UM40024	57
VINTAGE	S1P SRC	UA30016	48
VOLTAGE	S3 SRC	UR10114	43
VORTIX GRIP	S1P SRC	UK20666	30
WALTER	S3 SRC	UF10064	25
WELDER	S3 HRO HI SRC	UM40034	57
WHEEL	S1P SRC ESD	BO20016	66
WIN RS	S3 SRC	SW10014	33
WIND GRIP	S1P SRC	SG20106	31
YAK	S3 CI SRC	SN10144	27
YODA	S3 SRC	RL200174	18
YUKON	S3 SRC	RR20464	74
ZELDA	S2 SRC	RL20292	21



# INDEX WEAR

AIR	SK047	SKIN	145 ›
ALFA	ST068	SMART	112 ›
ALPIN	SK052	SKIN	143 ›
ARTIC	EY041	ENJOY	137 ›
AURANO	PS080	PS1	114 ›
AVALANCHE	SK050	SKIN	142 ›
AVENUE	EY042	ENJOY	139 ›
BALTIC	EY128	ENJOY	110 ›
BAM	EY045	ENJOY	139 ›
BI-VISIBLE	HL066	HI-LIGHT	141 ›
BIKER	GP105	GP	146 ›
BLIZZARD	SK049	SKIN	142 ›
BOLETO	PS082	PS1	135 ›
BOOST	AC053	GP	147 ›
BRAVO	ST069	SMART	112 ›
BUDDY	HY021	HAPPY	131 ›
BUGGY	UP087	PICCOLO	123 ›
BULLDOZER	UP075	PICCOLO	123 ›
CAPPELLINO	AC058	PLUS	148 ›
CARESS	EY037	ENJOY	137 ›
CHARLIE	ST070	SMART	119 ›
CINTURA	AC057	PLUS	149 ›
CIOCCO	PS083	PS1	138 ›
CLIMB	DW025	DON'T WORRY	121 ›
COLMA	PS081	PS1	127 ›
COMPACT	EY120	ENJOY	136 ›
CRISP	HY130	HAPPY	115 ›
CRODO	PS079	PS1	110 ›
CUFFIA	AC059	PLUS	148 ›
DELTA	ST073	SMART	113 ›
DRIFT	IM010	IMPACT	109 ›
DRILL	UP078	PICCOLO	123 ›
EASY	PE118	PERFORMANCE	139 ›
ECHO	ST072	SMART	127 ›
EDELWEISS	SK051	SKIN	143 ›
ENGINE	IM011	IMPACT	117 ›
FAST	PE115	PERFORMANCE	121 ›
FIRST	SY004	U-SUPREMACY	122 ›
FLASH	PE116	PERFORMANCE	108 ›
FORCE	EY092	ENJOY	135 ›
FOX	ST067	SMART	119 ›
FREE	DW022	DON'T WORRY	109 ›
FROZEN	SK112	SKIN	144 ›
FUN	HY018	HAPPY	122 ›
FUR	EY038	ENJOY	134 ›
GAP	EY125	ENJOY	138 ›
GEAR	IM013	IMPACT	130 ›
GINOCCHIERE	GC061	PLUS	149 ›
GLOW	HL065	HI-LIGHT	141 ›
GOKART	UP085	PICCOLO	123 ›
GOLF	ST089	SMART	133 ›
GORDON	PE126	PERFORMANCE	108 ›
GRIN	HY107	HAPPY	109 ›
GYM	EY122	ENJOY	136 ›
HUG	EY036	ENJOY	137 ›
ICE	SK102	SKIN	145 ›
ICON	EX033	EXCITING	129 ›
ICS	ST117	SMART	113 ›

JOKE	HY020	HAPPY	115 ›
LAMBERT	SK124	SKIN	142 ›
MAKALU	SK099	SKIN	143 ›
MALLET	UP076	PICCOLO	123 ›
MATE	HY108	HAPPY	131 ›
METROPOLIS	DW024	DON'T WORRY	125 ›
MOTOR	AC054	GP	147 ›
NAKED	AC055	GP	147 ›
NIMBLE	DW084	DON'T WORRY	111 ›
OCEAN	EY123	ENJOY	111 ›
ONE	AC127	PLUS	148 ›
ONEWAY	EX035	EXCITING	130 ›
PARTY	HY017	HAPPY	114 ›
PERFECT	EY121	ENJOY	136 ›
PIT	SY008	U-SUPREMACY	105 ›
PLATINUM BUTTON	EX069	EXCITING	113 ›
POLAR	SK111	SKIN	144 ›
PROGRESS	EX064	EXCITING	133 ›
QUAD	UP086	PICCOLO	123 ›
QUICK	PE114	PERFORMANCE	125 ›
RACE	SY001	U-SUPREMACY	106 ›
RALLY	IM012	IMPACT	124 ›
RAVE	HY106	HAPPY	112 ›
RAY	HL074	HI-LIGHT	141 ›
SCALDACOLLO	AC060	PLUS	149 ›
SEA	EY044	ENJOY	138 ›
SHAKE	HY019	HAPPY	118 ›
SIBERIAN	SK101	SKIN	144 ›
SKATE	DW023	DON'T WORRY	118 ›
SKY	SK046	SKIN	144 ›
SKYLINE	EX034	EXCITING	133 ›
SLIK	SY007	U-SUPREMACY	127 ›
SMILE	HY015	HAPPY	111 ›
SNOW	DW026	DON'T WORRY	130 ›
SNUG	EY129	ENJOY	136 ›
SQUARE	EY039	ENJOY	135 ›
START	SY003	U-SUPREMACY	114 ›
STEP	EX032	EXCITING	122 ›
STOP	SY009	U-SUPREMACY	125 ›
STREET	EY043	ENJOY	138 ›
SUNNY	SK103	SKIN	145 ›
TACTICAL	AC056	PLUS	121 ›
TANGO	ST090	SMART	132 ›
TASTY	PE119	PERFORMANCE	135 ›
TOWN	EX028	EXCITING	114 ›
TRAFFIC	ST071	SMART	113 ›
TRUCK	UP077	PICCOLO	123 ›
TURBO	SY005	U-SUPREMACY	117 ›
TURN	SY006	U-SUPREMACY	115 ›
URBAN	EX027	EXCITING	112 ›
WARM	EY040	ENJOY	137 ›
WARRIOR	EY094	ENJOY	134 ›
WHISKY	ST091	SMART	132 ›
WILD	SY095	U-SUPREMACY	105 ›
WIND	SK048	SKIN	145 ›
WRC	IM014	IMPACT	129 ›
YETI	GP104	GP	146 ›
ZEBRU	SK100	SKIN	143 ›

This price list replaces all previous documents.

With the aim to improve our collections, all products included in this price list may be replaced and/or modified.  
Images are for illustration purposes only and are not legally binding.









YOUR DISTRIBUTOR



**U GROUP Srl** - Unit 1A, Eastern Park, Eastern Avenue, Lichfield, WS13 7SY - ENGLAND - Tel. +44 (0) 154 3 417 241  
**www.u-power.it - info.uk@u-power.it**

**ITALIA**  
**U GROUP Srl**

Tel. +39 0322 53 94 01  
Fax +39 0322 23 00 01  
info@u-power.it

**DEUTSCHLAND**  
**U GROUP Srl**

Tel. +49 (0) 641 389038  
Fax +49 (0) 641 9843663  
info@klingelhoefer-ugroup.de

**ESPAÑA**  
**U GROUP Srl**

Tel. +34 941 27 28 77  
Fax +34 941 23 49 86  
info.es@u-power.it

**FRANCE**  
**U GROUP Srl**

Tel. +33 3 87 73 34 58  
Fax +33 3 87 73 35 32  
info.fr@u-power.it